

Directorate General NDRF & Civil Defence (Fire) Ministry of Home Affairs East Block 7, Level 7, NEW DELHI, 110066,

Fire Hazard and Risk Analysis in the Country for Revamping the Fire Services in the Country

Final Report - State Wise Risk Assessment, Infrastructure and Institutional Assessment of Phase IV States (Arunachal Pradesh, Assam, Chhattisgarh, Jharkhand, Manipur, Meghalaya, Mizoram, Nagaland, Orissa, Sikkim, Tripura, and West Bengal)

November 2012

Submitted by

RMSI A-8, Sector 16 Noida 201301, INDIA Tel: +91-120-251-1102, 2101 Fax: +91-120-251-1109, 0963

www.rmsi.com

Contact: **Sushil Gupta**General Manager, Risk Modeling and Insurance
Email: Sushil.Gupta@rmsi.com





Table of Contents

T	able of	Contents	2
Li	st of Fi	gures	5
Li	st of Ta	ables	7
A	cknowl	edgements	10
Ε	xecutiv	e Summary	. 11
1	Intro	oduction	. 19
	1.1	Background	.19
	1.2	Role of Fire Services	.19
	1.3	Objective of the Study	21
	1.4	Scope of the Study	21
2	Tec	hnical Details on Methodology and Data Development	. 22
	2.1	Understanding of the Scope of Work	. 22
	2.2	Study Area	. 23
	2.3	Phased Approach	24
3	GIS	based Fire Hazard and Risk Analysis	26
	3.1	GIS Data Compilations	26
	3.2	GIS - Overlay Analysis	30
	3.3	Fire Hazard and Risk Analysis	32
	3.4	Hazard Ranking	. 33
	3.5	Exposure Vulnerability Ranking	42
4	Field	d Surveys of Fire Stations for Data Collection	58
	4.1	Field-Survey of individual Fire Station and collection of Headquarter Data	58
	4.2	Stakeholder Analysis	.59
5	Dev	elopment of Fire Decision Support System (FDSS)	60
	5.1	Salient Features	60
	5.2	High Level Design	60
	5.2.	1 Data Warehouse	62
	5.3	Platform Components	63
	5.4	System Administration Interface	65
	5.5	Application Interface	65
	5.5.	1 Technology	66
	5.6	Advantages of Open Source Platform	68
	5.7 Requi	Identification of Gaps in Infrastructure, Up-gradation and Modernizat	
	5.7.	1 Infrastructure Gaps	69



	5	.7.2	Equipment Gaps	69
	5	.7.3	Capacity Gaps	69
	5.8	Pre	paration of detail cost estimates with Capital and O&M Investment Plan	69
	5.9	Inst	itutional Assessment and Capacity Building Plan	70
6	lr	nternati	onal and National Norms	71
	6.1	Lite	rature Survey	71
	6.2	Res	sponse Time	71
	6	.2.1	Germany	71
	6	.2.2	Japan	72
	6	.2.3	USA	73
	6	.2.4	UK	74
	6	.2.5	India	74
Αı	nnex	(-1: Fire	e Headquarter Data Collection Form	77
Αı	nnex	(-2: Fire	e Station Survey Form	94
7	Ν	CT of I	Delhi	. 110
8	R	ajastha	an State	. 111
9	M	laharas	shtra State	. 112
1()	Jamm	u and Kashmir State	. 113
11	1	Puduo	cherry UT	. 114
12	2	Andar	man & Nicobar Islands UT	. 115
13	3	Chan	digarh UT	. 116
14	4	Harya	na State	. 117
15	5	Himad	chal Pradesh State	. 118
16	3	Punja	b State	. 119
17	7	Uttara	khand State	. 120
18	3	Uttar l	Pradesh State	. 121
19	9 Dadra and Nagar Haveli UT1			. 122
20	0 Daman and Diu UT1			. 123
2	1	Goa S	State	. 124
22	2	Gujarat State		
23	3	Karna	taka State	. 126
24	4	Madh	ya Pradesh State	. 127
25	5	Andhr	a Pradesh State	. 128
26 Bihar State			State	. 129
27	7	Kerala	a State	. 130
28	3	Laksh	adweep UT	. 131



29 Tam	il Nadu State	132
	achal Pradesh State	
	ım State	
	roduction	
	eld Surveys of Fire Stations for Data Collection	
	rastructure Gap Analysis	
31.3.1	Fire Station Location Gap Analysis	139
31.3.2	Fire fighting and rescue Vehicles and Equipment Gap	154
31.3.3	Fire Manpower Gap	177
31.3.4	Fire Station Building Infrastructure Gap	185
31.4 Inv	estment and Financial Analysis	186
31.4.1	Capital Cost	186
31.4.2	Recurring Cost	197
31.5 De	etailed Financial Investment Plan	203
31.6 Pr	ioritization of new Fire Stations/Fire Posts	204
31.7 Av	enues of Fund Generation	204
31.8 Ca	pacity Building and Training Facilities	204
31.8.1	Basic Training for Fireman	206
31.8.2	Training Course for Leading Fireman	206
31.8.3	Other Specialized Training Courses	206
31.8.4	Junior Officer Training Course	207
31.8.5	Divisional Fire Officer Training Course	208
31.8.6	Fire prevention training course	208
31.8.7	Awareness Generation Programs	208
31.9 Lir	nitations of the Study	
	Recommendations for Assam State Fire Service Organization	
J J		



List of Figures

Figure	1-1: Distribution of fire services by various States/UTs by administrative organization
Figure	2-1 : State/UT wise distribution of fire service stations in India
Figure	3-1 : An example of a Land use classification at 25m pixel. The example shows parts of Western Maharashtra (districts – Mumbai, Mumbai sub-urban, Thane, Pune, and Raigarh)
Figure	3-2 : Example of an enlarged view of classified. The example shows urbar agglomeration classification in Pune city areas
Figure	3-3 : An example of a detailed classified urban agglomerate area. The example shows parts of Delhi with overlay of GPS locations of Fire Stations31
Figure	3-4 : Overlay analysis for Fire Risk Assessment
Figure	3-5 : Seismic Zones of India33
Figure	3-6 : Wind Zone Map of India (BMTPC, 2006)
Figure	3-7 : Climatic Zones of India
Figure	3-8 : Example of comparison of district level rankings for residential built-up area percentages and absolute areas (in sq km). The example shows a comparison for al 35 districts of Maharashtra State
Figure	3-9 : Example of comparison of district level rankings for residential built-up areas and industrial areas (in sq km). The example shows a comparison for all 35 districts of Maharashtra State
Figure	5-1 : Three-tier architecture61
Figure	5-2 : High level design of FDSS
Figure	5-3 : User Interface for Base Analysis in FDSS. The example shows the States covered in the Pilot Phase of the study
Figure	5-4 : System administration interface
Figure	5-5 : FDSS - Systems Architecture
Figure	31-1: District Map of Assam
Figure	31-2: Location of operational Fire Stations in Assam
Figure	31-3: Locations of operational and proposed Fire Station in Central Assam 141
Figure	31-4: Locations of operational and proposed Fire Station in East Assam 142
Figure	31-5: Locations of operational and proposed Fire Station in South Assam 143
Figure	31-6: Locations of operational and proposed Fire Station in West Assam144
Figure	31-7: Fire Stations gap analysis for Kamrup rural areas
Figure	31-8: Fire Stations gap analysis for Cachar urban areas
Figure	31-9: Fire Stations gap analysis for Dhubri and Kokrajhar urban areas147
Figure	31-10: Fire Stations gap analysis for Dibrugarh rural areas
Figure	31-11: Fire Stations gap analysis for Dibrugarh urban areas

Fire-Risk and Hazard Analysis in the Country



Figure 31-12: Fire Stations gap analysis for Kamrup urban areas	150
Figure 31-13: Fire Stations gap analysis for Nagaon and Sonitpur urban areas	151
Figure 31-14: Fire Stations gap analysis for Sonitpur urban areas	152
Figure 31-15: Fire Stations gap analysis for Tinsukia urban areas	153



List of Tables

Table	2-1: Phase wise distribution of various States/UTs in the Country24
Table	3-1: Cluster class morphology in land use maps27
Table	3-2: Risk ranking schema for earthquake, wind and climatic zones
Table	3-3: District level ranking for individual (earthquake, wind and climatic) hazard and integrated hazards for all Phase IV States
Table	3-4: District level geographical area, population, population density, residential built-up area, residential built-up area in percentage, and industrial area for all Phase IV States
Table	3-5: Grouping schema for ranking of exposure and vulnerability layers49
Table	3-6: Weightage assigned in risk scoring schema for integration of hazard and exposure vulnerability into fire risk categories
Table	3-7: District risk rankings for all Phase IV States53
Table	5-1: Advantages of Open Source Platform
Table	6-1: Number of operational and additional Fire Stations and Fire Posts required in Delhi
Table	6-2: Revised number of operational and additional Fire Stations and Fire Posts required in Delhi
Table	31-1: Assam Demography as per Census 2011136
Table	31-2: Summary of district level operational Fire Stations in Assam
Table	31-3: District level number of operational and new Fire Stations in Assam140
Table	31-4: List of operational fire fighting vehicles available with Assam Fire Service Organization (As on May 2012)
Table	31-5: Vehicle gap in operational Fire Stations for their ideal jurisdiction area 159
Table	31-6: Total gap in operational and new urban Fire Stations under their ideal jurisdiction areas161
Table	31-7: Additional vehicle required for new rural Fire Stations under their ideal jurisdiction areas
Table	31-8: List of specialized equipment available with Assam Fire Service Organization (As on May, 2012)
Table	31-9: List of specialized equipment available with Assam FSO (As on May, 2012) (continued)
Table	31-10: Specialized equipment gap in operational Fire Stations for ideal jurisdiction area
Table	31-11: Specialized equipment gap in operational Fire Stations for ideal jurisdiction area (continued)
Table	31-12: Total gap in specialized equipment for operational and new urban Fire Stations171
Table	31-13: Total gap in specialized equipment for operational and new urban Fire Stations (Continued)



Table 31-14: Additional specialized equipment required for new rural Fire Stations 174
Table 31-15: Additional specialized equipment required for new rural Fire Stations (continued)
Table 31-16: Manpower requirement for Station Officer and lower staff for Assam as per SFAC norm (considering two shifts duty pattern)
Table 31-17: Manpower requirement for Station officer and lower staffs as per ARD, Delhi (2-shifts)
Table 31-18: List of fire manpower available for operational Fire Stations in Assam FSO (As on May, 2012)
Table 31-19: Fire manpower gap in operational Fire Stations for ideal jurisdiction area 180
Table 31-20: Total fire manpower gap for operational and new urban Fire Stations 181
Table 31-21: Additional fire manpower required for new rural Fire Stations
Table 31-22: Fire Station building required for gap in operational, new urban and new rural Fire Stations (no. of bays)
Table 31-23: Cost (in Lakhs Rupees) of Fire Station building (no. of bays) required for gap in operational, new urban and new rural Fire Stations
Table 31-24: Cost estimates (in Lakhs Rupees) for gap in fire fighting vehicles for operational and new urban Fire Stations
Table 31-25: Cost estimates (in Lakhs Rupees) for gap in fire vehicles for new rural Fire Stations
Table 31-26: Cost estimate (in Lakhs Rupees) for gap in fire fighting specialized equipment for operational and new urban Fire Stations
Table 31-27: Cost estimate (in Lakhs Rupees) for gap in fire fighting specialized equipment for operational and new urban Fire Stations (contd)
Table 31-28: Cost estimate (in Lakhs Rupees) for gap in specialized fire equipment for new rural Fire Stations
Table 31-29: Cost estimate (in Lakhs Rupees) for gap in specialized fire equipment for new rural Fire Stations (continued)
Table 31-30: Annual cost estimates (in Lakhs Rupees) for manpower for Assam after filling up the gap in operational and new urban Fire Stations
Table 31-31: Cost estimate (in Lakhs Rupees) manpower in Assam for new rural Fire Stations
Table 31-32: Annual recurring cost estimates (in Lakhs Rupees) for petrol, diesel, and lubricants after filling the gap in operational and new urban Fire Stations 201
Table 31-33: State level summary of Capital Expenditure required for filling the gap (in Crores Rupees)
Table 31-34: State level summary of Recurring Expenditure required for filling the gap (in Crores Rupees)
Table 31-35: State level 10 year investment plan for Assam Fire Service Organization for filling gap in operational and new urban Fire Stations (in Crores Rupees)
Table 31-36: State level 10 year investment plan for Assam Fire Service Organization for filling gap in operational, new urban and new rural Fire Stations (in Crores Rupees)



Table	31-37: Details of the training courses conducted by the State Fire Service Organization during the year 2011
Table	31-38: Estimated training requirements for fire personnel in Assam Fire Service Organization
Table	31-39: Details of the Awareness generation programs conduted by the State Fire Service Organization during the year 2011-2012
Table	31-40: Details of operational and new proposed urban Fire Stations with their population density under their jurisdiction, and priority ranking for new Fire Stations
Table	31-41: Details of operational and new proposed rural Fire Stations with their population density under their jurisdiction, and priority ranking for new Fire Stations



Acknowledgements

The assistance of Dr. P. M. Nair, Director General (DG), NDRF & CD, Shri Mukul Goel, IG, NDRF & CD, Shri D. K. Shami, Dy. Fire Adviser, Shri Chandrashekhar, Director (Fire Project Cell), Shri Nakul Kumar Tarun, Dy. Director (Fire Project Cell), Shri Santosh Gupta, Assistant Director (Fire Project Cell), Shri Santosh J. Thomas, Assistant Director, (Fire Project Cell), NDRF & CD and other staff members of the Directorate of NDRF & CD is gratefully appreciated for giving this opportunity.

In addition, the support and valuable assistance of Shri D. K. Bora, ADG-cum-Director and various other officials and staff of State Fire Service Organization, Assam is gratefully acknowledged.

Our special thanks are due to Shri R. K. Srivastava, Joint-Secretary (DM), MHA, Shri Sanjay Agrawal, Director (DM), MHA and the project reviewing and monitoring committee consisting of Dr. P. M. Nair, DG, NDRF & CD, (Chairman), Dr G. A. Bhat (member), Lt. Col (retd.) P.K. Pathak, Consultant, NIDM (member), Shri D. K. Shami (member), and Shri Chandrashekhar (member – secretary), for sparing their valuable time in review of this report.



Executive Summary

Fire service is one of the most important emergency response services in the country, which comes under the 12th schedule of the constitution dealing with Municipal functions. At present, fire prevention and fire fighting services are organized by the concerned States and Union Territories (UTs), and Urban Local Bodies (ULBs). Directorate of National Disaster Response Force and Civil Defence (NDRF&CD, Fire Cell), Ministry of Home Affairs (MHA) render technical advice to the States, UTs, and central ministries on fire protection, prevention, and legislation. Fire services in Maharashtra, Haryana, Gujarat, Chhattisgarh, Madhya Pradesh (excluding Indore), and Punjab are under the respective Municipal Corporations. In the remaining states, it is under the respective Home Department.

The growth of fire-services in the country has been on an ad-hoc basis, without much scientific analysis of existing risks in different parts of the country. Varying risk scenarios need different types of equipment. The risk varies with geographical location such as hillyarea, coastal-area, desert-area, and with residential (high-rise, medium, and low risebuildings), industrial, commercial area or a combination of these. Moreover, lack of knowledge management for future planning and institutional capacity and funds are also seen as one of the major challenges in addressing improvements in fire and emergency services in the country. As per a recent analysis by the Standing Fire and Advisory Council (SFAC), the overall deficiency in the country in terms of number of Fire Stations is 97.54%. in terms of fire fighting and rescue vehicles is 80.04% and in terms of fire personnel is 96.28%, respectively, which is quite alarming (NDMA Guideline, 2012, CR SFAC, 2011). In consideration of this and the increasing fire risks from various hazards, the Directorate of NDRF&CD, Fire Cell, MHA planned a study called "Fire Hazard and Risk Analysis in the Country for Revamping the Fire Services in the Country", to identify existing gaps in terms of availability and requirement of Fire Stations, capacity-building, trained man-power and fire-fighting, rescue, and other specialized equipment.

The **broad objectives** of the study are:

- ➤ To carry out GIS thematic map based Fire Hazard and Risk analysis though overlaying hazards and quantified risk, and classify the districts as base units into appropriate risk categories such as very high, high, medium, or low.
- ➤ To prepare a detailed Investment and Financing Plan for next 10 years for upgradation, expansion and modernization of Fire Services, based on existing situation analysis and risk based actual requirements.
- ➤ To develop an open-source GIS based software called as a Fire Decision Support System (FDSS) containing administrative boundaries, quantified risk GIS layers and with capability of estimation of financial implications for desired capacity development.
- ➤ To prepare an Institutional Assessment and Capacity Building Plan, based on field-data collection, enquiry, spatial analysis and understanding of the availability and gaps in the fire service infrastructure.

Role of Fire Services

The primary role of fire services has been to attend to fire incidents. Besides firefighting, fire department also attends to other emergencies such as building collapse, road traffic accidents, human and animal rescue etc., and other special service calls. Some fire services also attend medical emergencies for transportation of casualties through ambulances maintained by them. Similarly, some states, like Delhi, have separate flood department with rescue boats and trained divers. The Fire Services maintain skeletal facilities to act as 'first'



responders' and wait until assistance from the flood department arrives. It is therefore, considered appropriate that the specialized facilities for such jobs is maintained and operated by the concerned department.

As indicated in the National Disaster Management Authority (NDMA) guidelines, Fire Service is one of the Emergency Support Functions (ESF). Based on DM Act 2005, various states have also formulated State Disaster Management Authorities (SDMA's) and District Disaster Management Authorities (DDMA's) both of which consider Fire Service as an ESF. It is, therefore, evident that the role of Fire Services has become multi-dimensional that includes not only attending fire incident calls but also various other emergencies. Accordingly, fire services in the jurisdiction of the respective Fire Station are required to be prepared with suitable types of equipment to deal with various emergencies.

The role of fire services also includes effective fire prevention, creating awareness on fire safety, and enforcing the inbuilt fire protection arrangements for various types of occupancies in line with National Building Code (NBC) part – IV. However majority of the States/Municipal Fire Services are unable to enforce the fire safety provisions due to a lack of appropriate directives from the authorities controlling the function of fire services. Some of the Fire Services do not adhere to NBC and have created their own fire-safety building byelaws, e.g., Mumbai Fire Brigade. It may be noted that in-built fire safety arrangements and escape facilities are much more important than having a fire service within the premises without the above facilities. It is, therefore, necessary to enforce the fire-safety provisions through appropriate directives to all the States/UTs by the Ministry of Home Affairs (MHA) directly or through DG, NDRF & CD office.

In addition to the regular fire services, various other organizations/ industries, such as Ports, Airports, Defence, Power, Oil and Gas, Steel, Heavy Engineering, Fertilizers, Chemicals etc. have their own fire service set-ups (including their own captive resources), in order to provide fire protection to their facilities and some of them at times provide support to local fire services on request. All of them have their rules and regulations concerning fire safety. For example, Oil India Safety Directorate (OISD) norms for Oil and Gas Industries, International Civil Aviation Organization (ICAO) norms for Airports, Tariff Advisory Committee (TAC) regulations- now discontinued, for industries etc. and Electricity Rules for power sector.

Safety of highly hazardous processing and storage industries requires 100 percent round the clock built-in and functional fire protection arrangements with trained fire fighters as well as onsite and off-site disaster management plans. Fire services are not expected to create the infrastructure to independently tackle such emergencies within the industry, as it may be not be possible to do so. However, they are expected to support any on-site and off-site fire fighting to protect surrounding populations and handle such incidents during transportation through the civil areas. Moreover, local fire services should have mutual-aid schemes with all the industries in their jurisdiction and must be aware of the various arrangements available with them in order to provide efficient support, in case of an emergency.

Phased Approach

In order to conduct this study for India, a vast country covering all the States and Union Territories (UTs), it was decided to conduct this study in a phased manner. In the initial phase, the pilot study comprises of 6 States and UTs (Jammu & Kashmir, Rajasthan, Maharashtra, Delhi, Andaman & Nicobar Island, and Puducherry), and in subsequent phases (Phase-I to Phase-IV) rest of States/UTs have been taken up as detailed in Section 2.2.



Field Surveys for Fire Infrastructure Data

To collect and collate the information on Fire Infrastructure of all the States/ UTs, RMSI team developed two detailed forms "Headquarter Data Collection Form" and individual "Fire Station Field-Survey Form". RMSI team field-surveyed all the Fire Stations in pilot States/UTs for collecting detailed fire Infrastructure information. The detailed information collected includes address of Fire Station, name of Fire Station in-charge, emergency contact numbers, communication between Fire Station control room, public and headquarter control room; Fire Station building including staff accommodation and barracks; fire fighting vehicles and specialized equipment; fire personnel, their duty pattern and pay-scales; water availability and water sources for fire vehicles, fire-risk in the jurisdiction of Fire Station and its geographical coordinates (latitude, longitude -by using a Global Positioning System, GPS) etc. etc. All this information for each and every Fire Station has been digitally converted and is available through Fire Decision Support System (FDSS), which can generate a Fire Station report at the click of a button.

GIS based Fire Hazard and Risk Analysis

In general, fire risk is defined as the combination of hazard potential, exposure, and vulnerability:

Risk = F (Hazard potential x Exposure x Vulnerability)

The occurrence of fire incidents that constitute a threat for the population and exposed infrastructure of a certain region is associated with economic and human losses, always as a function of the exposure conditions and the vulnerability of the exposed assets in that particular region. Different natural hazards such as seismic (earthquake), climatic, and wind are considered in risk analysis. Additionally hill zone are also considered in risk analysis due to increased fire risk from wooden houses and heating provisions in cold areas.

For estimating exposure and its vulnerability, detailed urban agglomerate classification maps generated from high-resolution satellite images have been used. With the help of remote sensing techniques applied on high-resolution satellite imageries, various types of urban agglomeration areas have been demarcated. These include urban, semi-urban, building blocks, and industrial and rural villages' built-up areas of different densities (high medium, low). For exposure vulnerability, 4 different layers such as population density, residential built-up areas, high-rise building block density, and industrial areas have been developed individually at district level. For assessing fire risk, both absolute built-up areas in sq km as well as built-up areas percent (ratio of built-up areas to the total area) are considered as important parameters. It is obvious that industrial areas in districts have much lower percentages than residential built-up areas. However, presence of industrial areas in a district has a significant influence in assessing fire risk. Hence, industrial areas in absolute terms (sq km) have been considered in risk ranking.

In order to assess the impact of each exposure vulnerability type, a vulnerability score/ ranking has been assigned to each layer at their base unit. The vulnerability score represents the level of vulnerability (very high to negligible) of a specific type of exposure in response to the occurrences of small and medium fire incidents. The natural break in value distribution has been considered for defining the ranking class.

After developing ranking of individual units of hazard and exposure vulnerability, GIS layers have been overlaid on top of each other and a spatial analysis has been performed for integration in GIS environment. For combining hazard and risk, Weighted Factor Analysis (WFA) in GIS environment has been performed. Weighted ranking scores have been used in the integration analysis and quantified risk distribution for each district. Values of weighted factor depend upon the importance of a particular hazard/ vulnerability class in risk analysis. For integration of hazards, equal weights have been assigned to wind, seismic and climatic hazards, while double weights have been given to hill zoning. This is because, in hilly terrain,



wooden houses and heating provisions in buildings increase the chances of fire-incidences, and thus have been given higher weightage.

After obtaining integrated individual weighted score for hazard and exposure vulnerability, fire risk categories have been obtained in quantitative terms by further integration of hazard and exposure vulnerability. It is obvious that in the occurrence of the number of fire incidents in a given district, exposure vulnerability has more importance than the prevailing hazard. Hence, in quantified integration, double weights have been assigned to exposure vulnerability. The quantified numeric values of district risk scores are again grouped into four descriptive categories of district level risk ranking (very high, high, medium, and low).

As per project scope of work, countrywide district level fire hazard and risk analysis has been carried out. However, it is obvious that the fire risk is not uniformly distributed throughout the districts in both urban and rural areas. Considering the above fact, RMSI has performed GIS based risk analysis, based on distribution of population agglomeration by defining built-up areas into different risk categories, such as high-density urban, low-density urban, sub-urban, and village. Moreover, distinct demarcated industrial areas have also been considered in the analysis.

Review of International and National Norms

To estimate the gaps from the existing position in terms of number of Fire Stations and their appropriate location, the RMSI team followed scientific and innovative GIS based response time network analysis approach involving various norms and regulations. Various international and national norms on response time have been reviewed. Response time is defined as "en route time (in minutes) taken by the fire fighting vehicle from the Fire Station to the fire emergency scene." Different counties follow different norms on response time such as:

Germany: response time in urban areas varies from 8 to 15 minutes

Japan: response time varies from 5 to 10 minutes, depending upon the location of the building

USA: response time varies from (3-4) to 8 minutes

United Kingdom: response time varies from 5 to 8 minutes

India: SFAC norms recommended response time for first fire tender is 3, 5, and 7 minutes respectively depending on risk category A, B, and C in urban area and 20 minutes in rural area. The norms also defined one Fire Station in an area of 10 sq km in urban area; and 50 sq km in rural area.

To investigate the practicability of SFAC norms, RMSI team carried out a number of simulations using GIS based network analysis. With these simulations, RMSI demonstrated that two SFAC norms (response time and area-based) are not in synchronization with each other, and recommended revised response time based norms for positioning a Fire Station, as response area will vary from place to place depending upon the road network.

• Depending upon the risk category, the recommended response time for first fire tender is 5 to 7 minutes in urban areas and 20 minutes in rural areas




Summary of Findings for Assam State

Presently, Assam Fire Service Organization (AFSO) has 110 operational Fire Stations and one Regional Fire Training Centre at Sila, north Guwahati, Assam. The Regional Fire Training Centre not only imparts training to the trainees of the Assam Fire Service Organization but also from other neighboring States/UTs. Based on detailed demarcated built-up areas and GIS based network analysis (response time analysis), ideal jurisdiction boundaries have been demarcated for all operational Fire Stations excluding areas served by other agencies, such as ports, airports, military cantonment, thermal power plants, oil-refineries, etc. The remaining areas, not covered under ideal jurisdiction of operational Fire Stations, are also divided for ideal jurisdictions of new proposed Fire Stations. The requirements for fire fighting and rescue vehicles and specialized equipment are based on ideal served population, population density, and built-up areas within ideal jurisdiction boundary.

Fire Station Gap Analysis

As per detailed GIS based analysis, the AFSO would require additional 25 Fire Stations in urban areas and 67 Fire Stations in rural areas. Hence this study finds an overall gap of 46% in terms of number of Fire Stations in Assam State (for details, please refer to section 31.3.1).



Firefighting and Rescue Vehicles and Specialized Equipment Gap Analysis

For estimating the gap in fire fighting and rescue vehicles and specialized equipment in operational as well proposed Fire Stations both in urban and rural areas, the RMSI team modified the SFAC norms with expert opinions. These modifications also helped in optimization of resources and are detailed in section 31.3.2. This study finds an overall gap of 75% in the firefighting and rescue vehicles and about 95% in specialized equipment for both operational and new Fire Stations in urban and rural areas.

Fire Personnel Gap Analysis

For estimating the gap in fire personnel in operational as well new proposed Fire Stations both in urban and rural areas, the RMSI team used Administrative Reform Department



(ARD, Delhi) norms based on duty pattern (double-shift) prevalent in Delhi as ARD has already optimized the fire manpower requirement in comparison to what has been suggested in SFAC norms. The current duty pattern in Assam State is 24 hours, and RMSI team estimated for manpower requirement for double shift duty pattern (for details, please refer to section 31.3.3). Thus, in Assam State, this study finds an overall gap of 87% in fire personnel considering double shift duty pattern.

Fire Prevention Wing

The existing fire prevention wing in the state for inspection, awareness generation, and training for schools, colleges, hospitals, shopping malls, cinema halls, high-rise buildings, govt. offices, public buildings etc. need further strengthening, so that recurrence of the fire incidences similar to that at the Advance Medical Research Institute (AMRI), Kolkata, in terms of their magnitude and frequency can be reduced. Accordingly, to support ADG-cum-Director, Assam Fire Service Organization, additional officers at the levels of Director (Technical), Deputy Director (Technical), Chief Fire Officers (CFOs), Dy Chief Fire Officers (Dy-CFOs), Divisional Fire Officers (DFOs), and Assistant Divisional Fire Officers (ADFOs) have been recommended (for details, please refer to section 31.2.2).

Fire Station, District and State Level Report Generation

The detailed report of Operational Fire Stations, district and state levels for fire infrastructure and gap analysis is also available through the Fire Decision Support System (FDSS), which can generate reports for each Operational Fire Station, district, and state level at the click of a button.

Roadmap for Investment and Financial Plan for Next 10 Years

The other tasks include the development of Investment and Financial Plan, Institutional Assessment & Capacity Building Plan along with a Fire Decision Support System (FDSS). As detailed in section 31.5, the detailed investment and financial plan at district level includes estimation of capital cost for infrastructure cost, fire fighting and rescue vehicles, and specialized fire and communication equipment. The recurring expenditure cost includes fire personnel cost depending upon pay-scales at various levels; staff uniform cost, and Personal Protective Equipment (PPE); annual vehicle and specialized equipment maintenance cost, petrol, diesel, and lubricant (PDL); building maintenance; office and training expenses etc. The detailed roadmap and investment plan (section 31.5) for the next 10-years includes both capital and recurring expenditures. RMSI analysis estimates a total Investment of about Rs 12,175 Crores (Table 31-36) spread over a period of 10 years for Assam State Fire Service Organization including inflationary factors and after filling the gaps for both operational and proposed urban and rural Fire Stations.

Prioritization of New Fire Stations

The prioritization of new Fire Stations in Assam State for both rural and urban areas has been detailed in section 31.6. Accordingly, separate priority ranking for both urban and rural areas are given in Table 31.40 and Table 31.41, respectively.

Avenues for Fund Generation

The Assam Fire Service Organization (AFSO) can generate new avenues for funds from the following:

- Introduction of Fire Tax (1% of existing property tax)
- Training programs at different levels and durations to private sector employees on chargeable basis
- Capitation fee for scrutiny of building plans.



Capacity Building and Training Facilities

The study finds that there are some gap in Capacity Building and Training among the fire personnel within the Assam State. The detailed Capacity building and training need assessment for various levels have been discussed in section 31.8. Additionally, RMSI team has made a separate report of Capacity Building and Training Infrastructure for all States/UTs in the country.

Limitations of the Study

Limitations of study are given in section 31.9.

Recommendations

The report concludes with the recommendation for the Assam State Fire Services Organization and is detailed in section 31.10. In short, AFSO can be revamped in next 10 years to desired level provided sufficient funds and trained resources are made available.

Report Structure

This report for the Phase IV States/UTs is divided in two parts:

Part A: This part comprises of chapters 1-6, which are common for all the 35 States/UTs Fire Services for which this study is conducted.

- Chapter 1 provides brief details of project background, role of fire services, objective and scope of study
- Chapter 2 outlines the methodology adopted and data development
- Chapter 3 provides details on GIS based fire hazard and risk analysis
- Chapter 4 provides a brief overview of field-survey of individual Fire Station and headquarter data collection and approach for stakeholder analysis
- Chapter 5 briefly explains the Development of Fire Decision Support System (FDSS)
- Chapter 6 examines international and national norms

Part B: This part comprises of Chapters 30-41, which are specific to the State/UT being discussed.

- Chapter 30 provides detailed analysis for the Arunachal Pradesh State
- Chapter 31 provides detailed analysis for the Assam State
- Chapter 32 provides detailed analysis for the Chhattisgarh State
- Chapter 33 provides detailed analysis for the Jharkhand State
- Chapter 34 provides detailed analysis for the Manipur State
- Chapter 35 provides detailed analysis for the Meghalaya State
- Chapter 36 provides detailed analysis for the Mizoram State
- Chapter 37 provides detailed analysis for the Nagaland State
- Chapter 38 provides detailed analysis for the Orissa State
- Chapter 39 provides detailed analysis for the Sikkim State
- Chapter 40 provides detailed analysis for the Tripura State
- Chapter 41 provides detailed analysis for the West Bengal State

For Part-B, this report consists of Chapter 31, which is for Assam State.



PART-A



1 Introduction

1.1 Background

Fire service is one of the most important emergency response services. In India, Fire services come under the 12th Schedule of the constitution dealing with Municipal functions. At present, fire prevention and fire fighting services are organized by the concerned States and Union Territories (UTs), and Urban Local Bodies (ULBs). Ministry of Home Affairs (MHA) renders technical advice to the States, UTs, and central ministries on fire protection, prevention, and legislation. Fire services in Maharashtra, Haryana, Gujarat, Chhattisgarh, Madhya Pradesh excluding Indore, and Punjab are under the respective Municipal Corporations. In remaining States, it is under the Home Department (Figure 1-1).




Figure 1-1: Distribution of fire services by various States/UTs by administrative organization

1.2 Role of Fire Services

As far as the role of fire services is concerned, the primary job of fire services has been to attend to fire incidents. However, they also attend to other emergencies like rescue from



building collapse, road traffic accidents, human and animal rescue etc., and other special service calls. Some fire services also attend medical emergencies for transportation of casualties through ambulances maintained by them. Similarly, some States have separate flood department with rescue boats and trained divers, like Delhi. The Fire Services maintain skeleton facility to act as 'first responder' and wait until assistance from flood department is reached. It is therefore, considered appropriate that the specialized facilities for such job is maintained and operated by the concerned department.

As indicated in the National Disaster Management Authority (NDMA) guidelines, Fire Services is one of the Emergency Support Functions (ESF). Based on DM Act 2005, various states have also formulated State Disaster Management Authorities (SDMA's) and District Disaster Management Authorities (DDMA's) both of which consider Fire Service as an ESF. It is therefore evident that the role of Fire Service is multi-dimensional that includes attending various emergencies. Accordingly, fire services are required to be prepared with suitable types of equipment to deal with various emergencies arising in the jurisdiction of the respective Fire Station.

The role of fire services also includes effective fire prevention, creating awareness on fire safety, and enforcing the inbuilt fire protection arrangements for various types of occupancies in line with National Building Code (NBC) part – IV. However, some of the States/Municipal Fire Services are unable to enforce the fire safety provisions due to a lack of appropriate directives from the authorities controlling the function of fire services. Some of the Fire Services do not adhere to NBC and have created their own fire-safety building bye laws, e.g., Mumbai Fire Brigade. It may be noted that in-built fire safety arrangements and escape facilities are much more important than having a fire service within the premises without the above facilities. It is, therefore, necessary to enforce the fire-safety provisions through appropriate directives to all the States/UTs by the Ministry of Home Affairs (MHA) directly or through DG, NDRF & CD office.

In addition to the regular fire services, various other organizations/ industries, such as Ports, Airports, Defence, Power, Oil and Gas, Steel, Heavy Engineering, Fertilizers, Chemicals etc. have their own fire service set-ups (including their own captive resources), in order to provide fire protection to their facilities and some of them at times provide support to local fire services on request. All of them have their rules and regulations concerning fire safety. For example, Oil India Safety Directorate (OISD) norms for Oil and Gas Industries, International Civil Aviation Organization (ICAO) norms for Airports, Tariff Advisory Committee (TAC) regulations- now discontinued, for industries etc. and Electricity Rules for power sector.

Safety of highly hazardous processing and storage industries requires 100 percent round the clock built-in and functional fire protection arrangements with trained fire fighter as well as onsite and off-site disaster management plans. Fire services are not expected to create the infrastructure to independently tackle such emergencies within the industry, as it may be not be possible to do so. However, they are expected to support any on-site and off-site fire fighting to protect surrounding populations and handle such incidents during transportation through the civil areas. Moreover, local fire services should have mutual-aid schemes with all the industries in their jurisdiction and must be aware of the various arrangements available with them in order to provide efficient support, in case of an emergency.

The growth of fire-services in the country has been on an ad-hoc basis, without much scientific analysis of existing risks in different parts of the country. Varying risk scenarios need different types of equipment depending upon the risk and geographical location such as hilly-area, coastal-area, desert—area, and residential (high-rise, medium, and low rise-buildings), industrial, commercial area or a combination of these. Moreover, lack of knowledge management for future planning and institutional capacity and funds are also seen as major challenges in addressing improvements in fire and emergency services in the



country. As per a recent analysis by the Standing Fire and Advisory Council (SFAC), the overall deficiency in the country in number of Fire Stations is 97.54%, in fire fighting & rescue vehicles 80.04% and in fire personnel is 96.28%, respectively, which is quite alarming (NDMA Guideline, 2012, CR SFAC, 2011).

In consideration of this and the increasing risks from various hazards, such as Fire Following an Earthquake (FFEQ), and the rapid pace of urbanization and industrialization in the country, the Directorate of National Disaster Response Force and Civil Defence (NDRF&CD, Fire Cell), MHA felt the need for a comprehensive study to identify existing gaps in terms of availability and requirement of Fire Stations, capacity-building, in terms of trained man-power and fire-fighting, rescue, and other specialized equipment. This comprehensive study aims at preparing a perspective plan for the next 10 years for revamping the fire services in the country.

1.3 Objective of the Study

The broader objective of this study is to prepare a Capital Investment and Institutional Strengthening plan for accelerated development of fire services in the country.

1.4 Scope of the Study

The study area for this assignment is the entire country under the Directorate of NDRF & Civil Defence (Fire). The scope of the assignment will include, inter alia, the following activities:

- 1. **Fire Hazard & Risk Analysis:** Carry out a GIS (Open Source) based fire hazard and risk analysis and identify the gaps in fire services in terms of fire fighting vehicles, specialized equipment, and trained fire personnel.
- 2. Investment and Financing Plan: Assess the status, availability and distribution of the fire service infrastructure under the Directorate of NDRF & Civil Defence (Fire Cell) by conducting field investigations and interviews. It is expected to conduct an investigation to assess the gaps and needs for future planning and upgradation/modernization of the fire service infrastructure in the country in a quantified approach. As part of the Investment and Financing Plan, it is also expected to estimate the Capital and O&M Investment plan for the next 10 years and the investment priorities.
- 3. Institutional Assessment and Capacity Building Plan: Based on field-data collection, enquiry, spatial analysis and understanding on the availability and gaps in the fire service infrastructure, and prepare an Institutional Assessment and Capacity-Building Plan for the department. Institutional Assessment and Capacity Building Plan will include but will not be limited to understanding the policies, regulations, strategies and programs of the department; existing legal and institutional mechanisms, issues and constraints of effective management; and training needs and capacity of the department's resources. Based on a comprehensive understanding of the mentioned variables, it is expected to prepare a consolidated national report and key recommendations for the Directorate of NDRF & CD (Fire Cell). It is also expected to explore the possibility of funding sources and provide recommendations for improvements to ensure appropriate financing mechanisms for capital expenditure, and for operation and maintenance.



2 Technical Details on Methodology and Data Development

2.1 Understanding of the Scope of Work

The primary objective of this comprehensive study on "Fire Hazard and Risk Analysis in the Country" is to prepare a capital investment and institutional strengthening plan for accelerated Development of Fire Services in the country. To achieve this objective of the study, the Directorate of NDRF & CD has defined the broad scope of the work as:

- 1. Risk and Hazard Analysis
 - Identifications of gaps in the existing fire services
- 2. Investment and Financial Plan
- 3. Institutional Assessment and Capacity Building Plan
 - Including survey of NFSC Nagpur and Regional Fire Training Centers

As part of the Risk and Hazard Analysis, it is expected to carry out a GIS based hazard, risk analysis at base unit (district) level, and identify the gaps in the existing fire services. Risk assessment of forest fire is not included under the present scope of work. The infrastructures of forest department, privately owned fire safety infrastructure, infrastructures in restricted areas like military cantonments and airbases, and ammunition depots; nuclear facilities such as nuclear power plants, nuclear research reactors, heavy water plants; and mines, ports, airports, and oil exploration and oil refineries are excluded from the study. While assessing the infrastructure for the Investment and Financing Plan, RMSI has focused specifically on the Fire Service Department. However, it may please be noted that RMSI team has also made efforts to get details of areas served by other agencies as well, so that requirement of establishing Fire Stations in these areas does not become part of the Gap analyses.

As part of the 'Investment and Financing Plan', it is expected to assess the status, availability and distribution of the fire service infrastructure under the jurisdiction of Director General (NDRF & Civil Defence) through conducting field investigations and interviews. It is also expected to conduct an investigation to assess the gaps and needs for future planning, up gradation/ modernization of the fire service infrastructure in the country through a quantified approach. As part of the Investment and Financing Plan, it is also expected to estimate the Capital and O&M Investment plan for the next 10 years and the investment priorities. Based on the field data collection, enquiry, spatial analysis and understanding on the availability and gaps in the fire service infrastructure, it is expected to prepare an institutional assessment and capacity-building plan for the department. Institutional Assessment and Capacity Building Plan will include but not limited be to understanding the polices, regulations, strategies and programs of the department; existing legal and institutional mechanisms, issues and constrains of effective management; training needs and capacity of the department's resources. Based on a comprehensive understanding of the mentioned variables, it is expected to prepare a consolidated National Report and key recommendations for the Director General (NDRF & Civil Defence) for all the Fire Stations under jurisdiction of the Directorate of NDRF & CD. Moreover, the possibility of funding sources are also be explored, and recommendations are made for improvements to ensure good financing mechanisms for capital expenditure and operation and maintenance.



2.2 Study Area

The study area for this assignment is the entire fire service area of the country under the Directorate of NDRF & Civil Defence (Fire Cell). RMSI has carried out physical survey of all the Fire Stations under the Directorate of NDRF & CD (Fire Cell) (Figure 2-1) across the country.




Figure 2-1: State/UT wise distribution of fire service stations in India



2.3 Phased Approach

As India is a vast country and in order to conduct this study for all the States and Union Territories (UTs), it was decided to conduct this study in a phased manner (Table 2-1).

The initial phase pilot study comprises of six States and UTs - Jammu & Kashmir, Rajasthan, Puducherry, Maharashtra, Andaman & Nicobar Island, and Delhi and in subsequent phases (Phase-I to Phase-IV), rest of States/UTs have been taken up. The Fire-Infrastructure of all the States/UTs has been field surveyed by RMSI team and fire hazard and risk analyses have been carried out. The other tasks include development of Investment and financing plan, Institutional assessment & capacity building plan along with a prototype Fire Decision Support System (FDSS). The outcomes of pilot study were submitted to the Expert Group of the project for their review and approval and detailed discussions were held with senior Fire Officials, MHA and respective State/UT representatives. The approved report is used as a template for conducting the study for the remaining States/ UTs in the phased manner indicated in Table 2-1.

It may be noted that there could be region specific modifications and variations in the requirements of different kinds and types of fire fighting equipment depending upon the risk category of the district (base unit) of Fire Station, its geographical location such as coastal-area, hilly-area and desert—area. Phase wise list of States/UTs also includes corresponding number of districts (Census, 2011), number of Talukas/ Mandals/ Tehsils (Census, 2001), and number of Fire Stations (Table 2-1).

Table 2-1: Phase wise distribution of various States/UTs in the Country

States/UTs	No of Districts (Census 2011)	No of Talukas/ Tehsils/ Mandals (Census 2001)	No of Fire Stations	
Pilot Phase				
NCT of Delhi	9	27	53	
Maharashtra	35	355	157	
Puducherry	4	15	13	
Andaman & Nicobar Islands	3	7	20	
Rajasthan	33	241	126	
Jammu & Kashmir	22	59	163	
Phase I				
Chandigarh	1	1	7	
Haryana	21	67	82	
Punjab	20	72	48	
Himachal Pradesh	12	109	25	
Uttarakhand	13	49	33	
Uttar Pradesh	71	300	237	
Phase II				
Madhya Pradesh	50	259	292	
Gujarat	26	227	183	
Daman & Diu	2	2	3	
Dadra & Nagar	1	1	1	



States/UTs	No of Districts (Census 2011)	No of Talukas/ Tehsils/ Mandals (Census 2001)	No of Fire Stations
Haveli			
Karnataka	30	175	182
Goa	2	11	15
Phase III			
Kerala	14	63	100
Lakshadweep	1	4	4
Tamil Nadu	32	202	303
Andhra Pradesh	23	1110	251
Bihar	38	533	102
Phase IV			
West Bengal	19	343	107
Assam	27	145	110
Manipur	9	38	16
Meghalaya	7	32	32
Mizoram	8	25	12
Sikkim	4	9	9
Tripura	4	38	35
Nagaland	11	93	9
Arunachal Pradesh	16	149	13
Orissa	30	398	180
Chhattisgarh	18	97	33
Jharkhand	24	210	31
Total	640	5,466	2,987



3 GIS based Fire Hazard and Risk Analysis

Based on RMSI's vast experience of executing large projects at State and Country levels, RMSI team has adopted the following approach (detailed below) to carry out this assignment. This approach has also been presented and discussed in a series of meetings with the officials of the Directorate of NDRF & CD, MHA, Government of India.

The risk of fire in urban areas has increased over the years and the rising cost of fire losses would seem to indicate that they are increasing at a greater rate than the measures devised to control them. Cities are growing in size and complexity day by day; therefore, they need to be managed more efficiently.

Geographic Information System (GIS) is an important and efficient tool that can be used by local administrations to minimize natural disasters (Recep Nisanci, 2010). Although there are many formal definitions of GIS, for practical purposes GIS can be defined as a computer-based system to aid in the collection, maintenance, storage, analysis, output and distribution of spatial data information (Bolstad, 2005). Thus, GIS technologies have been used in fire analysis related to the optimum location of Fire Stations. For example, Habibi et al. (2008), has made spatial analysis of urban Fire Stations in Tehran, using an analytical hierarchy process and GIS. Yang et al. (2004) also carried out studies concerning the selection of Fire Station locations using GIS.

Unlike a flat paper map, a GIS-generated map can represent many layers of different information. This representation provides a unique way of thinking about geographic space. By linking map databases, GIS enables users to visualize, manipulate, analyze and display spatial data. GIS technology based approach is cost-effective and provides accurate solutions in an expanding range of applications. RMSI team has adopted following approach for fire risk analysis of Indian States.

3.1 GIS Data Compilations

GIS Map based fire hazard and risk analysis is one of the main tasks of this assignment. In order to undertake hazard and risk analysis, various GIS layers and other associated thematic maps have been created for each of the pilot States/UTs that form the basis for risk ranking of base units (districts). The following is a list of selected GIS layers as base administrative layers and other dependant layers that have been used in GIS based fire risk analyses.

- 1. State administrative boundary layers
- 2. District administrative boundary layers
- 3. Rail network
- 4. Major (highways) and main road networks
- 5. Minor roads/ street road networks
- 6. Locations of cities, and major towns with their names
- 7. State level Land use land cover maps
- 8. Demarcation of residential, commercial and industrial built-up areas
- 9. Census population data (2011)
- 10. Geographical locations (latitude, longitude) of operational Fire Stations
- 11. Other collateral data such as information from city development plans (if available), and demarcation of fire-station jurisdictional areas.



These data layers and their attribute data have been expanded according to needs analyses. The needs analyses include query information for the data needed for generating risk maps and effective fire fighting planning.

After taking into account all requirements and data types, RMSI team has generated various GIS data layers for further GIS spatial analyses. District boundaries were considered as the base unit for analysis in assessing fire services infrastructure gaps, risk quantifications, and risk classifications.

GIS maps for administrative boundary layers such as State, and district are based on published Census 2011 data. Currently, Census 2011 has published only district level demographic data. In comparison to previous census (Census 2001), several new districts have been created. These new districts have been considered in the analysis.

Classified land use and land cover data is the backbone in fire hazard and risk analysis. Latest vintage satellite images have been used to capture the various features such as road networks, forest areas and habitat/settlement areas (Figure 3-1). The various land use land cover classes were extracted from latest vintage satellite images at 25m resolution for the selected States and UTs, and at higher resolution for major cities. The extraction is based on a semi-automated classification approach to distinguish the classes based on their reflectance values in the source satellite imagery. Data quality and data validation checks have been carried out for each stage of data generation.

For LULC classification, remote sensing satellite images were geo-referenced and classified to generate different LULC layers such as vegetation, built-up area, water bodies, and streets, based on their spectral reflectance i.e. DN (Digital Number) values. In this process, through a semi-automated process, these DN values of satellite images are classified into respective LULC classes to generate the clutter data. These clutter data layers are further subdivided into their respective sub-classes and merged together to give preliminary clutter data. The output clutter goes through standard validation processes and quality checks to produce high quality final clutters. Table 3-1 shows a list of classified LULC data at 25-meter resolution. Figure 3-1 displays delineated LULC classes for different parts of western Maharashtra (districts— Mumbai, Mumbai sub-urban, Thane, Pune and Raigarh). Figure 3-2 shows an enlarged view of classified urban agglomerate of Pune city areas.

Table 3-1: Cluster class morphology in land use maps

ID	Class Name	Description	
0	Unclassified	Edge of the database	
1	Urban High Density	Areas within urban perimeters, Inner city, very little/negligible vegetation. Closely packed buildings indicative of high density with only major streets and roads being visible. Absence of large open spaces.	
2	Urban Medium Density	Urban Medium Density Medium density of buildings, vegetations are less but higher than the dense urban, major pedestrian zones being partially visible and streets and roads visible. Comparatively more open spaces exist within this region	
3	Urban Low Density Low density of buildings, vegetations / open area are higher than the medium urban, major pedestrian zones being partially visible and streets and roads visible. Comparatively more open spaces than medium density exist within this region		
4	Suburban High Density	Suburban areas surrounding big cities (Outer parts of the city) with loosely packed built up and little vegetation.	
5	Suburban Low Density	Sparse Suburban areas in outskirt of big cities (Outer parts of the city) with loosely packed built up and little vegetation.	
6	Building Blocks	Systematic groups of buildings, parallel or not, that may be separated by large open spaces.	



ID	Class Name	Description	
7	Villages	Unsystematic small pockets /clusters of buildings, within large agriculture / open spaces	
8	Industrial: Factories, Warehouse, Garages, Shipyards, Mostivated outside the main cities.		
9	Commercial Areas Commercial Areas Commercial: Central Mall, Office Complexes with large building footprints, Central Business districts, Commercial buildings within the city (like petrol pumps, gas filling stations etc.) etc. will be classified a commercial areas		
10	Forest	All kinds of dense forest in rural areas, over hills/ mountains, Natural Parks with high tree density.	
11	Low Dense Vegetation Low density of trees, low vegetation, bushes, scrubs with low tree density.		
12	Agriculture/Fellow All kinds of agriculture/fellow cultivated areas, croplands, farmland etc.		
13	Water Inland permanent water bodies. This class will consist of lakes & dams.		
14	Open No buildings, no vegetation e.g. desert, beach, and open lands mostly barren.		
15	Quasi Open Areas with some obstruction like scattered trees or bushes with some mixed built-up, open, agricultural fallow lands etc		
16	Airport	Airstrip and terminal buildings	
17	River/Canal	Linear water features like streams and rivers.	
18	Seasonal Water Body	Seasonal water body	
19	Sea	Sea	






Figure 3-1 : An example of a Land use classification at 25m pixel. The example shows parts of Western Maharashtra (districts – Mumbai, Mumbai sub-urban, Thane, Pune, and Raigarh)






Figure 3-2 : Example of an enlarged view of classified. The example shows urban agglomeration classification in Pune city areas

For major city areas, classifications that are even more detailed have been created with a high-resolution data layer as shown in Figure 3-3. For major cities / towns, besides the other classified units, such as highways and main roads, minor roads/streets and localities, have been captured. After the field survey of individual Fire Stations, GPS locations of all Fire Stations have been displayed for gap analysis.

3.2 GIS - Overlay Analysis

The basic way to create or identify spatial relationships among various GIS layers is through the process of spatial overlay. Overlay is a GIS operation in which layers with a common, registered map base are joined on the basis of their occupation of space. (Keith C. Clarke, 1997). Spatial overlay is accomplished by joining and viewing together separate data sets that share all or part of the same area. The result of this combination is a new data set that identifies the spatial relationships.






Figure 3-3: An example of a detailed classified urban agglomerate area. The example shows parts of Delhi with overlay of GPS locations of Fire Stations

Overlay analysis is a common, widely used method of analyzing and evaluating geospatial data. Overlay analysis utilizes map layers in GIS to discover relationships across the layers. Overlay analysis is used to investigate geographic patterns and to determine locations that meet specific criteria. Spatial overlay is illustrated and highlighted in Figure 3-4. Various data layers, such as Land Use Land Cover (LULC), composite hazard, demographic exposure, road network, administrative boundary and Fire Station locations have been used through overlay analysis by combining diverse data sets for hazard analysis and Fire Station gap analysis.






Figure 3-4: Overlay analysis for Fire Risk Assessment

3.3 Fire Hazard and Risk Analysis

The first-turnout of fire vehicles normally originates from the Fire Station under whose jurisdiction the fire-call has been received. Sometimes, calls go to a centralized control room, from where they are directed to the concerned Fire Station. To provide an effective response, Fire Station infrastructure in the form of fire fighting and rescue vehicles, specialized equipment and manpower should also take into consideration of fire risks in addition to road conditions and population distribution. Thus, hazard and risk analysis of the base unit (district) should be on a scientific basis.

In general, fire risk is defined as the combination of hazard potential, exposure, and vulnerability:

Risk = F (Hazard potential x Exposure x Vulnerability)

The occurrence of fire incidents that constitute a threat for the population and the exposed infrastructure of a certain region is associated with economic and human losses, always as a function of the exposure conditions and the vulnerability of the exposed assets in that particular region. In the present scope, fire risk can be defined as associated with the number of small and medium fire incidents and their locations.



3.4 Hazard Ranking

Earthquake (Seismic zones)

Besides loss of life, property damage, building collapses, and loss of basic amenities such as bridge and road damage, earthquakes can also induce small to large fires. Hence, earthquake zoning is an important parameter for fire risk analysis.

Based on occurrence of earthquakes of different intensities, the Seismic Zoning Map of India (IS 1893, 2001; BMTPC, 2006; NBC 2005) divides the country into 4 seismic zones as shown in Figure 3-5. Seismic Zone V is the highest risk zone where earthquakes having intensity of IX+ on Modified Mercalli Intensity (MMI) scale can take place. Earthquakes of intensities between VIII to IX can be experienced in seismic Zone IV, whereas earthquakes can occur between VI and VIII intensity in seismic Zone III.




Figure 3-5: Seismic Zones of India

With GIS overlay analysis, district areas falling within each seismic zone have been computed. In order to compare seismic risk among various districts, district level ranking of seismic zones has been assigned, based on the scheme shown in Table 3-2. District level seismic ranking for pilot States/UTs is shown in Table 3-3.



Wind Zones

Prevailing wind speed is one of the important parameters in assessing fire risk in the area. Wind speed has a noticeable influence on fire spread. The wind zone map illustrates the areas vulnerable to high wind speeds (Figure 3-6). There are six basic wind speeds considered for zoning, namely:

- o 55m/s (198 km/hr) Very High Damage Risk Zone-A
- o 50m/s (180 km/hr) Very High Damage Risk Zone-B
- o 47m/s (169.2 km/hr) High Damage Risk Zone
- 44m/s (158.4 km/hr) Moderate Damage Risk Zone-A
- o 39m/s (140.4 km/hr) Moderate Damage Risk Zone-B
- o 33m/s (118.8 km/hr) Low Damage Risk Zone

The coastal areas are subjected to severe windstorms and cyclonic storms. A full-grown cyclone is 150 to 1,000 km across and 10 to 15 km high. Macro-level wind speed zones of India have been formulated and published in IS 875 (Part-3) – 1987. It is known that in certain events, the wind gusts could appreciably exceed the given basic wind speeds. For assessing vulnerability and fire risk to buildings, above macro-level zonings have been considered. Based on wind speed, risk ranking has been assigned to each wind zone following the schema described in Table 3-2. District wise estimated wind risk from GIS overlay analysis is shown in Table 3-3.

Table 3-2: Risk ranking schema for earthquake, wind and climatic zones

Ranking
4
3.5
3
2
1.5
1
20%

Seismic Zone	Ranking
ZONE V	4
ZONE IV	3
ZONE III	2
ZONE II	1

Climatic Zones	Ranking
Hot and Dry	3
Composite, Temperate	2
Warm and Humid	1
Cold Climate	1

20%

	Hill Zoning	Ranking
	Cold climate	5
	Other climates	1
Importance Factors/ Weightage	40%	






Figure 3-6: Wind Zone Map of India (BMTPC, 2006)



Climatic Zones

Regions having similar characteristic features of climate are grouped under one climatic zone. According to a recent code of the Bureau of Indian Standards, the country has been divided into the following five major climatic zones:

- Hot & Dry (mean monthly temperature >30 and relative humidity <55%);
- Warm & Humid (mean monthly temperature >25-30 and relative humidity >55-75%);
- Temperate (mean monthly temperature 25-30 and relative humidity <75%);
- o Cold (mean monthly temperature <25 and relative humidity can be any values);
- Composite (This applies when six months or more do not fall within any of the other categories meaning sharing characteristics of two or more of the above categories in a year).

Map of climatic zones is shown in Figure 3-7. The hot and dry zone lies in the western and the central parts of India; Jaisalmer, Jodhpur and Sholapur are some of the towns that experience this type of climate. In this zone, solar radiation and movement of hot winds are higher. The warm and humid zone covers the coastal parts of the country, such as Mumbai, Chennai and Kolkata. Pune and Bangalore are examples of non-coastal cities that fall the under moderate climatic zone. Generally, the Himalayan region experiences cold type of climate. The composite zone covers the northern Indo-Gangetic plains, such as New Delhi, Kanpur, and Allahabad.

With GIS overlay analysis, district overlap areas falling within each climatic zone have been computed. In order to compare impact of being a district in a climatic zone, district level ranking has been assigned based on the scheme shown in Table 3-2. District level climatic zone ranking for pilot States/ UT is shown in Table 3-3.

Hilly Areas and Building Class Zones

Extreme cold climate, rugged topography and use of flammable material in building construction (such as wood) and the use of heating provisions in houses during cold weather is an important factor for causing fire incidents in that region. To capture such elements in fire risk hazard, Hilly Areas and Building Class Zones have been created. This class is directly linked to the cold climate zone. All hilly districts, (such as all districts of Jammu & Kashmir in the Pilot study) fall under this category. In such districts, a ranking of five has been assigned. Importance of this zone in terms of occurrence of number of fire incidents is quite high. Hence, while integrating, a double weightage of 40% has been assigned to this layer.






Figure 3-7: Climatic Zones of India



Table 3-3: District level ranking for individual (earthquake, wind and climatic) hazard and integrated hazards for all Phase IV States

	Importance Fact	or	20%	20%	20%	40%	Integrated
State	District	Geographical Area (Sq km)	Wind Zoning	Seismic Zoning	Climate Zoning	Hill Zoning	Hazard Zoning
Arunac	hal Pradesh						
	Anjaw	6,808	2.0	4.0	1.0	1.0	1.8
	Changlang	5,536	2.1	4.0	1.0	1.0	1.8
	Dibang Valley	10,633	2.0	4.0	1.0	4.5	3.2
	East Kameng	6,806	2.0	4.0	1.0	4.5	3.2
	East Siang	3,989	2.4	4.0	1.0	1.5	2.1
	Kurung Kumey	7,240	2.0	4.0	1.0	5.0	3.4
	Lohit	4,689	2.7	4.0	1.0	1.0	1.9
	Lower Dibang Valley	4,036	2.4	4.0	1.0	1.0	1.9
	Lower Subansiri	2,965	2.0	4.0	1.0	1.0	1.8
	Papum Pare	3,956	2.1	4.0	1.0	1.0	1.8
	Tawang	2,446	2.0	4.0	1.0	5.0	3.4
	Tirap	2,345	2.1	4.0	1.0	1.0	1.8
	Upper Siang	7,572	2.0	4.0	1.0	5.0	3.4
	Upper Subansiri	6,984	2.0	4.0	1.0	5.0	3.4
	West Kameng	5,444	2.0	4.0	1.0	1.5	2.0
	West Siang	8,661	2.0	4.0	1.0	5.0	3.4
Assam							
	Baksa	2,604	3.3	4.0	1.0	1.0	2.1
	Barpeta	2,416	3.5	4.0	1.0	1.0	2.1
	Bongaigaon	1,152	3.1	4.0	1.0	1.0	2.0
	Cachar	4,100	3.9	4.0	1.0	1.0	2.2
	Chirang	2,047	3.0	4.0	1.0	1.0	2.0
	Darrang	1,700	3.5	4.0	1.0	5.0	3.7
	Dhemaji	2,728	3.3	4.0	1.0	1.0	2.1
	Dhubri	2,362	3.0	4.0	1.0	1.0	2.0
	Dibrugarh	3,725	3.5	4.0	1.0	1.0	2.1
	Dima Hasao	5,297	3.5	4.0	1.0	1.0	2.1
	Goalpara	2,101	3.4	4.0	1.0	1.0	2.1
	Golaghat	3,844	3.5	4.0	1.0	1.0	2.1
	Hailakandi	1,438	4.0	4.0	1.0	1.0	2.2
	Jorhat	3,104	3.5	4.0	1.0	4.5	3.5
	Kamrup Metro	1,063	3.5	4.0	1.0	5.0	3.7
	Kamrup Rural	3,317	3.5	4.0	1.0	4.5	3.5
	Karbi Anglong	11,279	3.5	4.0	1.0	1.0	2.1
	Karimganj	1,960	4.0	4.0	1.0	1.0	2.2
	Kokrajhar	3,310	3.0	4.0	1.0	1.0	2.0
	Lakhimpur	3,277	3.2	4.0	1.0	1.0	2.0



	Importance Fact	or	20%	20%	20%	40%	Integrated
State	District	Geographical	Wind	Seismic	Climate	Hill	Hazard Zoning
	Morigaon	Area (Sq km)	Zoning	Zoning	Zoning	Zoning	
	<u> </u>	1,626	3.5	4.0	1.0	5.0	3.7
	Nagaon Nalbari	4,362	3.5	4.0	1.0	1.0	2.1
		1,118	3.5	4.0	1.0	1.0	2.1
	Sivasagar	2,906	3.5	4.0	1.0	1.5	2.3
	Sonitpur	5,655	3.2	4.0	1.0	1.0	2.0
	Tinsukia	4,222	3.4	4.0	1.0	1.0	2.1
	Udalguri	2,163	3.3	4.0	1.0	1.5	2.3
Chhatti				ı			1
	Bastar	10,589	1.5	1.0	1.8	2.0	1.7
	Bijapur (Ch)	9,131	1.9	1.4	1.2	1.5	1.5
	Bilaspur (Ch)	8,418	1.5	1.0	2.0	2.0	1.7
	Dakshin Bastar Dantewada	8,587	1.6	1.1	1.1	1.5	1.4
	Dhamtari	4,136	1.5	1.0	2.0	2.0	1.7
	Durg	8,619	1.5	1.0	2.0	2.0	1.7
	Janjgir - Champa	3,922	1.5	1.0	2.0	2.0	1.7
	Jashpur	5,967	1.5	1.0	1.7	2.0	1.6
	Kawardha	4,237	1.5	1.0	2.0	2.0	1.7
	Korba	6,695	1.5	1.2	2.0	2.0	1.7
	Koriya	6,696	1.5	2.0	2.0	2.0	1.9
	Mahasamund	4,829	1.6	1.0	2.0	2.0	1.7
	Narayanpur	3,929	1.5	1.0	2.0	2.0	1.7
	Raigarh (Ch)	7,175	1.5	1.4	2.0	2.0	1.8
	Raipur	12,577	1.5	1.0	2.0	2.0	1.7
	Rajnandgaon	8,138	1.5	1.0	2.0	2.0	1.7
	Surguja	15,993	1.5	1.8	2.0	2.0	1.9
	Uttar Bastar Kanker	7,259	1.5	1.0	2.0	2.0	1.7
Jharkha	and	, , , , , , , , , , , , , , , , , , , ,			_		
Onanin	Bokaro	2,976	1.5	1.4	2.0	2.0	1.8
	Chatra	3,815	1.5	2.0	2.0	2.0	1.9
	Deogarh	2,571	2.5	2.0	1.8	2.0	2.1
	Dhanbad	2,110	2.1	2.0	2.0	2.0	2.0
	Dumka	3,911	3.0	2.0	1.0	1.0	1.6
	Garhwa	4,162	1.5	1.9	2.0	2.0	1.9
	Giridih	5,124	1.5	2.0	2.0	2.0	1.9
	Godda	2,349	3.0	2.7	1.0	1.0	1.7
	Gumla	5,482	1.5	1.0	1.5	2.0	1.6
	Hazaribagh	3,588	1.5	1.8	2.0	2.0	1.9
	Jamtara	1,881	2.9	2.0	1.5	1.5	1.9
	Khunti	2,548	1.5	1.0	1.8	2.0	1.7
	Kodarma	2,613	1.5	2.0	2.0	2.0	1.9



	Importance Fact	or	20%	20%	20%	40%	Integrated
State	District	Geographical Area (Sq km)	Wind Zoning	Seismic Zoning	Climate Zoning	Hill Zoning	Hazard Zoning
	Latehar	4,386	1.5	1.3	2.0	2.0	1.8
	Lohardaga	1,537	1.5	1.0	2.0	2.0	1.7
	Pakur	1,888	3.0	2.0	1.0	1.0	1.6
	Palamu	4,484	1.5	2.0	2.0	2.0	1.9
	Paschimi Singhbhum	7,439	2.3	1.0	1.1	1.5	1.5
	Purbi Singhbhum	3,685	3.1	1.0	1.0	1.5	1.6
	Ramgarh	1,446	1.5	1.1	2.0	2.0	1.7
	Ranchi	5,299	1.5	1.0	2.0	2.0	1.7
	Sahibganj	2,282	3.0	2.7	1.0	1.0	1.7
	Saraikela - Kharswan	2,743	2.4	1.0	1.6	2.0	1.8
	Simdega	3,857	1.5	1.0	1.0	1.0	1.1
Manipu	r						
•	Bishnupur	525	2.2	4.0	1.0	1.0	1.8
	Chandel	3,494	2.0	4.0	1.0	1.0	1.8
	Churachandpur	4,990	3.4	4.0	1.0	1.0	2.1
	Imphal East	795	2.7	4.0	1.0	1.0	1.9
	Imphal West	533	2.0	4.0	1.0	1.0	1.8
	Senapati	3,814	2.2	4.0	1.0	1.0	1.8
	Tamenglong	4,575	3.5	4.0	1.0	1.0	2.1
	Thoubal	782	2.0	4.0	1.0	1.0	1.8
	Ukhrul	4,900	2.0	4.0	1.0	1.0	1.8
Meghal	aya						
	East Garo Hills	3,097	3.5	4.0	1.0	1.0	2.1
	East Khasi Hills	3,045	3.5	4.0	1.0	1.0	2.1
	Jaintia Hills	4,104	3.6	4.0	1.0	1.0	2.1
	Ri Bhoi	2,544	3.5	4.0	1.0	5.0	3.7
	South Garo Hills	1,951	3.5	4.0	1.0	1.0	2.1
	West Garo Hills	3,624	3.4	4.0	1.0	1.0	2.1
	West Khasi Hills	5,582	3.5	4.0	1.0	1.5	2.3
Mizorai	n						
	Aizawl	3,205	4.0	4.0	1.0	5.0	3.8
	Champhai	3,564	4.0	4.0	1.0	4.5	3.6
	Kolasib	1,659	4.0	4.0	1.0	4.5	3.6
	Lawngtlai	1,926	4.0	4.0	1.0	5.0	3.8
	Lunglei	4,509	4.0	4.0	1.0	5.0	3.8
	Mamit	2,844	4.0	4.0	1.0	4.5	3.6
	Saiha	2,042	4.0	4.0	1.0	5.0	3.8
	Serchhip	1,344	4.0	4.0	1.0	4.5	3.6
Nagala	nd						
gu.u	Mon	2,386	2.3	4.0	1.0	4.5	3.3
	1	_,550					0.0



	Importance Fa	ctor	20%	20%	20%	40%	Integrated
State	District	Geographical Area (Sq km)	Wind Zoning	Seismic Zoning	Climate Zoning	Hill Zoning	Hazard Zoning
	Dimapur	841	3.5	4.0	1.0	1.0	2.1
	Kiphire	1,205	2.0	4.0	1.0	1.0	1.8
	Kohima	1,678	2.3	4.0	1.0	1.0	1.9
	Longleng	564	2.3	4.0	1.0	5.0	3.5
	Mokokchung	1,761	2.8	4.0	1.0	5.0	3.6
	Peren	1,891	3.5	4.0	1.0	1.0	2.1
	Phek	2,256	2.0	4.0	1.0	1.0	1.8
	Tuensang	2,487	2.0	4.0	1.0	1.5	2.0
	Wokha	1,778	3.1	4.0	1.0	4.5	3.4
	Zunheboto	1,385	2.0	4.0	1.0	1.5	2.0
Orissa							
	Anugul	6,548	2.0	1.2	1.0	1.0	1.2
	Balangir	6,648	2.0	1.0	1.5	2.0	1.7
	Baleshwar	3,947	3.5	1.2	1.0	1.0	1.5
	Bargarh	5,951	1.9	1.0	1.8	2.0	1.7
	Baudh	3,173	2.0	1.0	1.0	1.0	1.2
	Bhadrak	2,611	3.5	1.5	1.0	1.0	1.6
	Cuttack	3,976	3.1	1.6	1.0	1.0	1.5
	Debagarh	3,016	2.0	1.5	1.0	1.0	1.3
	Dhenkanal	4,589	3.1	1.7	1.0	1.0	1.6
	Gajapati	4,218	2.4	1.0	1.0	1.0	1.3
	Ganjam	8,593	2.8	1.0	1.0	1.0	1.4
	Jagatsinghapur	1,793	3.5	2.0	1.0	1.0	1.7
	Jajapur	2,993	3.5	2.0	1.0	1.0	1.7
	Jharsuguda	2,120	1.5	1.3	2.0	2.0	1.8
	Kalahandi	8,039	1.8	1.0	1.4	1.5	1.4
	Kandhamal	8,195	1.7	1.0	1.0	1.0	1.1
	Kendrapara	2,656	3.5	2.0	1.0	1.0	1.7
	Kendujhar	8,566	3.1	1.1	1.0	1.0	1.4
	Khordha	2,976	3.4	1.3	1.0	1.0	1.5
	Koraput	8,496	1.5	1.0	1.0	1.0	1.1
	Malkangiri	5,826	1.5	1.0	1.0	1.0	1.1
	Mayurbhanj	10,757	3.3	1.0	1.0	1.0	1.5
	Nabarangapur	5,532	1.5	1.0	1.7	2.0	1.6
	Nayagarh	3,999	2.2	1.0	1.0	1.0	1.2
	Nuapada	3,911	2.0	1.0	2.0	2.0	1.8
	Puri	3,606	3.5	1.5	1.0	1.0	1.6
	Rayagada	7,485	1.6	1.0	1.0	1.0	1.1
	Sambalpur	6,794	1.8	1.2	1.1	1.5	1.4
	Subarnapur	2,412	2.0	1.0	1.3	1.5	1.5
	Sundargarh	9,972	1.6	1.1	1.3	1.5	1.4



	Importance Fac	tor	20%	20%	20%	40%	Integrated
State	District	Geographical Area (Sq km)	Wind Zoning	Seismic Zoning	Climate Zoning	Hill Zoning	Hazard Zoning
Sikkim							
	East Sikkim	998	3.0	3.0	1.0	5.0	3.4
	North Sikkim	4,450	3.0	3.0	1.0	5.0	3.4
	South Sikkim	767	3.0	3.0	1.0	4.5	3.2
	West Sikkim	1,254	3.0	3.0	1.0	3.0	2.6
Tripura							
	West Tripura	2,870	4.0	4.0	1.0	2.0	2.6
	South Tripura	2,996	4.0	4.0	1.0	2.0	2.6
	North Tripura	1,989	4.0	4.0	1.0	2.0	2.6
	Dhalai	2,170	4.0	4.0	1.0	2.5	2.8
West B	engal						
	Bankura	7,154	3.0	1.6	1.0	1.0	1.5
	Barddhaman	7,311	3.0	2.0	1.0	1.5	1.8
	Birbhum	4,733	3.0	2.0	1.0	1.0	1.6
	Dakshin Dinajpur	2,342	3.0	3.0	1.0	1.0	1.8
	Darjiling	3,255	3.0	3.0	1.0	1.0	1.8
	Haora	1,460	3.5	2.0	1.0	1.0	1.7
	Hugli	3,279	3.3	2.0	1.0	1.0	1.7
	Jalpaiguri	6,452	3.0	3.1	1.0	1.0	1.8
	Koch Bihar	3,563	3.0	3.1	1.0	1.0	1.8
	Kolkata	99	3.5	2.0	1.0	1.0	1.7
	Maldah	3,746	3.0	2.8	1.0	1.0	1.8
	Murshidabad	5,708	3.0	2.0	1.0	1.0	1.6
	Nadia	4,087	3.0	2.0	1.0	1.0	1.6
	North Twenty Four Parganas	4,234	3.5	2.0	1.0	1.0	1.7
	Paschim Medinipur	9,737	3.4	1.6	1.0	1.0	1.6
	Purba Medinipur	4,137	3.5	2.0	1.0	1.0	1.7
	Puruliya	6,457	2.6	1.1	1.8	2.0	1.9
	South Twenty Four Parganas	8,192	3.5	2.0	1.0	1.0	1.7
	Uttar Dinajpur	3,236	3.0	3.0	1.0	1.0	1.8

3.5 Exposure Vulnerability Ranking

For estimating exposure and its vulnerability, detailed urban agglomerate classification maps generated from high-resolution satellite images have been used. With the help of remote sensing techniques applied on high-resolution satellite imageries, 10 types of urban agglomeration areas have been delineated (Figures 3-1 and 3-2). For major city areas, even more detailed urban agglomerate classification has been created with high-resolution data layers as shown in Figure 3-3. These include urban, semi-urban, building blocks, industrial and rural villages' built-up areas. District level census 2011 population has been distributed to each population agglomeration cluster. For exposure vulnerability, 4 different layers viz.



population density, residential built-up areas, high-rise building block density, and industrial areas have been developed individually at district level. Table 3-4 shows district level geographical area, population, population density, residential built-up area, industrial area, and residential built-up area in percentage.

Table 3-4: District level geographical area, population, population density, residential built-up area, residential built-up area in percentage, and industrial area for all Phase IV States

State	District	Geographic al Area (sq km)	Population 2011	Populati on Density	Resident ial Built- Up area (sq km)	Industr ial Area (sq km)	Residenti al Built- Up area (in percenta ge)
Aruna	chal Pradesh						
	Anjaw	6,808	21,089	3.10	2.14	0.00	0.031%
	Changlang	5,536	147,951	26.73	15.28	0.00	0.276%
	Dibang Valley	10,633	7,948	0.75	4.22	0.00	0.040%
	East Kameng	6,806	78,413	11.52	5.84	0.00	0.086%
	East Siang	3,989	99,019	24.82	20.95	0.00	0.525%
	Kurung Kumey	7,240	89,717	12.39	1.85	0.00	0.026%
	Lohit	4,689	145,538	31.04	20.16	0.00	0.430%
	Lower Dibang Valley	4,036	53,986	13.38	12.36	0.00	0.306%
	Lower Subansiri	2,965	82,839	27.94	25.34	0.00	0.855%
	Papum Pare	3,956	176,385	44.58	11.81	0.13	0.299%
	Tawang	2,446	49,950	20.42	9.51	0.00	0.389%
	Tirap	2,345	111,997	47.76	16.66	0.00	0.710%
	Upper Siang	7,572	35,289	4.66	7.49	0.00	0.099%
	Upper Subansiri	6,984	83,205	11.91	15.36	0.00	0.220%
	West Kameng	5,444	87,013	15.98	8.50	0.00	0.156%
	West Siang	8,661	112,272	12.96	17.90	0.00	0.207%
Assam							
	Baksa	2,604	953,773	366.29	167.40	0.00	6.43%
	Barpeta	2,416	1,693,190	700.78	117.46	0.01	4.86%
	Bongaigaon	1,152	732,639	636.19	61.23	0.05	5.32%
	Cachar	4,100	1,736,319	423.45	107.37	0.39	2.62%
	Chirang	2,047	481,818	235.38	57.82	0.80	2.82%
	Darrang	1,700	908,090	534.17	145.14	0.00	8.54%
	Dhemaji	2,728	688,077	252.23	87.89	0.03	3.22%
	Dhubri	2,362	1,948,632	824.83	116.92	0.00	4.95%
	Dibrugarh	3,725	1,327,748	356.46	215.82	0.22	5.79%
	Dima Hasao	5,297	213,529	40.31	49.13	0.05	0.93%



State	District	Geographic al Area (sq km)	Population 2011	Populati on Density	Resident ial Built- Up area (sq km)	Industr ial Area (sq km)	Residenti al Built- Up area (in percenta ge)
	Goalpara	2,101	1,008,959	480.22	111.00	0.00	5.28%
	Golaghat	3,844	1,058,674	275.41	82.77	1.13	2.15%
	Hailakandi	1,438	659,260	458.56	77.96	0.10	5.42%
	Jorhat	3,104	1,091,295	351.55	154.74	1.12	4.99%
	Kamrup Metro	1,063	1,260,419	1185.19	122.22	7.69	11.50%
	Kamrup Rural	3,317	1,517,202	457.45	233.35	0.29	7.03%
	Karbi Anglong	11,279	965,280	85.58	69.80	0.18	0.62%
	Karimganj	1,960	1,217,002	621.02	91.14	0.00	4.65%
	Kokrajhar	3,310	886,999	267.95	110.47	0.02	3.34%
	Lakhimpur	3,277	1,040,644	317.59	248.02	0.23	7.57%
	Morigaon	1,626	957,853	589.05	88.59	0.00	5.45%
	Nagaon	4,362	2,826,006	647.84	160.65	0.28	3.68%
	Nalbari	1,118	769,919	688.81	157.56	0.02	14.09%
	Sivasagar	2,906	1,150,253	395.83	205.58	0.60	7.07%
	Sonitpur	5,655	1,925,975	340.59	300.24	0.51	5.31%
	Tinsukia	4,222	1,316,948	311.91	1.44	0.09	0.03%
	Udalguri	2,163	832,769	385.05	224.17	0.00	10.36%
Chhatt	isgarh						
	Bastar	10,589	1,411,644	133.31	120.66	0.35	1.14%
	Bijapur (Ch)	9,131	255,180	27.95	37.30	0.07	0.41%
	Bilaspur (Ch)	8,418	2,662,077	316.23	170.31	2.30	2.02%
	Dakshin Bastar Dantewada	8,587	532,791	62.04	43.19	0.72	0.50%
	Dhamtari	4,136	799,199	193.25	76.46	0.46	1.85%
	Durg	8,619	3,343,079	387.88	245.41	10.02	2.85%
	Janjgir - Champa	3,922	1,620,632	413.24	128.52	2.27	3.28%
	Jashpur	5,967	852,043	142.79	44.64	0.00	0.75%
	Kawardha	4,237	822,239	194.04	45.26	0.20	1.07%
	Korba	6,695	1,206,563	180.23	78.22	3.79	1.17%
	Koriya	6,696	659,039	98.42	23.72	0.16	0.35%
	Mahasamund	4,829	1,032,275	213.75	96.08	1.21	1.99%
	Narayanpur	3,929	140,206	35.69	10.64	0.01	0.27%
	Raigarh (Ch)	7,175	1,493,627	208.16	100.76	3.43	1.40%
	Raipur	12,577	4,062,160	322.98	272.52	15.97	2.17%



State	District	Geographic al Area (sq km)	Population 2011	Populati on Density	Resident ial Built- Up area (sq km)	Industr ial Area (sq km)	Residenti al Built- Up area (in percenta ge)
	Rajnandgaon	8,138	1,537,520	188.93	132.76	1.97	1.63%
	Surguja	15,993	2,361,329	147.65	110.93	0.36	0.69%
	Uttar Bastar Kanker	7,259	748,593	103.13	99.95	0.06	1.38%
Jharkh	and						
	Bokaro	2,976	2,061,918	692.89	174.37	8.51	5.86%
	Chatra	3,815	1,042,304	273.23	60.62	0.33	1.59%
	Deogarh	2,571	1,491,879	580.23	96.83	0.51	3.77%
	Dhanbad	2,110	2,682,662	1271.17	178.53	5.25	8.46%
	Dumka	3,911	1,321,096	337.77	128.33	0.45	3.28%
	Garhwa	4,162	1,322,387	317.71	68.80	0.54	1.65%
	Giridih	5,124	2,445,203	477.23	165.43	1.01	3.23%
	Godda	2,349	1,311,382	558.20	45.97	0.35	1.96%
	Gumla	5,482	1,025,656	187.10	84.15	0.61	1.54%
	Hazaribagh	3,588	1,734,005	483.32	77.46	0.82	2.16%
	Jamtara	1,881	790,207	420.03	42.83	0.24	2.28%
	Khunti	2,548	530,299	208.15	31.77	0.74	1.25%
	Kodarma	2,613	717,169	274.50	67.54	0.83	2.58%
	Latehar	4,386	725,673	165.46	80.90	0.44	1.84%
	Lohardaga	1,537	461,738	300.39	44.85	0.28	2.92%
	Pakur	1,888	899,200	476.37	30.57	0.06	1.62%
	Palamu	4,484	1,936,319	431.84	101.22	0.68	2.26%
	Paschimi Singhbhum	7,439	1,501,619	201.85	129.04	1.98	1.73%
	Purbi Singhbhum	3,685	2,291,032	621.70	122.52	8.05	3.32%
	Ramgarh	1,446	949,159	656.36	58.73	3.07	4.06%
	Ranchi	5,299	2,912,022	549.55	166.91	11.30	3.15%
	Sahibganj	2,282	1,150,038	503.93	32.15	0.22	1.41%
	Saraikela - Kharswan	2,743	1,063,458	387.65	115.52	4.61	4.21%
	Simdega	3,857	599,813	155.50	27.60	0.02	0.72%
Manipu	ır						
	Bishnupur	525	240,363	457.47	27.48	0.07	5.23%
	Chandel	3,494	144,028	41.23	5.93	0.16	0.17%
	Churachandpur	4,990	271,274	54.36	21.07	0.19	0.42%
	Imphal East	795	452,661	569.49	29.77	0.56	3.74%



State	District	Geographic al Area (sq km)	Population 2011	Populati on Density	Resident ial Built- Up area (sq km)	Industr ial Area (sq km)	Residenti al Built- Up area (in percenta ge)
	Imphal West	533	514,683	964.76	38.78	0.84	7.28%
	Senapati	3,814	354,972	93.07	12.85	0.04	0.34%
	Tamenglong	4,575	140,143	30.63	11.94	0.00	0.26%
	Thoubal	782	420,517	538.00	44.57	0.21	5.70%
	Ukhrul	4,900	183,115	37.37	6.46	0.00	0.13%
Megha	laya						
	East Garo Hills	3,097	317,618	102.55	29.22	0.01	0.94%
	East Khasi Hills	3,045	824,059	270.66	34.83	1.45	1.14%
	Jaintia Hills	4,104	392,852	95.72	22.31	0.20	0.54%
	Ri Bhoi	2,544	258,380	101.57	10.11	0.13	0.40%
	South Garo Hills	1,951	142,574	73.08	7.46	0.01	0.38%
	West Garo Hills	3,624	642,923	177.43	16.65	0.07	0.46%
	West Khasi Hills	5,582	385,601	69.08	39.58	0.06	0.71%
Mizora	m						
	Aizawl	3,205	404,054	126.00	8.05	0.02	0.25%
	Champhai	3,564	125,370	35.00	2.86	0.00	0.08%
	Kolasib	1,659	83,054	50.00	1.81	0.00	0.11%
	Lawngtlai	1,926	117,444	61.00	1.76	0.00	0.09%
	Lunglei	4,509	154,094	34.00	3.49	0.00	0.08%
	Mamit	2,844	85,757	30.00	2.06	0.00	0.07%
	Saiha	2,042	56,366	28.00	1.40	0.00	0.07%
	Serchhip	1,344	64,875	48.00	1.46	0.00	0.11%
Nagala	nd						
	Mon	2,386	39,538	16.57	10.20	0.00	0.43%
	Dimapur	841	49,595	59.01	23.61	0.61	2.81%
	Kiphire	1,205	14,335	11.90	4.56	0.00	0.38%
	Kohima	1,678	36,157	21.54	15.70	0.02	0.94%
	Longleng	564	8,846	15.69	2.11	0.00	0.37%
	Mokokchung	1,761	20,046	11.38	15.35	0.03	0.87%
	Peren	1,891	15,221	8.05	5.24	0.00	0.28%
	Phek	2,256	27,538	12.21	7.70	0.00	0.34%
	Tuensang	2,487	34,931	14.05	9.39	0.02	0.38%
	Wokha	1,778	19,673	11.07	9.63	0.00	0.54%
	Zunheboto	1,385	20,101	14.52	10.37	0.00	0.75%



State	District	Geographic al Area (sq km)	Population 2011	Populati on Density	Resident ial Built- Up area (sq km)	Industr ial Area (sq km)	Residenti al Built- Up area (in percenta ge)
Orissa		T					
	Anugul	6,548	1,271,703	194.22	102.64	4.54	1.57%
	Balangir	6,648	1,648,574	247.97	67.70	1.14	1.02%
	Baleshwar	3,947	2,317,419	587.17	285.94	5.41	7.24%
	Bargarh	5,951	1,478,833	248.52	59.78	1.25	1.00%
	Baudh	3,173	439,917	138.64	26.54	0.25	0.84%
	Bhadrak	2,611	1,506,522	576.96	77.86	0.61	2.98%
	Cuttack	3,976	2,618,708	658.68	169.16	6.83	4.25%
	Debagarh	3,016	312,164	103.49	26.33	0.02	0.87%
	Dhenkanal	4,589	1,192,948	259.96	87.20	2.55	1.90%
	Gajapati	4,218	575,880	136.54	6.08	0.12	0.14%
	Ganjam	8,593	3,520,151	409.64	99.70	5.48	1.16%
	Jagatsinghapur	1,793	1,136,604	634.05	120.38	1.35	6.71%
	Jajapur	2,993	1,826,275	610.16	115.01	2.38	3.84%
	Jharsuguda	2,120	579,499	273.31	28.25	2.31	1.33%
	Kalahandi	8,039	1,573,054	195.67	55.77	1.55	0.69%
	Kandhamal	8,195	731,952	89.32	39.74	0.24	0.48%
	Kendrapara	2,656	1,439,891	542.17	72.39	0.05	2.73%
	Kendujhar	8,566	1,802,777	210.46	135.59	0.82	1.58%
	Khordha	2,976	2,246,341	754.84	126.99	6.76	4.27%
	Koraput	8,496	1,376,934	162.07	70.20	3.54	0.83%
	Malkangiri	5,826	612,727	105.17	29.24	0.15	0.50%
	Mayurbhanj	10,757	2,513,895	233.70	246.42	1.23	2.29%
	Nabarangapur	5,532	1,218,762	220.30	94.94	0.47	1.72%
	Nayagarh	3,999	962,215	240.59	41.88	0.06	1.05%
	Nuapada	3,911	606,490	155.09	19.43	0.87	0.50%
	Puri	3,606	1,697,983	470.83	69.14	0.84	1.92%
	Rayagada	7,485	961,959	128.52	24.63	0.95	0.33%
	Sambalpur	6,794	1,044,410	153.73	63.36	2.24	0.93%
	Subarnapur	2,412	652,107	270.35	26.04	0.12	1.08%
	Sundargarh	9,972	2,080,664	208.64	135.53	11.25	1.36%
Sikkim							
	East Sikkim	998	281,293	281.82	10.77	0.09	1.08%



State	District	Geographic al Area (sq km)	Population 2011	Populati on Density	Resident ial Built- Up area (sq km)	Industr ial Area (sq km)	Residenti al Built- Up area (in percenta ge)
	North Sikkim	4,450	43,354	9.74	2.68	0.00	0.06%
	South Sikkim	767	146,742	191.29	7.60	0.41	0.99%
	West Sikkim	1,254	136,299	108.69	7.16	0.00	0.57%
Tripura	a						
	West Tripura	2,870	1,724,619	601.00	25.74	0.06	0.90%
	South Tripura	2,996	875,144	292.00	14.91	0.00	0.50%
	North Tripura	1,989	693,281	349.00	10.33	0.00	0.52%
	Dhalai	2,170	377,988	174.00	6.37	0.00	0.29%
West E	Bangal						
	Bankura	7,154	6,882	0.96	233.19	4.68	3.26%
	Barddhaman	7,311	7,024	0.96	530.06	34.60	7.25%
	Birbhum	4,733	4,545	0.96	255.61	2.85	5.40%
	Dakshin Dinajpur	2,342	2,219	0.95	104.09	1.30	4.44%
	Darjiling	3,255	3,149	0.97	96.13	1.23	2.95%
	Haora	1,460	1,467	1.01	227.33	18.86	15.57%
	Hugli	3,279	3,149	0.96	313.56	10.51	9.56%
	Jalpaiguri	6,452	6,227	0.97	261.79	1.59	4.06%
	Koch Bihar	3,563	3,387	0.95	203.15	0.42	5.70%
	Kolkata	99	185	1.87	54.47	10.46	55.02%
	Maldah	3,746	3,733	1.00	220.59	0.81	5.89%
	Murshidabad	5,708	5,324	0.93	340.11	2.98	5.96%
	Nadia	4,087	3,927	0.96	291.01	2.96	7.12%
	North Twenty Four Parganas	4,234	4,094	0.97	504.34	10.47	11.91%
	Paschim Medinipur	9,737	9,345	0.96	639.05	7.53	6.56%
	Purba Medinipur	4,137	4,736	1.14	785.18	15.49	18.98%
	Puruliya	6,457	6,259	0.97	223.99	0.98	3.47%
	South Twenty Four Parganas	8,192	9,960	1.22	661.85	11.57	8.08%
	Uttar Dinajpur	3,236	3,140	0.97	148.91	0.79	4.60%

In order to assess the impact of each exposure vulnerability type, a vulnerability score/ranking has been assigned to each layer at its base unit. The vulnerability score represents the level of vulnerability (very high to negligible) of a specific type of exposure in response to the occurrences of small and medium fire incidents. Base unit for vulnerability ranking is the district boundary. The natural break in value distribution has been considered for defining the ranking class.



Based on Census 2011 population, district-level population densities have been computed and grouped into five ranges based on the schema shown in Table 3-5. A ranking of 5 has been assigned to highly dense districts, having populations greater than 10,000 per sq km, and 1 to sparsely populated districts having less than 200 people per sq km area.

Table 3-5: Grouping schema for ranking of exposure and vulnerability layers

Population density	Ranking
>10,000	5
1,000 to 10,000	4
500 to 1,000	3
200 to 500	2
<200	1
Residential Built-up	
area sq km	Ranking
>190	5
100 to 190	4
E0 to 100	
50 to 100	3
20 to 50	3 2

Built-up area %	Ranking
>35 %	5
14% to 35 %	4
2% to 14 %	3
1% to 2 %	2
<1 %	1
Industrial area on loss	Dankina
Industrial area sq km	Ranking
Industrial area sq km >10	Ranking 5
•	
>10	5
>10 5 to 10	5 4

As described earlier, various types of residential built-up areas have been delineated using high-resolution images. For assessing fire risk, both absolute built-up areas in sq km as well as built-up areas percent (ratio of built-up areas to the total area) are important parameters. Figure 3-8 illustrates an example of district level ranking of residential built-up area percent and corresponding residential built up area in absolute terms (i.e. area in sq.km.). An example of this is shown in Figure 3-8 for Maharashtra. It can be seen that Pune district has the highest residential built-up area, while in terms of residential built-up area in percentage, Pune district comes at fifth rank (Figure 3-8).

District level values of residential built-up area in percent and in absolute terms (i.e. area in sq km.) have been grouped separately into five classes and assigned a ranking score of 1-5 based on the schema shown in Table 3-5. Districts having > 35% residential built-up have been assigned 5th ranking, while districts having <1 % built-up area as whole have been assigned a rank of 1. Similarly, 5 ranking has been assigned to district wise residential built-up areas in sq km based on schema shown in Table 3-5. This schema has been prepared based on natural breaks of value distribution considering all 106 districts of the pilot study area. Because of its appropriateness, the schema has been used for ranking all the districts in the remaining 29 States/UTs also.

It is obvious that industrial areas in districts have much lower percentages than residential built-up areas. However, presence of industrial areas in a district has a significant influence in assessing fire risk. Hence, industrial areas in absolute terms (sq km) have been considered in risk ranking. In a similar fashion, district wise industrial areas have been grouped into five classes and vulnerability ranking has been assigned based on the schema described in Table 3-5. Districts having more than 10 sq km industrial plot area are ranked at 5, while districts having industrial area of less than 1 sq km are ranked at 1 (Table 3-5).






Figure 3-8: Example of comparison of district level rankings for residential built-up area percentages and absolute areas (in sq km). The example shows a comparison for all 35 districts of Maharashtra State

An example of district level total residential built-up areas in sq km and industrial areas for all 35 districts of Maharashtra have been plotted for direct comparison in Figure 3-9. Industrial as well residential built-up area is the highest in Pune district. In contrast, Ahmadnagar, has second ranking in terms of residential built-up area, but in terms of industrial area, Thane district holds second ranking (Figure 3-9).






Figure 3-9: Example of comparison of district level rankings for residential built-up areas and industrial areas (in sq km). The example shows a comparison for all 35 districts of Maharashtra State

Integrated Risk Analysis

After developing ranking of individual units in terms of hazard and exposure vulnerability, GIS layers have been overlaid on top of each other and a spatial analysis has been performed for integration in GIS environment. For combining hazard and risk, Weighted Factor Analysis (WFA) in GIS environment has been performed. Weighted ranking scores have been used in the integration analysis and quantified risk distribution for all districts. Values of weighted factor depend upon the importance of a particular hazard/ vulnerability class in risk analysis. For example, temperate zone hazard value of a district has a much lower weight than the population density of a district.

For integration of hazards, equal weights have been assigned to wind, seismic, and climatic hazards, while double weights have been given to hill zoning (Table 3-5). This is because, in hilly terrain, wooden houses, and heating provisions in buildings increase the chances of fire-incidences, and thus have been given higher weightage.

Four layers of exposure/ vulnerability, such as population density, residential built-up area percentage, residential built-up area in sq km and Industrial area in sq km seem to have equal importance in the occurrence of the number of fire incidents in a district. Hence, equal weights have been assigned in integration of these layers (Table 3-6).

After obtaining integrated individual weighted score for hazard and exposure vulnerability, fire risk categories have been obtained in quantitative terms by further integration of hazard and exposure vulnerability. It is obvious that in the occurrence of the number of fire incidents in a given district, exposure vulnerability has more importance than the prevailing hazard. Hence, in quantified integration, double weights have been assigned to exposure vulnerability (Table 3-6).



Table 3-6: Weightage assigned in risk scoring schema for integration of hazard and exposure vulnerability into fire risk categories

Hazard		Weightage	
H1	Wind Zoning	W1	0.2
H2	Seismic Zoning	W2	0.2
Н3	Climate zoning	W3	0.2
H4	Hill zoning	W4	0.4
Integrated Hazard		H1*W1+H2*W2+H3*V	/3+H4*W4

Exposure	e/ Vulnerability Class	Weightage	
EV1	Population Density	W1	0.25
EV2	Residential built-up area %	W2	0.25
EV3	Residential built-up area in sq km	W3	0.25
EV4	Industrial area in sq km	W4	0.25
Integrated Exposure Vulnerability		EV1*W1+EV2*W2+EV3*V	V3+EV4*W4

Fire Risk score = Integrated Hazard x 2 (Integrated Exposure Vulnerability)

The quantified numeric values of district risk scores are again grouped into four descriptive categories of district level risk ranking (very high, high, medium, and low) as depicted in Table 3-7.



Table 3-7: District risk rankings for all Phase IV States

State	District	Population Density Ranking	Res Built-up Area sq km Ranking	Res Built- up Area Percenta ge Ranking	Industrial Area Ranking	Integrate d Ranking	Overall District Risk Ranking	
Aruna	Arunachal Pradesh							
	Anjaw	1	1	1	1	4	Low	
	Changlang	1	1	1	1	4	Low	
	Dibang Valley	1	1	1	1	5	Low	
	East Kameng	1	1	1	1	5	Low	
	East Siang	1	2	2	1	5	Low	
	Kurung Kumey	1	1	1	1	5	Low	
	Lohit	1	2	1	1	4	Low	
	Lower Dibang Valley	1	1	1	1	4	Low	
	Lower Subansiri	1	2	2	1	5	Low	
	Papum Pare	1	1	1	1	4	Low	
	Tawang	1	1	1	1	5	Low	
	Tirap	1	1	2	1	4	Low	
	Upper Siang	1	1	1	1	5	Low	
	Upper Subansiri	1	1	1	1	5	Low	
	West Kameng	1	1	1	1	4	Low	
	West Siang	1	1	1	1	5	Low	
Assam	1							
	Baksa	2	4	3	1	7	Medium	
	Barpeta	3	4	3	1	8	High	
	Bongaigaon	3	3	3	1	7	Medium	
	Cachar	2	4	3	1	7	Medium	
	Chirang	2	3	3	1	7	Medium	
	Darrang	3	4	3	1	9	Very High	
	Dhemaji	2	3	3	1	7	Medium	
	Dhubri	3	4	3	1	8	High	
	Dibrugarh	2	5	3	1	8	High	
	Dima Hasao	1	2	2	1	5	Low	
	Goalpara	2	4	3	1	7	Medium	
	Golaghat	2	3	2	2	7	Medium	
	Hailakandi	2	3	3	1	7	Medium	
	Jorhat	2	4	3	2	9	Very High	
	Kamrup Metro	4	4	3	4	11	Very High	
	Kamrup Rural	2	5	3	1	9	Very High	
	Karbi Anglong	1	3	2	1	6	Medium	
	Karimganj	3	3	3	1	7	Medium	
	Kokrajhar	2	4	3	1	7	Medium	



State	District	Population Density Ranking	Res Built-up Area sq km Ranking	Res Built- up Area Percenta ge Ranking	Industrial Area Ranking	Integrate d Ranking	Overall District Risk Ranking
	Lakhimpur	2	5	3	1	8	High
	Morigaon	3	3	3	1	9	Very High
	Nagaon	3	4	3	1	8	High
	Nalbari	3	4	4	1	8	High
	Sivasagar	2	5	3	1	8	High
	Sonitpur	2	5	3	1	8	High
	Tinsukia	2	1	1	1	5	Low
	Udalguri	2	5	3	1	8	High
Chhatt	isgarh						
	Bastar	1	4	2	1	6	Medium
	Bijapur (Ch)	1	2	1	1	4	Low
	Bilaspur (Ch)	2	4	3	3	8	High
	Dakshin Bastar Dantewada	1	2	2	1	4	Low
	Dhamtari	1	3	3	1	6	Medium
	Durg	2	5	3	5	9	VeryHigh
	Janjgir - Champa	2	4	3	3	8	High
	Jashpur	1	2	2	1	5	Low
	Kawardha	1	2	2	1	5	Low
	Korba	1	3	2	3	6	Medium
	Koriya	1	2	1	1	4	Low
	Mahasamund	2	3	3	3	7	Medium
	Narayanpur	1	1	1	1	4	Low
	Raigarh (Ch)	2	4	2	3	7	Medium
	Raipur	2	5	3	5	9	VeryHigh
	Rajnandgaon	1	4	3	3	7	Medium
	Surguja	1	4	2	1	6	Medium
	Uttar Bastar Kanker	1	4	2	1	6	Medium
Jharkh	nand						
	Bokaro	3	4	3	4	9	VeryHigh
	Chatra	2	3	3	1	6	Medium
	Deogarh	3	3	3	1	7	Medium
	Dhanbad	4	4	3	4	10	VeryHigh
	Dumka	2	4	3	1	7	Medium
	Garhwa	2	3	3	1	6	Medium
	Giridih	2	4	3	3	8	High
	Godda	3	2	3	1	6	Medium
	Gumla	1	3	3	1	6	Medium
	Hazaribagh	2	3	3	1	6	Medium



State	District	Population Density Ranking	Res Built-up Area sq km Ranking	Res Built- up Area Percenta ge Ranking	Industrial Area Ranking	Integrate d Ranking	Overall District Risk Ranking
	Jamtara	2	2	3	1	6	Medium
	Khunti	2	2	2	1	5	Low
	Kodarma	2	3	3	1	6	Medium
	Latehar	1	3	3	1	6	Medium
	Lohardaga	2	2	3	1	6	Medium
	Pakur	2	2	3	1	6	Medium
	Palamu	2	4	3	1	7	Medium
	PaschimiSinghbh um	2	4	3	3	7	Medium
	PurbiSinghbhum	3	4	3	4	9	VeryHigh
	Ramgarh	3	3	3	3	8	High
	Ranchi	3	4	3	5	9	VeryHigh
	Sahibganj	3	2	2	1	6	Medium
	Saraikela- Kharswan	2	4	3	4	8	High
	Simdega	1	2	2	1	4	Low
Manip	ur						
	Bishnupur	2	2	3	1	6	Medium
	Chandel	1	1	1	1	4	Low
	Churachandpur	1	2	1	1	5	Low
	ImphalEast	3	2	3	1	6	Medium
	ImphalWest	3	2	3	1	6	Medium
	Senapati	1	1	1	1	4	Low
	Tamenglong	1	1	1	1	4	Low
	Thoubal	3	2	3	1	6	Medium
	Ukhrul	1	1	1	1	4	Low
Megha	laya						
	East Garo Hills	1	2	2	1	5	Low
	East Khasi Hills	2	2	2	3	7	Medium
	Jaintia Hills	1	2	2	1	5	Low
	Ri Bhoi	1	1	1	1	6	Medium
	South Garo Hills	1	1	1	1	4	Low
	West Garo Hills	1	1	1	1	4	Low
	West Khasi Hills	1	2	2	1	5	Low
Mizora	ım						
	Aizawl	1	1	1	1	6	Medium
	Champhai	1	1	1	1	6	Medium
	Kolasib	1	1	1	1	6	Medium
	Lawngtlai	1	1	1	1	6	Medium
	Lunglei	1	1	1	1	6	Medium



State	District	Population Density Ranking	Res Built-up Area sq km Ranking	Res Built- up Area Percenta ge Ranking	Industrial Area Ranking	Integrate d Ranking	Overall District Risk Ranking
	Mamit	1	1	1	1	6	Medium
	Saiha	1	1	1	1	6	Medium
	Serchhip	1	1	1	1	6	Medium
Nagala	and						
	Mon	1	1	1	1	5	Low
	Dimapur	1	2	3	1	6	Medium
	Kiphire	1	1	1	1	4	Low
	Kohima	1	1	2	1	4	Low
	Longleng	1	1	1	1	5	Low
	Mokokchung	1	1	2	1	6	Medium
	Peren	1	1	1	1	4	Low
	Phek	1	1	1	1	4	Low
	Tuensang	1	1	1	1	4	Low
	Wokha	1	1	2	1	6	Medium
	Zunheboto	1	1	2	1	5	Low
Orissa							
	Anugul	1	4	3	4	7	Medium
	Balangir	2	3	2	3	7	Medium
	Baleshwar	3	5	3	4	9	VeryHigh
	Bargarh	2	3	2	3	7	Medium
	Baudh	1	2	2	1	4	Low
	Bhadrak	3	3	3	1	7	Medium
	Cuttack	3	4	3	4	9	VeryHigh
	Debagarh	1	2	2	1	4	Low
	Dhenkanal	2	3	3	3	7	Medium
	Gajapati	1	1	1	1	3	Low
	Ganjam	2	4	2	4	7	Medium
	Jagatsinghapur	3	4	3	3	8	High
	Jajapur	3	4	3	3	8	High
	Jharsuguda	2	2	2	3	6	Medium
	Kalahandi	1	3	2	3	6	Medium
	Kandhamal	1	2	1	1	4	Low
	Kendrapara	3	3	3	1	7	Medium
	Kendujhar	2	4	3	1	6	Medium
	Khordha	3	4	3	4	9	VeryHigh
	Koraput	1	3	2	3	6	Medium
	Malkangiri	1	2	2	1	4	Low
	Mayurbhanj	2	5	3	3	8	High
	Nabarangapur	2	3	3	1	6	Medium



State	District	Population Density Ranking	Res Built-up Area sq km Ranking	Res Built- up Area Percenta ge Ranking	Industrial Area Ranking	Integrate d Ranking	Overall District Risk Ranking
	Nayagarh	2	2	2	1	5	Low
	Nuapada	1	1	1	1	4	Low
	Puri	2	3	3	1	6	Medium
	Rayagada	1	2	1	1	4	Low
	Sambalpur	1	3	2	3	6	Medium
	Subarnapur	2	2	2	1	5	Low
	Sundargarh	2	4	2	5	8	High
Sikkim							
	East Sikkim	2	1	2	1	6	Medium
	North Sikkim	1	1	1	1	5	Low
	South Sikkim	1	1	2	1	6	Medium
	West Sikkim	1	1	2	1	5	Low
Tripura	a			,			
•	West Tripura	3	2	1	1	6	Medium
	South Tripura	2	1	1	1	5	Low
	North Tripura	2	1	1	1	5	Low
	Dhalai	1	1	1	1	5	Low
West E		-	•	•	•		
	Bankura	1	5	3	4	8	High
	Barddhaman	1	5	3	5	9	VeryHigh
	Birbhum	1	5	3	3	8	High
	Dakshin Dinajpur	1	4	3	3	7	Medium
	Darjiling	1	3	3	3	7	Medium
	Haora	1	5	4	5	9	VeryHigh
	Hugli	1	5	3	5	9	VeryHigh
	Jalpaiguri	1	5	3	3	8	High
	Koch Bihar	1	5	3	1	7	Medium
	Kolkata	1	3	5	5	9	VeryHigh
	Maldah	1	5	3	1	7	Medium
	Murshidabad	1	5	3	3	8	High
	Nadia	1	5	3	3	8	High
	North Twenty Four Parganas	1	5	3	5	9	VeryHigh
	Paschim Medinipur	1	5	3	4	8	High
	Purba Medinipur	1	5	4	5	9	VeryHigh
	Puruliya	1	5	3	1	7	Medium
	South Twenty Four Parganas	1	5	3	5	9	VeryHigh
	Uttar Dinajpur	1	4	3	1	6	Medium



4 Field Surveys of Fire Stations for Data Collection

At present, there is a lack of a comprehensive centralized database on the distribution of fire service infrastructure, and the stock of existing fire fighting vehicles, manpower and specialized equipment, their types, and their quantities. Most of the information is either disaggregated or not updated. This information is required for undertaking the gap analysis, future planning, and improvement of institutional capacity, financial planning, and creating a roadmap for the next 10 years for revamping the fire services in the country. To have first-hand information on the distribution of the fire service stations across the country, trained human resources, infrastructure availability and their status, RMSI project team has carried out surveys of Fire Stations and collected data from Headquarters of all the States under the jurisdiction of DG, NDRF & CD (Fire) in the country. In addition to the survey of Fire Stations, the team has also collected the location (latitude, longitude) of Fire Stations using GPS. The geographical coordinate information is used for plotting all the Fire Station locations on the map to perform GIS based spatial analysis. This is required for the analysis of distribution of Fire Stations and gap analysis on fire-infrastructure, based on risk-category, response time, and population.

4.1 Field-Survey of individual Fire Station and collection of Headquarter Data

RMSI project team has designed a comprehensive "Fire Headquarter Data Collection Form" (*Annexure-1*) and individual "Fire Station Survey Form" (*Annexure-2*) to collect all the required information for each State/UT in the country.

The information includes but is not limited to:

- i. Location (latitude, longitude) and location description of the Fire Station
- ii. Name of fire-station in-charge and his contact details
- iii. Fire Vehicles type, numbers, their model, year of manufacture/induction at the Fire Station, and general condition of fire vehicles
- iv. Specialized firefighting equipment, their type, and quantity
- v. Road access and connectivity to vulnerable areas
- vi. Infrastructure facilities (accommodation) of fire-personnel and their distance from Fire Stations
- vii. Duty patterns
- viii. Staff details at different levels
- ix. Water availability etc.

The Fire Headquarter Data Collection Form and individual Fire Station Survey Form have been designed in such a way as to extract most of the common information including communication, human resources, specialized equipment, fire-statistics etc. applicable for the entire State, in a quantitative way, which might help the analysis at a later stage. In addition to infrastructure information, RMSI also attempted to collect information/indicators related to vulnerability and risk through indirect questions like:

i. Year wise information on the number of events each unit had attended during the last 5 years and losses caused by fire events both in terms of assets and life.



ii. Few questions on the general perception of the fire officer and in charge of the unit on various types of risks in the Fire Station jurisdiction.

Analysis on the information of events over time and the loss can provide an understanding of the vulnerability and risk as well as the susceptibility trend over the year. The fire officer would be the key person who faces actual needs on the ground as well as in using the infrastructure for the service.

During the field survey in the pilot study, the RMSI team members have interacted with Fire Station In-charges to gather the required information. In addition to discussions with the Fire Station in charge, other key department officials have been contacted to know their perception about the fire risks and the difficulties that fire department is facing. The project team is ensuring that the Headquarter Data Collection Forms and Individual Fire Station Survey Forms are comprehensive and contain all information required for this assignment.

The field data collected by the survey team have undergone through quality checks and the project team has created a database with all collected information. The database has been designed in such a way that the data can be used for spatial and non-spatial analysis. All the Fire Stations have a unique code as identifier.

4.2 Stakeholder Analysis

Apart from the quantitative data collection on the distribution of fire service infrastructure, stock of the existing equipment and their quality, the RMSI team also interacted with some of the key fire officials and senior members in DGCD, MHA and NDRF. The focus of such discussions was more on institutional aspects (issues in the service delivery and suggestions), capacity, and future requirements. As these interactions are mostly with senior personnel of fire department, the focus has been to derive a broader picture in terms of requirements, investment, and institutional capacity building. This information has been compiled and summarized under various heads, for instance, requirement, investment, institutional capacity building, etc. RMSI key experts have been analyzing the diverse opinion of various fire officials and are providing their recommendations.

Any significant issue that was observed during this process, in terms of issues in the process of the delivery/bottlenecks in smooth operation were being highlighted along with RMSI's suggested solution.

Finally, RMSI team held discussions with officials of the DG NDRF & CD and members of project review to present the summary of observations for discussions in several meetings



5 Development of Fire Decision Support System (FDSS)

This chapter discusses the modeling software solution named FDSS (Fire Decision Support System), developed by RMSI as part of the deliverables. FDSS is a dynamic web-based application aimed at supporting decision makers take optimal decisions on complex tasks, such as resource prepositioning, gap analysis, prioritization, and resource optimization along with the day-to-day tasks. The most important aspect of FDSS is that it enables the apex fire management authority to provide the entire country's fire agencies information on a single platform.

5.1 Salient Features

Following is a brief description of the FDSS platform. The platform is built on a framework that is state of the art and is the most suitable solution for users' needs.

The salient features of the FDSS platform include:

- Web based application built using .NET Framework 3.5 utilizing the GIS capabilities of an open source GIS Platform.
- Multi-tier system architecture that follows the Object Oriented Programming model with the following objectives:
 - Loose coupling between the various tiers presentation, business and data
 - Ease of development and deployment
- Ability to navigate, query and render the spatial data
- Exposure view, query and update capabilities that will help the user to keep the information in the system up-to-date
- Ability to view and query the outputs in a tabular format
- A powerful reporting engine that enables a set of pre-formatted reports that provide various views of the outputs from the model
- A thematic map generator that uses the underlying GIS platform to depict the outputs from the model as pre-designed thematic maps.

5.2 High Level Design

FDSS has a multi-tier architecture to allow for modularity and scalability. The architecture follows the Object Oriented Programming model. The various tiers of the system are as shown in Figure 5-1.






Figure 5-1: Three-tier architecture

- Presentation tier: This user interface is responsible for gathering inputs from the
 user and passing on the same to the business layer for processing. The presentation
 layer ensures that the communications passing through are in the appropriate form
 for the recipient business objects in the business tier. In FDSS, the user interface
 constitutes this tier.
- **Business tier:** consists of the system business rules and computing logic as a set of business objects. This tier also interfaces with the data tier. The Mapping engine, Data Access engine, Reporting engine, and Analysis engine constitute this tier.
- **Database tier:** consists of the environment that allows persistence of user information both lookup and computed data. Physical implementation of this layer can be files on the system or databases. In FDSS, relational database constitutes this tier and houses both spatial and non-spatial data.

Figure 5-2 shows the high-level design for the FDSS platform. The whole architecture is modular. The major modules are user Data Warehouse, Platform Components, and User Interface. The model components are stand-alone and are not dependent on the platform



components. Both perform their respective tasks working with the same data on the backend and are guided by the same user interface on the front end. The following sections discuss the various modules in detail and showcase how all the requirements has been delivered by the FDSS platform.




Figure 5-2: High level design of FDSS

5.2.1 DATA WAREHOUSE

Data warehouse represents the Database tier. It stores all the input data to the model, system data, and the output results. The data can be categorized as spatial and non-spatial. All the spatial data resides either in the form of ESRI shape files and grids or Postgres based PostGIS database. Post GIS/ Postgres is an open source geo-spatial relational database system. All the non-spatial data is stored as tables in the Postgres database.

Spatial Data Layers: The spatial data layers stored in the data warehouse are:

- Fire Station locations and inventory data at Fire Station level
- Land Use Land Cover classes by their use or occupancy
- Fire Risk Zone Map at district level
- Population density map at district level
- Road and Rail Network



5.3 Platform Components

Platform components represent the Application Tier. These components focus on the application logic for all data access, mapping and reporting. These are generic components that operate directly on the data warehouse and present the data in different views to the user.

Data Access Engine: Data Access Engine provides access to all non-spatial data that are stored in the Data Warehouse. This includes data viewing and editing capabilities. This allows for bulk building inventory updates and extraction of results so the outcome of the analysis can be reused for other applications.

Mapping Engine: Mapping engine provides all mapping capabilities to the application. The major component in mapping engine is the Map Viewer that loads the spatial data and displays the map and provides all basic map navigation functions like Zoom, Pan, Identify tool and calculate distance. This engine also provides spatial querying capabilities like buffer query and point in polygon query. In addition to this, the mapping engine also provides capabilities for defining symbology for various map layers including themes based on a range of values and unique values. All the layers are loaded with a predefined symbology. The mapping engine provides the ability to view the hazard, damage and loss on maps using predefined themes based on a range of values.

Reporting Engine: Reporting engine generates all the reports. FDSS provides a set of preformatted predefined reports that can be printed or exported into Excel format. This provides the ability to format the data into tables, generate summations, and create graphs. The following reports are generated at district and State levels by the reporting engine:

- Infrastructure Report
- Gap Analysis Report
- Status report for individual Fire Stations, district and State levels for and other reports required for decision making

The FDSS provides functionality to run GAP Analysis at two levels:

- State
- District

This system provides the option for running gap analysis for firefighting and rescue vehicles, specialized equipment, firefighting manpower, building Infrastructure. User can also opt to get output based on all the analysis parameters available.

User Interface: User Interface (Figure 5-3) comprises of the Presentation tier. This is the part of the FDSS platform that the user interacts with. User Interface for FDSS can be categorized into two types:

- 1) System Administration Interface
- 2) Application Interface






Figure 5-3 : User Interface for Base Analysis in FDSS. The example shows the States covered in the Pilot Phase of the study



5.4 System Administration Interface

This is an individual stand alone component run at the server only. This desktop interface allows the administrator to manage users and update exposure, thereby providing security for other users and preventing unauthorized updation of the building exposure data. All the data updation and maintenance is done through the system administration interface. Figure 5-4 shows the system administration interface of the application.




Figure 5-4: System administration interface

5.5 Application Interface

Data Management: Exposure management provides the ability to view and query the underlying default demographic and Fire Station inventory datasets.

Map Management: The Map management interface provides support for viewing the information on a map by utilizing the Mapping Engine component from the Application Logic tier. It offers the following functionalities:

- Displays the following layers by default as the application is loaded:
 - Location of Fire Stations
 - o Administrative boundary maps
 - o Land use land cover map
 - Road / Rail network
 - Fire Risk Zone map



- Basic GIS tools like zoom, pan, zoom to selection, zoom to entire layer, location attribute information etc.
- Creates following maps based on analysis results:
 - o Gap Analysis Map showing gaps in existing resource, equipment and fire tenders (Figure 5-4)
- Adds custom layers to the layer manager and performs visual overlays
- Views attributes information, queries and analyzes the spatial data layers
- Enables users to view thematic maps based on defined attribute values..

Analysis Management: The analysis management interface provides the ability to execute the analysis. It allows the user the following options:

• View the fire risk analysis for any district • Gap analysis at State and district levels

Results Management: This entails generating displays of results in pre-defined formats based on user selection. Following are the various types of result views that are available in FDSS.

- Reports providing predefined content in predefined format. This utilizes the Reporting Engine Component to display various reports. Following is a list of various reports:
 - Fire Station Profile report
 - Gap Analysis report

5.5.1 TECHNOLOGY

The physical servers also represent the logical needs elaboration servers and the physical clients also represent the logical clients.






Figure 5-5: FDSS - Systems Architecture

- The Frontend is web based, and registered users can view all kinds of maps and reports.
- Middleware: It is the Web server that hosts the web site and coordinates between the client and the backend servers for publishing maps and reports. Application Server serves as the main point of contact for the web server for all functionalities other than serving maps and GIS analyses. The application server is hosted in IIS 5.1 or higher and requires Dot net Framework 3.5.
- The backend consists of the following two components:
- Geo server and Geo web cache: This server handles map publishing and all the GIS functionalities. For all GIS analyses, it relies on the Post GIS database server. Geo server and Geo web cache are published in Apache Tomcat Server.
- Post GreSQL Database Server: This serves all the GIS and attributes data to both the application and map servers. In addition, it also takes care of all GIS analyses required for any functionality.

The technological framework for FDSS utilizes the following platforms:

Hardware Configuration

- Rack Server 2U having Intel Xeon (Quad Core) E5410 or higher processor support for dual multi core processor
- 16 GB DDR2-533 FB DIMM or higher ECC memory
- SVGA Video Controller with 16 MB RAM



- SAS Raid Controller having 128 MB buffer memory with battery backup and supporting RAID 0,1 and 5 Dual Gigabit Server Ethernet controller with teaming, load balancing and auto fail over feature
- 5X146GB SAS HS HDDD, IDE DVD ROM Drive with (N) hot swap Redunt Hot SEAP power supply

Software Configuration

Operating System: Windows Server 2008

• Web Server: IIS 7.0

• Framework: .net Framework (3.5)

Supported Browser

Internet Explorer 6.0 or higher

Mozilla Firefox 3.0 or Higher

5.6 Advantages of Open Source Platform

The application software is built on open source GIS platform. The open source GIS platform has several advantages (Table 5-1) of production and development allowing users and developers not only to see the source code of software but also modify it and easily implement it in web applications.

Table 5-1: Advantages of Open Source Platform

Advantages	Open Source Platform	Proprietary Software Platform
Control and Audit	Gives power to control software code and hence modification can be carried out to suit the requirements	Forces users to adhere to standards and flexibility provided in the software only. Modifications are based solely on vendor discretion
Low ownership Cost	No license fees are required thereby reducing annual license fees cost to zero, zero cost of scale as open source doesn't require additional licenses as the installation grows	License fees are required
Quality and Excellence	It's available publicly. A large no. of reviewers analyze the code making it more secure, increasing the quality and excellence in design	Not available publicly.
Flexibility & customization	There is scope to customize the software toward end users' needs	Limited scope of customization



5.7 Identification of Gaps in Infrastructure, Up-gradation and Modernization Requirement

Gap identification is carried out in FDSS using the information captured as part of the field surveys and stakeholder interviews, distribution of Fire Stations and risk analysis. The gaps in infrastructure can be in terms of number of Fire Stations in both served and un-served areas, availability of fire vehicles, fire-personnel and building infrastructure in the operational Fire Stations. Through the input of field survey work, risk categorization, and infrastructure requirement norms, gap analysis is performed in FDSS at the district and State level.

Gaps will primarily address the three areas:

5.7.1 INFRASTRUCTURE GAPS

This covers served/ un-served areas, unsuitable locations of Fire Stations, etc. This gap analysis is conducted by using suitably modified SFAC Norms, population density, existing Fire Station distribution and other infrastructural information obtained as part of the field surveys. In addition, the risk information has been used to reflect certain aspects of risk that affect the infrastructure. The outcomes of this analysis are information and maps that show the infrastructure deficiency at district and State levels.

5.7.2 EQUIPMENT GAPS

The objective of this analysis is to identify gaps in equipment existing at various Fire Stations against the population they serve, the hazards that the jurisdiction they serve is exposed to, trained map-power available, average response time to a fire call, etc. This will result in the identification of new types of equipment required, phasing out of old equipment and their replacement, and equipment effectiveness analysis.

5.7.3 CAPACITY GAPS

This would cover the shortage of fire fighting personnel and additional training requirements for existing teams, etc. This analysis is conducted using infrastructure analysis information, equipment analysis information, population density, SFAC norms and risk information as the primary datasets, and average response time. The primary outcomes would include the gap in capacity in terms of number of additional fire fighting personnel required, and the additional requirement of trainings on equipment, tools, technologies and emergency management approaches.

Similarly, district/State/ country level reports on up gradation and modernization requirements of existing Fire Stations including MIS, GIS, and communication systems will be generated by comparison of availability of existing resources and up gradation and modernization requirements through gap analysis.

The outcomes of the above analyses has been integrated to the Fire Decision Support System (FDSS), so similar analyses at a later stage may also be performed by changing the underlying datasets as things change on the ground.

5.8 Preparation of detail cost estimates with Capital and O&M Investment Plan

Once gaps in terms of number of Fire Stations, fire-personnel, infrastructure (building, vehicles and equipment), up gradation and modernization requirements of existing Fire Stations including MIS, GIS, and communication systems are finalized, the investment and



financial analysis is performed in FDSS. This involves reviewing the outcomes of the gap analysis, prioritizing them by district and estimating the cost of investment.

The investment costs are estimated separately for infrastructure development and improvements, capacity building, and equipment procurement and modernization. This is where the extensive experience of RMSI team in fire department operations, equipment procurement, and training needs assessment and planning has been applied. For more detailed information regarding the specification of firefighting and rescue vehicles and equipment, please refer to the Vehicle and Equipment Specification report submitted by RMSI.

The outcomes of this process are a detailed investment plan that shows year-by-year investments prioritized by district, gaps and associated benefits. The financial plan addresses investment for next 10-years in a year-by-year phased manner approach. The financial tool has been integrated to the FDSS, which helps in generating various reports related to detailed cost estimates with Capital and O&M Investment Plan for next 10 years, and to prioritize investments. This is based on the current cost estimate and technological enhancement. However, the tool have flexibility to change/modify the cost of various infrastructural elements and re-regenerate reports for prioritization of the investment plan.

5.9 Institutional Assessment and Capacity Building Plan

The National Fire Service College (NFSC), Nagpur and other State Fire Training Centres across the country are key institutions involved in improving the level of fire personnel knowledge and their overall capabilities to face the challenges of fire-fighting. The RMSI team surveyed NFSC Nagpur and Pilot State/UTs Fire Training Centres across the country and studied their programs to delineate their role and relationship for improvement in training facilities for fire personnel in the country.

Human resource bottlenecks at various levels of training fire officials (such as refresher's training, breathing training in smoke, industrial training, specialized training to handle high rise fires, etc.) to different cadre of officials, issue of language in training; physical fitness; duty patterns (8 hours and 12 hours versus 24 hours); availability of accommodation in fire-stations; pay-scale structures, and promotion progression etc. are studied in detail and recommendations will be made for their implementation.

There are many ways of discovering funding avenues, such as introduction of Fire Tax, training programs to private sectors, tapping MP Local Area Development (MPLAD) funds etc. These issues are important since fire personnel need to be dedicated and motivated all times. For similar reasons, improvements in governance structure are imperative. Lack of fire-personnel is another challenge. For this, revamping training facilities in the country is another important aspect in any capacity building plan.

Computerization of fire and emergency services and strict audit by a central authority can be one mechanism to ensure a good finance mechanism for capital expenditures and operation and maintenance. Training of fire personnel in the use of computers is another aspect, which is very important from the implementation perspective.

It may be noted that RMSI team is aware of past studies on the subject such as the recommendations by the SFAC and has kept these studies in mind while making recommendations for the Capacity Building Plan.

RMSI team has also prepared a detailed Roadmap for the Capacity Building Plan at country level for its implementation in next 10 years.



6 International and National Norms

6.1 Literature Survey

Under this task, standards and practices that are being followed in various developed countries for fire safety norms, such as in USA -NFPA (1211, 1710, 1720), Japan, UK, and Germany, are studied and compared.

As per literature survey and personnel communications with fire officials in different countries, international norms regarding response time (defined as en route time taken by the fire fighting vehicle from the Fire Station to fire emergency scene, and turnout time is not included in it) differs from country to country.

6.2 Response Time

The practices regarding response time of fire tenders/ambulances in different countries are as follows:

6.2.1 GERMANY

The response from Germany (27.10.2011) is as follows:

"1. **Concerning the response time in Berlin**. On the basis of an agreement between CFO and the Ministry of Interior the options are:

Calls in Risk Areas class A (higher risks) - 15 fire-fighters must arrive in **max.15 minutes** at 90% of all calls and

Calls in Risk Areas class B (lower risks) - 15 fire-fighters must arrive in max.15 minutes at 50% of all calls.

The standard turn out time of a fire truck is **60 seconds for professionals**, as **for volunteers** the turn out time should not be higher **4 minutes**, otherwise the Control Centre will automatically send a professional fire truck.

Ambulance cars must be at the scene within 8 minutes in 75% of all calls."

2. Temperature problem - heating devices in the garage (close the doors) and additional a electrical wire is going to the motor section of the vehicle for saving working temperature of the trucks."

From the above, it may be inferred that in Germany, areas have been divided only into two Risk Categories (higher, lower) and **response time** in urban areas varies from 8 - 15 **minutes**. As far as turnout time is concerned, it varies from 1 to 4 minutes.



6.2.2 JAPAN

Fire Service laws of Japan and its background:

- 1. The Japanese system of laws and regulations regarding fire service law (Hierarchy structure)
 - A .Law: Fire Service Act
 - B. Cabinet order: Order for Enforcement of the Fire Service Act
 - Specify the type of building fire protection
 - Technical standards for installation and maintenance of fire prevention equipment
- C Ministerial ordinance: Rule for Enforcement of the Fire Service Act
 - Details of technical standards for installation and maintenance of fire prevention equipment"
- D. Municipal ordinances: Fire prevention ordinance"
- 2. Requirements for Fire prevention equipment

All Fire prevention equipment are necessary to have national certification in Japan (regulation not standard).

- 3. Background of Japanese fire service
 - Fire service in Japan consists of one unit per municipality.
- Under the laws, fire prevention regulations are enacted by each of the municipalities.
 - Fire prevention regulations are slightly different for each individual municipality.
 - Japanese Regulation, the response time has not been determined.

According to the Fire Service Law Enforcement Order (**not regulation**), the fire panel shall be installed where there are always people in Japan.

In large buildings, the fire panel has been installed in Guard Room. Security people are always monitoring the fire panel.

At the same time the alarm is sounded, Fire tenders will rush to the site for extinguishing the fire.

Time to reach the site, which varies depending on the building, assumed at **5 to 10 minutes**. (not determined by law).

2. Since, there are several Islands in Japan, is there any different Regulations for Islands? Almost the same.

As you know, Japan is made up of three islands and many small islands. There has prefectures, among which are divided into municipalities regardless of islands."

From the above, it may be inferred that in Japan, each municipality has at least one Fire Station and response time varies from 5 to 10 minutes, depending upon the location of building.



6.2.3 USA

"There are three National Fire Protection Association (NFPA) standards that contain time requirements that influence the delivery of fire and emergency medical services. These are:

- 1. **NFPA 1221**, Standard for the Installation, Maintenance, and Use of Emergency Services Communications Systems;
- 2. **NFPA 1710**, Standard for the Organization and Deployment of Fire Suppression Operations, Emergency Medical Operations, and Special Operations to the Public by Career Fire Departments; and
- 3. **NFPA 1720**, Standard for the Organization and Deployment of Fire Suppression Operations, Emergency Medical Operations, and Special Operations to the Public by Volunteer Fire Departments.

NFPA 1710 contains time objectives that shall be established by career fire departments as follows:

- Turnout time: One minute (60 seconds) for turnout time
- Fire response time: Four minutes (240 seconds) or less for the arrival of the first arriving engine company at a fire suppression incident and/or eight minutes (480 seconds) or less for the deployment of a full first alarm assignment at a fire suppression incident
- First responder or higher emergency medical response time: Four minutes (240 seconds) or less for the arrival of a unit with first responder or higher-level capability at an emergency medical incident
- Advanced life support response time: Eight minutes (480 seconds) or less for the arrival of an advanced life support unit at an emergency medical incident, where the service is provided by the fire department

The standard States that the fire department shall establish a performance objective of not less than 90 percent for the achievement of each response time objective. NFPA 1710 does contain a time objective for dispatch time by requiring that "All communications facilities, equipment, staffing, and operating procedures shall comply with NFPA 1221." For the purposes of NFPA 1710, the following definitions apply:

- **Dispatch time:** The point of receipt of the emergency alarm at the public safety answering point to the point where sufficient information is known to the dispatcher and applicable units are notified of the emergency
- **Turnout time:** The time that begins when units acknowledge notification of the emergency to the beginning point of response time
- **Response time:** The time that begins when units are en route to the emergency incident and ends when units arrive at the scene

NFPA 1720 contains a time objective for dispatch time by requiring that "All communications facilities, equipment, staffing, and operating procedures shall comply with NFPA 1221, Standard for the Installation, Maintenance, and Use of Emergency Services Communications Systems." NFPA 1720 contains no time requirements for turnout and response times.

NFPA 1221 requires that 95 percent of alarms shall be answered within 15 seconds, 99 percent of alarms shall be answered in 40 seconds, and the dispatch of the emergency



response agency shall be completed within 60 seconds 95 percent of the time. The time lines for dispatching are taken from NFPA 1221:

- After the receipt of a call for assistance, the fire department will respond with the first unit to that location within three minutes.
- After receipt of a call for assistance, the fire department will respond with a unit to that location, within four minutes, to 90 percent of area served.

After receipt of a call for a medical emergency, the fire department will respond with an engine company to that location within four minutes and an ambulance within six minutes."

From the above, it may be inferred that in USA, response time varies from (3 - 4 minutes) to 8 minutes.

6.2.4 UK

The London Fire Brigade (LFB) is run by the London Fire and Emergency Planning Authority as part of a group of organizations operating under the 'umbrella' of the Greater London Authority. It is the third largest firefighting organization in the world, with **111 Fire Stations** (plus 1 River Thames-based station) from which it operates across the 1,587 sq km of Greater London, with its resident population of some 7.4 million. This increases by a further 500,000 each day during working hours.

In the year 2005/06 the London Fire Brigade answered some 268,000 emergency calls and attended nearly 156,000 incidents. On an average, the first fire engine arrived at an incident within 8 minutes on 92 per cent of occasions, meeting the Brigade's target, and within 5 minutes on nearly 65 per cent of occasions. When required, a second fire engine was on scene within ten minutes on 93 per cent of occasions, exceeding the target. (Hooper, Nov-Dec, 2006; http://www.cadcorp.com/pdf/PA-firebrigade_ukv4i5.pdf).

Another recent review of "Fire and Rescue Service response times" (Fire Research Series 1/2009) concludes that response times have increased due to traffic conditions, which was similar to the finding of the London Fire and Emergency Planning Authority thematic report, which concluded that it now takes 50 seconds longer for a 1st appliance to arrive on average and one minute longer for a second appliance.

From the above, it may be inferred that in UK, response time varies from 5 to 8 minutes.

6.2.5 INDIA

"Standing Fire and Advisory Council (SFAC) reviewed the norms in various countries, and as given in the RFP, has laid down norms for the Fire and Emergency Services throughout the country based on:-

- Response time, fire risk, and population
- Depending on risk category A, B, and C the recommended response time for first fire tender is 3, 5, and 7 minutes, respectively
- One Fire Station per 10 sq. km in urban areas and one Fire Station per 50 sq. km in rural areas
- One Rescue Tender per 3 10 lakhs population
- In rural areas, the recommended response time is 20 minutes

From the above, it can be inferred that SFAC norms are based on the idealized conditions of the western world and would be too demanding, thus requiring some modifications.



To see the practicability of SFAC norms, RMSI did several simulations through *network analysis* taking different average vehicle speeds for Delhi State. These different speed simulations were presented on Nov. 02, 2011 to DFS officials and on Nov 03, 2011 to Fire Advisor and Deputy Fire Advisor at DG, NDRF, MHA. After discussions with both DFS and MHA officials, the average fire vehicle speeds on main roads has been taken as 40 km/hr and minor roads as 20 km/ hr. While, for congested areas, such as Sadar Bazar, Delhi, the average fire vehicle speed on main roads has been taken as 20 km/hr and for minor roads as 10 km/hr, respectively. RMSI choose Delhi, because it has a high density of Fire Stations in comparison to the rest of the States/UTs.

Taking SFAC norms as a guideline, RMSI analyzed the requirements of Fire Stations in Delhi, keeping a response time of 3 minutes for very high-risk category, 5 minutes for high category and taking response time in rural area as 20 minutes. It may be noted that areas served by other agencies, such as the Airport and Military Cantonment have been excluded from the gap analysis, so that there is no duplicity of Fire Stations in those areas. Additionally, areas covered by forests, rivers, sparsely inhabited (small pockets of a few houses, say in a river channel) etc. have also not been considered in the gap analysis. To make a distinction, the Fire Stations in rural areas are designated as Fire Stations/Fire Posts.

Thus, taking the vehicle speeds discussed earlier, and response time as per SFAC norms, Delhi requires additional **120** Fire Stations in urban areas and **10** rural Fire Stations/posts in rural areas (Table 6-1).

Table 6-1: Number of operational and additional Fire Stations and Fire Posts required in Delhi

Urban				Rural			
Operational Stations	Fire	Additional Stations	Fire	Operational Station/ Fire Post		Additional Stations/ Fire Pos	Fire ts
51		120		1		10	

As per SFAC norms, one Fire Station is required per 10 sq. km in urban areas and per 50 sq. km in rural areas. This seems to be based on average area per station over a large area/State.

From the above analysis, the average area per Fire Station in urban areas in Delhi comes to 4.7 sq km, while in rural area; it comes to 62.5 sq km. This analysis also shows that the average Fire Station coverage area in urban areas is too low when compared to the norms specified by SFAC, which is 10 sq km in urban area. Moreover, population covered in such a small area of less than 5 sq km is sometimes very low to justify opening of a new Fire Station, thus contradicting the area based norm of SFAC. Moreover, additional required number of Fire Stations will be too high and it may not be possible to set-up so many Fire Stations in Delhi, where land availability in urban areas is scarce.

Thus, keeping in view the above analyses, RMSI reanalyzed the requirements of Fire Stations in Delhi, by modifying the response time of 5 - 7 minutes for various risk categories and keeping the response time in rural area as 20 minutes. Accordingly, the proposed requirement of additional number of Fire Stations in urban and rural areas is shown in Table 6-2. In terms of average area and population served by the revised response time, the average area served comes to 8.38 sq km (close to 10 sq km) in urban areas serving an average population of 1, 61,289.



Table 6-2: Revised number of operational and additional Fire Stations and Fire Posts required in Delhi

Urb	an	Rura	Total	
Operational Fire Stations	Additional Fire Stations	Operational Fire Station/ Fire Post	Additional Fire Stations/ Fire Posts	
51	46	1	9	107

As discussed in section 6.2.4, Greater London Authority operates 112 Fire Stations in an area of 1,587 sq km of Greater London, which is equivalent to on an average one Fire Station per 14.2 sq km. A comparison of the proposed 107 Fire Stations serving an area of 1483 sq km Delhi shows that in Delhi there will be one Fire Station on an average area of 13.9 sq km, which is almost equal to the average area per Fire Station in Greater London.

Thus, keeping in view the above analyses, RMSI recommend to modify the SFAC norms (response time and area based) to response time based norms for positioning a Fire Station, as response area will vary from place to place depending upon the road network:

Depending upon the risk category, the recommended response time for first fire tender is 5 - 7 minutes in urban areas and 20 minutes in rural areas.



Annex-1: Fire Headquarter Data Collection Form

This questionnaire is prepared in consultation with Directorate General NDRF & CD for collecting basic information all fire infrastructure in the country as part of the project "Fire-Risk and Hazard analysis in the Country" with an objective to Prepare Capital Investment and Institutional Strengthening Plan for Accelerated Development of Fire Services in the Country. All information collection through this questionnaire will be kept confidential and will only be used for the preparation of the report and other deliverables of the project. Directorate General NDRF/ CD has entrusted RMSI Private Limited to carry out this assignment and State Officials are requested to provide required authentic information which is very important for preparation of this report and future development plans of the department.

A. Fire Headquarters Gene	ral Informati		HQ Ref #		
ocation Details			L		
Office Phone numbers (with STD of Name & Designation of the Head of Name & Designation of the nominal of the no	code): of Department: . ated person by t	the dept. for providing		• • • • • • • • • • • • • • • • • • • •	
Mobile number			(s):		
rea under Jurisdiction					
Zonal Office (name and street address)	Num of districts covered	Census 2011 Population (to be filled by RMSI)	Num of Fire Stations (Operational)	Num of Fire Stations (under Construction)	Num of Fire Stations proposed for future expansion
urveyed by:	Date:	:	(Sig	nature of the official pro	ovided the information)
hase 4 Study (Assam State)	Confidenti	al	Page 77 of 2	226	



Area under Jurisdiction in each Zonal Office (provide jurisdiction map for each individual Fire Station)

Name of Zonal office

S.N	Name Stations	of	Fire	Name district	of	Under direct Jurisdiction control of ¹	Population (to be filled by RMSI)	Num of Fire Stations (Operational)	Num of Fire Stations (under Construction)	Num of Fire Stations proposed for future expansion	Any additional Information
											-

Name of Zonal office

S.N.	Name of F Stations	Fire	Name of district	 Population (to be filled by RMSI)	Num of Fire Stations (under Construction)	Num of Fire Stations proposed for future expansion	additional

¹ State Government Fire Department Police Department Municipal Corporation Others specify



Name of Zonal office

S.N.	Name Stations	of	Fire	Name district	of	Under direct Jurisdiction control of ¹	Population (to be filled by RMSI)	Num of Fire Stations (Operational)	Num of Fire Stations (under Construction)	Num of Fire Stations proposed for future expansion	Any additional Information

Please add additional sheets if required



C. Details of Proposed Fire Station

S.N.	Name of the Site for Proposed Fire Station	District	Status of Work in Progress, (e.g. approval awaited, plan cleared, land acquired/ allocated, % of construction completed)	Remarks

Please attach additional sheets if required



D. Human Resources and Staff Welfare (Please attach additional sheets for each zonal, divisional, and sub-div. Fire Stations)

Organization Structure and Human resources (Operational Staff including higher level officers)

By State/ zonal Level		
Zone Name	 	

Level	Designation	Pay-scale	Duty Pattern	Number of sanctioned posts	Total Number of Filled posts	Total No of Vacant posts	Remark, if any
11	Director General / Asst. Director General						
10	Director / Deputy Director						
9	Divisional Officer (D.O.)/ Fire Prevention Officer						
8	Station Officer (St. O)						
7	Sub Officer (S.O)						
6	Fire Engine Operator cum Driver (FEOD)/ Leading Fire Operator (LFO)						
5	Fire Operator (FO)						
4	Cleaner/ Sweeper						
3	Other Officers (Chief Mobilizing Officer/						

Fire-Risk and Hazard Analysis in the Country



			Denivoring a norta or solutio		
	Mobilizing Officer/ Asst. Mobilizing Officer)				
2	Other Officers (Mechanical Superintendent/ Foreman)				
1	Other Staffs (Mechanic/ Mechanic-Helper)				
Any Other					

Please attach additional sheets if required for each Fire zonal region/ division human resources (broad categories of designations are mentioned below for reference)

Level 10: Director General/ Director; Level 9: CFO/ CO; Level 8: Deputy CFO/Joint Director; Level 7: AD/Deputy Controller/Deputy Director/DO; Level 6: ADO/ Inspector/EO/Fire Supervisor; Level 5: DFO/ADFO/AFO/Fire In-charge; Level 4: St.O/Sub Inspector/Station Incharge/ASt O./AEO; Level 3: S O/Assistant Sub Inspector/ASO/Sub-Fire Officer/; Level 2: LFM/ Mechanic Driver/Head Constable/Store Superintendant; Level 1: FM/ FM Driver/Radio Technician/ SGFM/ Driver/ Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; Level 0: Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Tindal.

Recruitment Rules for entry level in organization chart (Please provide copy of State recruitment rules in detail)

Level	Designations	Essential qualification as per recruitment rule	Preferential	Training / Experience	Departmental Reservation policy if any
8					
7					
6					

Fire-Risk and Hazard Analysis in the Country



5			
4			
3	FEOD		
2	Leading Fire Operator		
1	Fire Operator		
Any Other			

Staff Welfare:

Please list the Staff welfare measures being followed in the State:

Ration money: Rs
Sports facilities:
TV for common room:
Cash rewards and recognition: Rs
ncentives, through benevolent fund: Rs
nsurance: Rs
Other schemes etc



Measures to Improve Staff Efficiency

S. no	Type of Drill	Frequency (Daily/Weekly, Bi-Monthly, Quarterly)	Remarks
1.	Squad Drill	Daily	
2.	Pump/ Hose Drill - Dry	Weekly	
3.	Pump/ Hose Drill - Wet	Bimonthly	
4.	Ladder/ Rescue Drill	Monthly	
5.	Rope Rescue Drill	others	
6.			
7.			



Ε.	Tra	inin	g D	etail	ls

me of State Training Centre and address:
mber of Faculty/Trainers with Designation:

S. N.	Name of Training Courses	Duration (months)	Maximum capacity	Number of personnel Trained annually	Year
1					
2					
3					
4					

Training obtained by fire-staff annually (sub-officer course and above)

Year	Type of Training Obtained/ name of training course	Within State Training Centre	At NFSC, Nagpur	Other State Training Centre (mention City, State)	Foreign country	Total Number of personnel Trained
2011						
2010						
2009						
2008						



Delivering a world of solutions								
2007								
2006								

Please provide yearly break-up for the last 5 years

Training Centre Infrastructure for basic training and sub-officer course: Provide details of faci	ilities at the training centre, short comings etc.



F. Inventory of Equipment

Division Wise Fire Vehicles

Fire Station Name

	Number	of Deploy	ment of fi	re fighting u	nits							
Division/ Station Name	water tender	Water Browser	Foam Tender	Dry Chemical Powder Tender	Emergency Tender/Rescue Tender/ Rescue Responder	Motor Pump	Motor Cycle	BA Van	Hose Tender	Aerial Ladder Platform	Hazmat Van	Others

Please provide separate list for working, non-working and under procurement

Fire-Risk and Hazard Analy	sis in the Country
----------------------------	--------------------

RMSI	
Delivering a world o	f solutions

Fire Station / District/ Division Name -----

Division/ Station Name	Gas Cutters	Bolt Cutters	B.A. Sets with B.A. Comp	Circular Saw with Diamond Blade(Electric)	Electric Hammer	Chain Saw- Concrete	Chain Saw- Wood	Pneumatic Lifting bags	Hydraulic Spreader and Cutters/ Cobmi- tool	Rescue Boats

Any other not covered in above li	st		
Please provide separate list for ea	ach division/district		
Phase 4 Study (Assam State)	Confidential	Page 88 of 226	



G. Communication between HQ and Zonal/district office

Details of Control rooms

Centralized Control Room for the entire State: Yes / No, if yes please provide location and street address:

S.No	Name of Control Room for the Division/district	Size in terms of number of Emergency Fire Telephone (EFT)	Command	Remark		
		lines	Manual	Computerized		
1						
2						
3						
4						

State Communication centre is connected with Zonal/District office through: Internet/Intranet/Wireless/Telephone lines

State Communication centre is connected with individual Fire Station through: Internet/Intranet/Wireless/Telephone lines

Frequency of Fire Report Transmission:

From Individual Fire Station to District/Zonal Hq: Instantaneous, daily, weekly, bi-weekly/monthly From Individual Fire Station to State Hq: Instantaneous, daily, weekly, bi-weekly/monthly From Individual District/Zonal Hq to District/Zone Hq: Instantaneous, daily, weekly, bi-weekly/monthly

Does State have a communication policy?, if yes, please provide a copy of the report:

Does State have any approved plans to improve communication? if yes, please provide a copy of the plan:



	200.0			4.1	
н.	Hing	ncial	l I)	Atail	C

Name of Zone
(If information provided zone wise)

Budget for year

	Plan		Non-Plan				
Capital (Rs)	Re	venue (Rs)	Capital (Rs)	Revenue (Rs)			
	Equipment			Equipment			
	Maintenance			Maintenance			
	POL			POL			

Please repeat if information is available for each zone/ State more than one year



I. Fire and other Incidences Summary (last 5 years)

Please provide information for each Fire Station, and District/division and Headquarter Level summary	
Name of Station	

Number of Fire and other Incidence (P= Public and FS= Fire Service)

Year	Total Calls (A+B+ C+D)	Total Fire Inciden ce (A)	Occup		ise break cidence	up of	Total Rescue incidence (B)	Break up of Rescue incidence			Special service calls (C)	False/ malici ous calls (D)	inj		Dea	m of aths	
			Residential	Industrial	Institutional/ commercial	Others		Road Accidents	Building collapse	Animal	Others			P	FS	Р	FS
2010-11																	
2009-10																	
2008-09																	
2007-06																	
2006-07																	

Severit of fire incidences at each Fire Station, and District/division and Headquarter Level summary

Year	Total no of Small Fire Incidenc e	Total no of Medium Fire Incidence	Total no of Serious Fire Incidence	Brief description of Major Fire Incidence
2010-11				
2009-10				



Year	Total no of Small Fire Incidenc e	Total no of Medium Fire Incidence	Total no of Serious Fire Incidence	Brief description of Major Fire Incidence
2008-09				
2007-06				
2006-07				

(Attach additional sheets for each region/ and addition year) Please provide definition of fire types
Severity of events: Small fire – estimated loss of Rs. 10 lakh, Medium – Rs. 10 to 50 lakh, Serious - >Rs. 50 lakh, any fire where there is human death to be consider as Serious fire. (As per the compendium, even there is causalities, it is considered as serious, but the causality severity not mentioned
J. Public Awareness Programmes Public Awareness Programmes organized in last One Year Name of Zonal/district Office

Total no. of programs in the	Total no. of persons attended	No of Programs Organized		No of Persons attended			Brief description of programmes	the	
year including Fire Safety Week (a +b + c)	(d + e + f)	Govt./ PSU (a)	Pvt. Locations (b)	School s (c)	Govt./ PSU (d)	Pvt. Locations (e)	Schools (f)		



K. Suggestions/views of the department for improvement of fire and emergency service in the State

_

2.

3.

4.

5.

6.

7.

L. Contact person Details for Communication at RMSI (On behalf of DGCD, Fire Project Cell):

Postal Address:

Mr Sushil Gupta General Manager, Risk Modeling and Insurance, A-8, RMSI, Sector-16, NOIDA PIN 201301 (U.P.) INDIA

Mobile- +91 9818798715

Phone (Office): +91 0120 2511102/ 2512101 ext 2612

(Office): +91 120 4040512 (direct) Fax (Office): +91 0120 2511109/ 2510963

emailSushil.Gupta@rmsi.com

Sushilgupta74@yahoo.com

www.rmsi.com



Annex-2: Fire Station Survey Form

This questionnaire is prepared in consultation with Directorate General NDRF & CD for collecting basic information all fire infrastructure in the country as part of the project "Fire-Risk and Hazard analysis in the Country" with an objective to Prepare Capital Investment and Institutional Strengthening Plan for Accelerated Development of Fire and Emergency Services in the Country. All information collection through this questionnaire will be kept confidential and will only be used for the preparation of the report and other deliverables of the project. Directorate General NDRF has entrusted RMSI Private Limited to carry out this assignment and State Officials and Official in-charge of Fire Station are requested to provide required authentic information which is very important for preparation of this report and future development place of the department.

		ition are requested to p	provide required authe	entic information wh	nich is very important for p	reparation of this report a	and
future development plan A. Fire Station G	•	ion				SW FS Ref #	
State Station G	District	City/ Town	Block / Tehsil	Municipality	Latitude , I		ID
Fire Station Name							1
Address of th Station Phone nu	e Fire Station (with umber(s) with STD	code: 1)	2).		3)		
Fire Station Type bo	ased on served area	n: Urban	Rural				
Name of officer in-c	harge			Designatio	n		
Mobile numb	oer <i>(officer in-char</i> g	re):					
	ment Municipa	al Corporation	Police Departme		s specify		
Name of Administra	tive District/Division	nal/Zonal Fire Offic	er			Mobile	
Number of total Fire	Stations fall under	above jurisdiction/	administration-				
Surveyed	by:	Da	te:		` •	ness from Fire Depa Designation	rtment)



Does Fire Station has its own building: Yes in good condition, Yes, but condition is not good & need new building.
No permanent building
If Fire Station is temporarily operational from borrowed/ rented building of(Private, Municipality, Police, any other)
Please mentioned the status: Land acquiredYes/ No and building under constructionYes/ No
How many bay stations should be in new Fire Station building
If permanent building - Fire Station belongs to State Fire Department / State Government / Municipal Corporation / Police fire Service/ any other
Provide building details
Number of Floors Number of Rooms Approx Plot Area (SQM) Approx Built-up Area (SQM)
Whole Fire Station Building Structure Type: Pacca - Reinforced concrete (RCC) frame structure Pacca - Masonry with RCC Roof Pacca Masonry walls with flexible Roof Kacha masonry walls with Tin Roof Kaccha Tin shade Temp Porta- cabins Kaccha wooden structure with tin Roof Others kaccha type specify
Mixed (kachha and pacca) (in case different parts of Fire Stations has different structure types)
If whole station building is not a permanent (Pacca) building structure and need new partial building, please specify the details of partial components that needs to be build
Vehicle bays (with num of bays) Fire Station office building Barracks Staff quarters
Age of building structure/ year of construction (Write year in the blank space and tick in the box below)
Less than 5yrs 5-10 yrs 10-20yrs More than 20 yrs
Number of Bays/Garages for the Fire Vehicles - How many fire vehicle parked within Bay/ Garage
Structure of Bay/ Garage- Pacca- RCC/Masonry Kaccha Tin Shade Open any other Kaccha
Availability of Staff Quarters - YesNo If Yes, mention numbers

Fire-Risk and Hazard Analy	ysis in the Country
----------------------------	---------------------



Delivering a world of solutions
Availability of Barracks - Yes No , If Yes, mention numbers and total capacity ,
Availability of T.V. in Barracks - Yes
Provision of Mess/ Canteen facilities in Fire Station- Yes No
Availability of Watch room /Control Room- Yes No If yes, is it computerized - Yes No
Is Watch room /Control room online/ internet connected with zonal/ headquarter Yes No
Availability of drill/ parade ground - Yes No Availability of hose drying/ drill tower - Yes No
Power Supply in the Fire Station Watch Room/ Control Room -
Electricity: Uninterrupted 24 Hrs
Does the Fire Station maintain ambulance unit? Yes No
C. Communication Systems 1. Between Public and Fire control room/ watch room
i. Landline Telephone: Yes No , If 'Yes', mention number of land line phone in operation
ii. Emergency phone number- 101 or,Connection Type : Direct Indirect Not Available
Hotline between Important agencies and Fire control room Oil industries/ storage
Others specify
3. Automatic Fire Alarm between High Rise Buildings and Fire Station: Yes No If yes, num. of buildings
Availability of GPS on Fire Engines and other vehicles - Yes No If Yes, mention number of vehicles:
Between Fire Station Control Room and Fire Vehicles Static Wireless Set in watch room Yes
Number of Mobile wireless sets: Number of Walky-Talky: Number of Satellite Phones:
5. Type of Frequency used- HF VHF UHF



D. Water Supply Details for Fire Fighting Purpose
Whether 24 hours water available in fire vehicles? Yes No
Water sources used by Fire Vehicles within Fire Station
Direct supply
d) Pumping by Tube well e) any other
Any storage of water within Fire Station for fire vehicles- Yes No
Water sources regularly used by Fire Vehicles outside Fire Station (also mention distance in km from Fire Station)
City over-head tank with coupling arrangements River Stream Well Pond Lake
Other location / static fire hydrant available in the vicinity - Yes No No , If 'Yes', provide number and distance (km),
Overall, is there any scarcity of water for fire vehicles-

E. Human Resources

Permanent Staff Details-

S. no.	Designation	Total Number of Permanent Working Staff	Duty pattern/ Shifts (hrs)	Vacant, but sanctioned posts	Numbers of temporary/ contract persons (if any)
1.	Senior Fire Officers		24 hrs		
2.	Station Officer (St.O)/(FSO)				
3.	Sub Officer (S.O)/FSSO				
4.	Leading Fire Men (LFM)				
5.	Driver				
6.	Fire Man (FM)				



S. no.	Designation	Total Number of Permanent Working Staff	Duty pattern/ Shifts (hrs)	Vacant, but sanctioned posts	Numbers of temporary/ contract persons (if any)
7.	Sweeper				
8.	Cook				
9.	Any other				
10.	Any other				
Total Pe	ermanent Staff in the Fire Station	Details of 7	Temporary staff/ Co	ontract persons (if any))

Level 10: Director General/ Director; Level 9: CFO/ CO; Level 8: Deputy CFO/Joint Director; Level 7: AD/Deputy Controller/Deputy Director/DO; Level 6: ADO/ Inspector/EO/Fire Supervisor; Level 5: DFO/ADFO/AFO/Fire In-charge; Level 4: St.O/Sub Inspector/Station Incharge/ASt O./AEO; Level 3: S O/Assistant Sub Inspector/ASO/Sub-Fire Officer/; Level 2: LFM/ Mechanic Driver/Head Constable/Store Superintendant; Level 1: FM/ FM Driver/Radio Technician/ SGFM/ Driver/ Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; Level 0: Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Tindal.

Mode to maintain Physical Fitness

S. no	Type of Drill	Yes/No	S. no	Type of Drill	Yes/No
8.	P.T./ Parade	Daily/	4.	Vehicle maintenance	Weekly/Monthly/Quarterly/
9.	Fire Drill	Daily/Weekly	5.	Any other	
10.	Games	Daily/			



F. Fire Risk Covered in the Area under Jurisdiction

Jurisdiction of Fire Station (in approx sq km)(collect current jurisdiction map from the Fire Station)

Fire Risk	If Yes, Brief description of its Name, Type, Risks involved	Dist. From FS (km)	No. of Units
Old city Area/ congested areas			
Jhuggi -Jhopdi (Thatched House Clusters)			
Industrial Area (also mention whether small/medium/large scale)			
Industrial Area (any other)			
High-Rise Buildings (>15m height)			
Major Scrap yards (Iron/Wood etc)			
Oil Mills/Storage/Processing Units			
Refineries			
Underground Gas pipe lines			
LPG Bottling Plant			
Water –Treatment Plant (chlorine cylinders)			
Bulk Fuel Storage Area/ Petrol Pump			
Major Hazardous (MAH) units			

Fire-Risk and Hazard Analysis in the Country



Fire Risk	If Yes, Brief description of its Name, Type, Risks invo	olved	Dist. From FS (km)	No. of Units
Explosive manufacturing/stores				
Port/ dockyard area				
Railway Station				
Airport Area				
Wild Forest-Area				
Vicinity to Coast				
Army Ammunition Storage				
Cross-Border Shelling				
Any other				
Any other				
	State for fire safety of High-Rise building -	AII [AII [Few No Few No No]



G. Status of Fire Fighting Vehicles (attach separate sheet if number of vehicle are more than space provided below)

(Total number of Fire Fighting Vehicles at station)

SI No	Fire Vehicle Type	Fire Dept. Vehicle Number	Vehicle Registration Number	Make	Year of Fabricatio n (age)	Size/ water capacity (Itr)	Pumping capacity/ size (LPM)	Comm. System mounted on vehicle	If not in running condition (off road)
	Water Tender (WT) 1							Wireless / GPS	Minor/ Major/Condemned
	Water Tender (WT) 2							Wireless / GPS	Minor/ Major/Condemned
	Water Tender (WT) 3							Wireless / GPS	Minor/ Major/Condemned
	Water Bowser (WB) 1							Wireless / GPS	Minor/ Major/Condemned
	Water Bowser (WB) 2							Wireless / GPS	Minor/ Major/Condemned
	Foam Tender (FT)							Wireless / GPS	Minor/ Major/Condemned
	DCP Tender					kg		Wireless / GPS	Minor/ Major/Condemned
	Multi-purpose Tender							Wireless / GPS	Minor/ Major/Condemned
	Hose Tender (HT)							Wireless / GPS	Minor/ Major/Condemned
	Rescue / emergency tender/ responder							Wireless / GPS	Minor/ Major/Condemned
	Advanced Rescue Tender (with inst. to handle hazardous materials)							Wireless / GPS	Minor/ Major/Condemned
	Aerial Ladder Platform (ALP)							Wireless / GPS	Minor/ Major/Condemned
	Turn Table Ladder (TTL)							Wireless /	Minor/



SI No	Fire Vehicle Type	Fire Dept. Vehicle Number	Vehicle Registration Number	Make	Year of Fabricatio n (age)	Size/ water capacity (ltr)	Pumping capacity/ size (LPM)	Comm. System mounted on vehicle	If not in running condition (off road)
								GPS	Major/Condemned
	Hazmat Van							Wireless / GPS	Minor/ Major/Condemned
	B.A. Van							Wireless / GPS	Minor/ Major/Condemned
	Quick Response Tender (QRT)							Wireless / GPS	Minor/ Major/Condemned
	Motor Cycle Mist 1							Wireless / GPS	Minor/ Major/Condemned
	Motor Cycle Mist 2							Wireless / GPS	Minor/ Major/Condemned
	Rescue Boat							Wireless / GPS	Minor/ Major/Condemned
	Fire Boat							Wireless / GPS	Minor/ Major/Condemned
	High Pressure Light Van							Wireless / GPS	Minor/ Major/Condemned
	Any Other							Wireless / GPS	Minor/ Major/Condemned

Details of Vehicles- other than Fire Fighting/ Official Use

SI No	Fire Vehicle Type	Vehicle Registration Number	Make	If allotted to individual	Comm. System mounted on vehicle	If not in running condition (off road)	
	Ambulance				Wireless / GPS	Minor/ Major/Condemned	
	Motor cycle (office use)				Wireless / GPS	Minor/ Major/Condemned	



SI No	Fire Vehicle Type	Vehicle Registration Number	Make	If allotted to individual	Comm. System mounted on vehicle	If not in running condition (off road)
	Motor cycle (office use)				Wireless / GPS	Minor/ Major/Condemned
	Jeep/ Gypsy (office use)				Wireless / GPS	Minor/ Major/Condemned
	Jeep/ Gypsy (office use)				Wireless / GPS	Minor/ Major/Condemned
	Bus/ Mini Bus				Wireless / GPS	Minor/ Major/Condemned
	Other Transport Vehicle				Wireless / GPS	Minor/ Major/Condemned
	Any other				Wireless / GPS	Minor/ Major/Condemned

H. Specialized Equipment provided (mention total quantity for all equipment including vehicle and storage)

Equipment	Number/ Quantity	Equipment	Number/ Quantity
Self rescue units ropes/slugs (ft)		Ladders (extension + hook)	
Foam compound (ltr.)		Hand controlled nozzle/ branches	
Foam making branches (tool)		Fog/ Mist Branch	
Breathing Apparatus (B.A.) Sets		B.A. Compressor	
Personal Protection Suits (multi-layer suits etc)		Combi Tool	
Personal Protection Equipment (PPE) (protection suit with BA sets etc)		Jumping cushion / sheets	
Chemical Suit		Dry Chemical Powder (DCP) Extinguisher	
Lock cutter		First-Aid Box	
Hydraulic Rescue Tool (spreader, cutter, rams)		Portable Pump	
Electric powered hammer/ floor breaker		Submersible Pumps	
Electric chain saw for wood		Pneumatic Lifting Bag (capacity -Ton)	
Electric powered concrete cutter saw		Thermal Imaging Camera	



Equipment	Number/ Quantity	Equipment	Number/ Quantity
Electric chain saw for concrete		Life Locator Equipment	
Petrol Powered Concrete Cutter Saw		Chemical Leakage/Gas Detection Kit	
Petrol Chain Saw for Concrete		Radio-active Leakage Detection Kit	
Petrol Chain Saw for Wood		Curtain Spray Nozzle	
Hydraulic Chain Saw for Wood		Escape Chutes (length m)	
Long Branch		Search Light	
Short Branch		Generator Set	
Diffuser		Robots if any	
Lifebuoy		Fire-Curtain	
Life Jacket		Floating Pump	
Diving Suit (Wet / Dry)		Smoke Exhauster/ PPV	
Fire Beater		Any Other	
Inflatable Lighting Tower		Any Other	

I. Other Dress Accessories

Normal Dangri	Individual issue / Group use	
Helmets (steel/leather/fiber)	Individual issue / Group use	
Gum Boots	Individual issue / Group use	
Fire retardant Dangri	Individual issue / Group use	
Any Other		

Any other incentives for staff such as ration money, insurance etc

ire-Risk and Hazard Analysis in the Country	RMSI STATE OF THE PROPERTY OF
Ration money – Yes No Amou	unt (Rs)
Insurance - Yes No Amou	nt (Rs)
Suggestions/views of fire-official for improve	ement of fire and emergency service at the station
1)	
·	
3)	
C. Other Fire Station (nearby) not belonging to irport / Defence Installations / Power Plant (all type) / C a) Name/Agency	_
a, rame, gene, minimum	(in large fire only/ all small & big fires/ no cooperation)
Details of any mutual-aid scheme /	(in alge the only) anomali a signification,
b) Name/Agency	
	cooperation with the above Fire Station
Details of any mutual-aid scheme /	

Details of any mutual-aid scheme /

(in large fire only/ all small & big fires/ no cooperation)



L. Fire Calls and other Incidence Statistics (last 3-5 years) Name of Fire Station

Monthly number of fire calls and other special service calls (use additional sheet to pen down the Fire Statistics for last 5 years)

Month-	Tot al Call	Tota I Fire	Occupa	ancy vidence	wise break (if any)	up of	Total Rescu	Break up	o of Resc	ue inci	dence	Speci al servi	False / malic	Total injur		Tota I Deat
Year	s (A+ B+ C+ D)	Incid ence calls (A)	Residential	Industrial	Institutional/ commercial	Others	e inciden ce (B)	Road Accidents	Building collapse	Animal	Others	ce calls (C)	ious calls (D)	Minor	Major	h
12-Jul																
12-Jun																
12-May																
12-Apr																
12-Mar																
12-Feb																
12-Jan																
11-Dec																
11-Nov																
11-Oct																
11-Sep																
11-Aug																

Fire-Risk and Hazard Analysis in the Country



11-Jul
11-May 11-Apr 11-Mar 11-Feb 11-Jan 10-Dec 10-Nov 10-Oct 10-Sep 10-Sep
11-Apr 11-Mar 11-Feb 11-Jan 10-Dec 10-Nov 10-Oct 10-Sep
11-Mar 11-Feb 11-Jan 11-Jan
11-Feb
11-Jan
10-Dec
10-Nov 10-Oct 10-Sep
10-Oct
10-Sep
10-Aug
10-Jul
10-Jun
10-May
10-Apr
10-Mar
10-Feb
10-Jan
9-Dec

Fire-Risk and Hazard Analysis in the Country



					ivering a world or se				
9-Nov									
9-Oct									
9-Sep									
9-Aug									
9-Jul									
9-Jun									
9-May									
9-Apr									
9-Mar									
9-Feb									
9-Jan									
8-Dec									
8-Nov									
8-Oct									
8-Sep									
8-Aug									

Please send Fire call statistics to: Mr. Sushil Gupta (General Manager), Risk Modeling & Insurance,

A-7, RMSI, Sector 16, Noida 201301, Fax: 0120 2511109

Mobile: 08826100332, phone: 0120 4040512(direct)

Sushil.Gupta@rmsi.com



PART B



7 NCT of Delhi



8 Rajasthan State



9 Maharashtra State



10 Jammu and Kashmir State



11Puducherry UT



12Andaman & Nicobar Islands UT



13Chandigarh UT



14Haryana State



15Himachal Pradesh State



16Punjab State



17Uttarakhand State



18Uttar Pradesh State



19Dadra and Nagar Haveli UT



20Daman and Diu UT



21Goa State



22Gujarat State



23Karnataka State



24Madhya Pradesh State



25Andhra Pradesh State



26Bihar State



27Kerala State



28Lakshadweep UT



29 Tamil Nadu State



30Arunachal Pradesh State



31 Assam State

31.1 Introduction

Assam is the gateway to the northeastern part of India, situated between $89^65' - 96^0$ 1/ E Longitude and $24^03' - 27^058'$ N Latitude. Assam is bordered in the North and East by the Kingdom of Bhutan and Arunachal Pradesh. Along the south lie Nagaland, Manipur and Mizoram. Meghalaya lies to South-West, and Bengal and Bangladesh to West (Figure 31-1).

The structure of Assam can be divided into three units, they are 1) Karbi Plateau , which is the inner most part of the Meghalaya plateau 2) The Tertiary depositional zone which includes hills of North Cachar Hill Districts and Barali range, and 3) Plain of Brahmaputra Valley and Barak Valley. Except for the districts of Karbi Anglong and North Cachar Hills, Assam is generally composed of plains and river valleys. The northern part of Assam is entirely occupied by the elongated valley of the mighty river Brahmaputra. Most of Assam's population lives in this valley. The Brahmaputra valley is bounded by the foothills of the Himalayas to the north and another lower range of hills and mountains to the south. In the center part of Assam, to the south of the hills is the Barak Valley that is contiguous with the densely populated country of Bangladesh. Assam is full of streams, rivulets, and rivers, which receives water from Himalaya and hills and plateaus.

With the 'Tropical Monsoon Rainforest Climate', Assam is a temperate region and experiences heavy rainfall and humidity. The location, situation and topography of Assam make its climate different from rest of India. The weather is dry in winter and hot, and wet in summer. The Himalayan range protect Assam from cold wind from Central Asia in winter and but causes heavy rain as it obstruct the south-west wind from over running. In winter, the western/Mediterranean disturbances influence the climate of Assam to some extent by causing rainfall, fog and cloudy weather for days together. Mountains, valley winds, sandstorms, fogs, and cyclones are some local factors, which influences the climate of Assam.

From February to April, the dust is very frequent near the area of Brahmaputra. This is followed by cyclones and hailstorms in the month of April and May. They are known as Bordoisila or Kalbaisakhi. Winter lasts from October to late February. Nights and early mornings are foggy, and rain is scanty. June, July and August are the hottest months.

Agriculture accounts for more than a third of Assam's income and employs about 69 percent of total workforce. Assam's biggest contribution to the world is its tea. Assam produces some of the finest and most expensive teas in the world. Assam also accounts for fair share of India's production of rice, mustard, jute, potato, sweet potato, banana, papaya, areca nut and turmeric. Assam is also a home of large varieties of citrus fruits, leaf vegetables, vegetables, useful grasses, herbs, spices, etc. which are typically subsistence crops. Apart from tea, Assam is a major producer of crude oil and natural gas in India. Moreover, there are other industries such as jute mill, textile and yarn mills, silk mill, etc.

Assam State has 27 districts (as per Census, 2011), which serves as the administrative regions, are further divided into 145 Talukas/Tehsils/Mandals (as per census 2001). The total State population is 31,169,272 (Table 31-1) spread over the total State geographical area of 78,456 sq. km.

In Assam, "Assam Fire Service Organization (AFSO)" governs the Fire Services. The AFSO was created in the year 1956 by taking over and merging the Fire Stations belonging to the Municipal Boards of Shillong & Silchar by the State Govt. of Assam. Currently, AFSO has 110 operational Fire Station spread over the State






Figure 31-1: District Map of Assam



Table 31-1: Assam Demography as per Census 2011

Assam State								
No. of Districts	27							
No. of Sub-Districts	145		Percentage of Urban Population					
No. of Towns	125		14.08					
No of Villages	1,188							
Population								
	Total	Rural	Urban					
Persons	31,169,272	26,780,516	4,388,756					
Males	15,954,927	13,689,739	2,265,188					
Females	15,214,345	13,090,777	2,123,568					
Sex Ratio (females per 1,000 males)	954	956	937					

Table 31-2 provides the district wise details, i.e., number of operational Fire Stations, geographical, population as per Census 2011. On an average, each Fire Station in Assam State is serving more than two Lakhs population.






Figure 31-2: Location of operational Fire Stations in Assam



Table 31-2: Summary of district level operational Fire Stations in Assam

District name	Total Population (Census 2011)	Population Density	Number of Operational Fire Station	Average Population per Fire Station	
Baksa	953,773	397.41	1	953,773	
Barpeta	1,693,190	521.78	5	338,638	
Bongaigaon	732,639	291.89	2	366,320	
Cachar	1,736,319	458.62	8	217,040	
Chirang	481,818	327.99	2	240,909	
Darrang	908,090	260.87	3	302,697	
Dhemaji	688,077	212.57	3	229,359	
Dhubri	1,948,632	696.44	6	324,772	
Dibrugarh	1,327,748	392.71	3	442,583	
Dima Hasao	213,529	43.68	3	71,176	
Goalpara	1,008,959	553.16	3	336,320	
Golaghat	1,058,674	302.31	4	264,669	
Hailakandi	659,260	496.80	2	329,630	
Jorhat	1,091,295	382.78	5	218,259	
Kamrup Metropolitan	1,260,419	990.90	7	180,060	
Kamrup Rural	1,517,202	349.18	6	252,867	
Karbi Anglong	965,280	92.51	3	321,760	
Karimganj	1,217,002	672.75	4	304,251	
Kokrajhar	886,999	279.90	3	295,666	
Lakhimpur	1,040,644	457.02	3	346,881	
Morigaon	957,853	562.12	3	319,284	
Nagaon	2,826,006	737.67	11	256,910	
Nalbari	769,919	341.12	4	192,480	
Sivasagar	1,150,253	431.13	4	287,563	
Sonitpur	1,925,975	361.75	6	320,996	
Tinsukia	1,316,948	347.48	4	329,237	
Udalguri	832,769	449.66	2	416,385	
Total	31,169,272	364.85	110	283,357	

31.2 Field Surveys of Fire Stations for Data Collection

To have first-hand information on the distribution of the fire service stations across the country, infrastructure availability and their status, fire fighting manpower etc., RMSI project team has carried out detailed surveys of Fire Stations and collected data though individual "Fire Station Survey Form" and Fire Headquarter Data Collection Form" as shown in Annexure 1 & 2. The collected information for each Fire Station is following categories:

- 1. Fire Station general information
- 2. Fire Station infrastructure details
- 3. Communication systems
- 4. Water supply details for firefighting purpose



- 5. Human resources
- 6. Fire risk covered in the area under jurisdiction
- 7. Status of fire fighting vehicles
- 8. Specialized equipment provided (Specify whether kept in vehicle or in stores)
- 9. Other accessories
- 10. Fire calls and other fire incidence statistics (last 3-5 years)

Besides the collection of field survey data, RMSI team has also collected the location coordinates (latitude, longitude) of Fire Stations using Geo Positioning System (GPS). The geographical coordinate information is used for plotting all the Fire Station locations in the map to perform GIS based spatial analyses. This is also used in the analysis of distribution of new proposed Fire Stations and gap analysis on fire-infrastructure, based on risk-category, response time, and population criteria.

31.3 Infrastructure Gap Analysis

31.3.1 FIRE STATION LOCATION GAP ANALYSIS

As discussed in section 6.2.5, response time of 5-7 minutes in urban area and 20 minutes in rural area has been considered. With network analysis, ideal jurisdiction areas have been delineated for all operating Fire Stations. In delineation of ideal jurisdiction areas, built-up areas such as various types of residential areas and industrial areas with estimated population has also been considered. After delineation of ideal jurisdiction area, un-served gaps in urban agglomeration have been identified. These un-served gaps are shown to be filled by new proposed urban Fire Stations. Table 31-3 shows district level summary of number of operational and new proposed Fire Stations with population covered within their ideal jurisdiction area.

Rural areas of Assam State are similarly covered with new rural Fire Stations. It may be noted that rural populations are very sparsely distributed in some parts of the State. Hence, locations of rural Fire Stations are demarcated to the nearest relatively bigger village having population of more than 5,000 -10,000 or major roads intersection. District level numbers of new rural Fire Stations are given in Table 31-3. Figures 31-2 to 31-15 depict representative detailed maps showing delineated ideal jurisdiction areas for operational and new proposed urban Fire Stations and location of new rural Fire Station in the State.

Detailed list of delineated operational, new urban and rural Fire Stations/Fire Post in Assam State are given in Table 31.40 and Table 31.41.



Table 31-3: District level number of operational and new Fire Stations in Assam

	onal	e e	ban	er	ıral	suc
District	Num of Operational Fire Stations	Ideally Served Population under Operational Fire Stations	Num of New Urban Fire Stations	Ideally Served Population under new urban Fire Stations	Num of New Rural Fire Stations	Total Fire Stations
Baksa	1	118,257	0	0	5	6
Barpeta	5	736,505	0	0	5	10
Bongaigaon	2	375,337	1	54,908	0	3
Cachar	8	1,620,470	0	0	0	8
Chirang	2	292,135	0	0	3	5
Darrang	3	516,730	0	0	1	4
Dhemaji	3	386,341	0	0	2	5
Dhubri	6	1,325,108	2	107,474	2	10
Dibrugarh	3	263,245	8	437,899	4	15
Dima Hasao	3	179,449	0	0	1	4
Goalpara	3	525,237	0	0	3	6
Golaghat	4	627,496	0	0	4	8
Hailakandi	2	312,525	0	0	0	2
Jorhat	5	989,494	0	0	1	6
Kamrup Metropolitan	7	807,923	4	290,572	2	13
Kamrup Rural	6	751,480	1	34,700	5	12
Karbi Anglong	3	319,949	0	0	2	5
Karimganj	4	1,638,116	0	0	0	4
Kokrajhar	3	474,001	0	0	2	5
Lakhimpur	3	390,358	0	0	5	8
Morigaon	3	619,033	0	0	1	4
Nagaon	11	2,576,774	0	0	1	12
Nalbari	4	302,186	0	0	2	6
Sivasagar	4	500,121	1	124,861	2	7
Sonitpur	6	1,198,178	4	54,199	5	15
Tinsukia	4	493,299	4	175,890	4	12
Udalguri	2	32,244	0	0	5	7
Total	110	18,371,991	25	1,280,503	67	202






Figure 31-3: Locations of operational and proposed Fire Station in Central Assam






Figure 31-4: Locations of operational and proposed Fire Station in East Assam






Figure 31-5: Locations of operational and proposed Fire Station in South Assam






Figure 31-6: Locations of operational and proposed Fire Station in West Assam






Figure 31-7: Fire Stations gap analysis for Kamrup rural areas






Figure 31-8: Fire Stations gap analysis for Cachar urban areas






Figure 31-9: Fire Stations gap analysis for Dhubri and Kokrajhar urban areas






Figure 31-10: Fire Stations gap analysis for Dibrugarh rural areas






Figure 31-11: Fire Stations gap analysis for Dibrugarh urban areas






Figure 31-12: Fire Stations gap analysis for Kamrup urban areas






Figure 31-13: Fire Stations gap analysis for Nagaon and Sonitpur urban areas






Figure 31-14: Fire Stations gap analysis for Sonitpur urban areas






Figure 31-15: Fire Stations gap analysis for Tinsukia urban areas



31.3.2 FIRE FIGHTING AND RESCUE VEHICLES AND EQUIPMENT GAP

For firefighting and rescue vehicles and specialized equipment gap analysis at the operational Fire Stations and the additional Fire Stations in urban and rural areas, the following criteria have been followed, which have been basically taken from SFAC norms and minor changes have been made with expert opinion, for optimization of resources.

1. Pumping Unit: For counting of existing pumping units at various Fire Stations, equipment such as Fire Tender, Water Bowser, Water Mist Mini Fire Tender, Foam Tender, Crash Fire Tender, Fire Engine, Jumbo Tanker, and Multi-purpose Tender have been counted as one pumping unit. The SFAC criteria with some modifications have been proposed for estimating the requirement of pumping units. Accordingly, one pumping unit per 50,000 populations (subject to minimum one) up to 3 lakhs population has been considered. For population of more than 3 Lakhs, one additional pumping unit per Lakhs of population has been considered. For example, if the population is 3,50,000 or more but less than 4,50,000, there should be 7 pumping units. At Fire Stations, where pumping unit requirements are coming to 2 or more units, half the units will be Water Tender and half the units will be Water Bowser, for example, for 2 pumping unit requirement, one will be Water Tender and one Water Bowser, however, for 3 pumping unit requirement, 2 will be Water Tender and 1 will be Water Bowser. However, in hilly States, the criteria have been further relaxed.

Note: we have considered pumping unit as a complete unit with water carrying capacity pumping unit, however, trailer fire pump with towing vehicle or a jeep fire engine, QRT with mist unit, or motor cycle with mist set have not been considered as a pumping unit. QRT with mist unit or motor cycle with mist set has been considered as a unit to cut response time in congested areas in urban areas.

- **2. Foam Tender:** For those Fire Stations, in whose jurisdiction small industrial area also lie, one Water Tender should be replaced with Foam Tender.
- **3. DCP Tender:** Minimum one per district or one for 8-10 Fire Stations. Fire Stations, having a large industrial plot area (in their ideal jurisdiction) of above 1.0 3.0 sq km, should have additionally one DCP tender. For industrial areas more than 3.0 6.0 sq km, there should be 2 DCP Tenders and so on.
- **4. Advanced Rescue Tender:** One per district (minimum) up to 10 Lakhs population, and one additional unit for every 10 Lakhs urban population.
- 5. Hydraulic Platform/ALP/TTL: One per district depending upon the presence of high-rise buildings (height more than 15 m). Additional unit is to be provided for districts having a large number of such building blocks, i.e., Central Business Districts.

It may be noted that Hydraulic Platform/ALP/TTL is not a replacement for in-built systems in high-rise buildings. Moreover, equipment is heavy and maneuvering on roads becomes difficult, where there are overhead electrical lines.

- 6. HAZMAT Van: Hazmat van is used rarely and is a very costly equipment requiring highly trained manpower. Hence, to optimize on resources and manpower, HAZMAT van is not recommended for future procurement in the State. However, for that purpose, an Advanced Rescue Responder is proposed (at Sr. No 4), which will have equipment to handle hazardous material release.
- 7. Crash Fire Tender: Crash Fire Tender is not recommended for the State Fire and Emergency Service. Instead, for Fire Stations in the funnel area on either side of the airport, one WT should be replaced with Foam Tender depending upon the State policy.



- **8. BA Van, Light Van and Control Van:** One each per district. However, to optimize on resources and manpower, we are proposing a BA Van- cum-Light Van cum-Control Van.
- **9. Hose Tender:** One per district (minimum) or one for 8-10 Fire Stations.
- **10. Trailer Pump:** Though Trailer Pumps are prescribed in SFAC norms, it is not recommended for future use, as this needs an additional towing vehicle. In place of this, procurement of Portable Pumps are recommended, which will be part of a Fire Tender (**Specialized Equipment at SI. No. 12**).
- **11. QRT:** One each at Fire Stations serving a population density (total population in the FS jurisdiction/area of jurisdiction, in sq km) above 30,000 persons/sq km in metro and big cities, above 15,000 persons/sq km in other cities, or in congested areas based on field-survey.

Note: The criteria of population density has been relaxed for hilly State from 15,000 person/sq km (in plains) to 5,000 person/sq km in the Fire Station jurisdiction

- **12. Motorcycle with 2-water mist sets:** One each at Fire Stations serving higher population density or in congested areas with each QRT.
- **13. Fire Boat:** One each at selected Fire Stations, in whose jurisdiction some inhabitated areas exist near water bodies, such as lake, major river, sea, where fire fighting can be better performed, through watercourse.
- 14. Ambulance: It is seen that Ambulance services are also with some of the State Fire Services and in few other States this is looked after by the Ministry of Health department of the States e.g., Rajasthan State has a modern fleet of Ambulances (108), well equipped with GPS, medical equipment and staff under National Rural Health Mission (Rajasthan), CATS (Centralized Accident Trauma Service, Ministry of Health) in case of Delhi State.

It is observed during visit to the Fire Stations by the RMSI team that wherever the Ambulance are available with fire services, they neither have the Paramedic staff, nor adequate life support/normal equipment, and cannot be considered as an efficient system. It is therefore felt that either ambulance service should be run by Health Department through various hospitals / health centers or provide fully trained staff to fire services with properly equipped Ambulances. Accordingly, cost of the ambulance is not included in the gap analysis of the present study. However, the ambulance cost may be added, in case, it is decided in a particular State that Ambulance service should be part of fire services.

15. Educational Van: One per district and one additional unit for every 30 Lakhs district population.

At rural Fire Station/ Fire Post, if the estimated pumping unit is two, then one water tender with a QRT on pickup truck having 500 - 600 liters of water mist capacity along with a motor cycle with two water mist backpacks will be provided. This will help in quick response, as majority of rural villages inside roads are small in width and congested. This will also help in optimization of resources. For rural Fire Stations/ Fire Posts where less than 10,000 persons are residing within its jurisdiction, QRT and motor cycle with two water mist backpacks has only been recommended.

It may be noted that if a fire is responded to immediately, it may not flare-up into large fire; hence, QRT and Motorcycle are considered as a quick responder and not as full-fledged fire units. In case of large fires, nearby Fire Station(s) will provide support with Water Tenders and Water Bowsers.



For reserve requirement, RMSI estimated reserve requirement of 20% at district level, and these will be distributed to individual Fire Stations by the concerned fire officials. This will help in optimizing the additional requirements of minimum one reserve at each Fire Station.

Specialized Equipment:

Specialized equipment for Fire Stations in urban areas shall be provided as per the following criteria:

- 1. Hydraulic Rescue Tool: One for each Fire Station depending upon the seismic Zone IV and V, or Fire Station having urban population more than 1.5 Lakhs in its ideal jurisdiction including Hydraulic Cutter, Hydraulic Spreader, Hydraulic Pump, Power Wedge, and Hydraulic Rescue Ram depending upon the seismic Zone IV and V or minimum one per district.
- **2. Combi-Tool:** One Combi-Tool set shall be provided with each fire-fighting vehicle.
- **3. B.A. Set with BA Compressor:** Four B. A. Sets per fire fighting vehicle with minimum one compressor per Fire Station
- **4. First Aid Box:** One for each fire fighting vehicle (minimum two at each Fire Station) with regular replacement of expired medicines
- **5. Thermal Imaging Camera:** One for each Fire Station depending upon the seismic Zone IV and V, or Fire Station having urban population more than 1.5 Lakhs in its ideal jurisdiction or minimum one per district
- **6. Personal Protection Equipment (PPE):** One Set for each pumping unit or a minimum of two for each Fire Station
- 7. Hydraulic Chain Saw/Cutter for Wood: One for each Fire Station
- 8. Electric/Petrol Chain Saw/Cutter for Wood: One for each Fire Station
- 9. Electric/Petrol Chain Saw/Cutter for Concrete: One for each Fire Station
- 10. Hand Held Gas Detector: One piece per Vehicle
- **11. Victim Location Device (Acoustic)**: One for each Fire Station depending upon the seismic Zone IV and V, or Fire Station having urban population more than 1.5 Lakhs in its ideal jurisdiction or minimum one per district
- 12. Portable Pump: One for each fire fighting unit
- 13. Floating Pump: One for each Fire Boat
- **14. Smoke Exhauster/PPV:** One per Fire Stations located in urban areas (minimum one per district)
- **15. Pneumatic Lifting Bags:** One for each Fire Station depending upon the seismic Zone IV and V, or Fire Station having urban population more than 1.5 Lakhs in its ideal jurisdiction or minimum one per district
- **16. Inflatable Lighting Tower:** One per Fire Station
- 17. High Capacity LED Torch Light: One piece per vehicle

Note: Other smaller equipment such as ropes, Fireman Axe, Small Hammer, different Branches/Nozzles, Foam Compound has not been mentioned separately, as these are standard items for any Fire Station/post.



For rural Fire Station/Fire Post, following specialized equipment has been recommended:

- **1. B.A. Set with BA Compressor:** Two B. A. set per fire fighting vehicle with one compressor per Fire Station/post
- 2. Personal Protection Equipment (PPE): One set per fire fighting vehicle
- 3. Electric/Petrol Chain Saw/Cutter for Wood: One per Fire Station/post
- 4. Hydraulic Chain Saw/Cutter for Wood: One per Fire Station/post
- 5. Portable Pump: One for each fire fighting unit
- 6. Inflatable Lighting Tower: One per Fire Station
- 7. High Capacity LED Torch Light: One piece per fire fighting vehicle
- 8. First Aid Box: One per fire fighting vehicle

For reserve requirement, RMSI estimated reserve requirement of 20% at district level, and the concerned State fire officials will distribute these to individual Fire Stations. . The replacement of condemned / major repair (off road) vehicles as well as instruments from operating Fire Stations can be accounted as reserve and these will be distributed to individual Fire Stations by the concerned fire officials. This will help in optimizing the additional requirements of minimum one reserve at each Fire Station.

Communication Equipment:

For better coordination between Fire Station and fire fighting staff, communication plays an important role. Hence, there is a need that each fire vehicle and Fire Station is equipped with a communication device. Accordingly, following communication equipment for urban Fire Station are recommended:

- 1. Static Wireless Set (VHF): One set at each Fire Station
- 2. Mobile Wireless Set (VHF): One per vehicle
- 3. Walky-Talky: One per vehicle
- 4. Megaphone: One set per Fire Station/Post

Additionally, at each rural Fire Post, each QRT should be equipped with 1 mobile wireless set and 1 walky-talky.

Detailed district level list of currently operational fire fighting vehicles available with Fire Service (As on May- 2012), vehicle gap in operational Fire Stations for ideal Jurisdiction area, additional vehicle required for new urban and rural Fire Stations and total vehicle gap for existing and new Urban Fire Stations are shown in Table 31-4 to 31-7. Similarly, gap analysis for specialized fire equipment is shown in Tables 31-8 to 31-15.



Table 31-4: List of operational fire fighting vehicles available with Assam Fire Service Organization (As on May 2012)

District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Baksa	1	118,257	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Barpeta	5	736,505	13	0	0	0	0	0	0	0	0	0	0	0	0	0	13
Bongaigaon	2	375,337	5	0	0	0	0	0	0	0	0	0	0	0	0	0	5
Cachar	8	1,620,470	17	0	1	0	0	0	0	0	0	1	0	0	0	0	19
Chirang	2	292,135	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Darrang	3	516,730	8	0	0	0	0	0	0	0	0	0	0	0	0	0	8
Dhemaji	3	386,341	7	0	0	0	0	0	0	0	0	0	0	0	0	0	7
Dhubri	6	1,325,108	14	0	0	0	0	0	0	0	0	0	0	0	0	0	14
Dibrugarh	3	263,245	10	0	0	0	0	0	0	0	0	0	0	0	0	0	10
Dima Hasao	3	179,449	9	0	0	0	0	0	0	0	0	0	0	0	0	0	9
Goalpara	3	525,237	7	0	1	0	0	0	0	0	0	0	0	0	0	0	8
Golaghat	4	627,496	9	0	0	0	0	0	0	0	0	0	0	0	0	0	9
Hailakandi	2	312,525	6	0	0	0	0	0	0	0	0	0	0	0	0	0	6
Jorhat	5	989,494	13	0	0	0	0	0	0	0	1	0	0	0	0	0	14
Kamrup Metropolitan	7	807,923	22	0	1	1	1	0	0	0	1	2	0	0	0	0	28
Kamrup Rural	6	751,480	13	0	0	0	0	0	0	0	0	0	0	0	0	0	13
Karbi Anglong	3	319,949	7	0	0	0	0	0	0	0	0	0	0	0	0	0	7
Karimganj	4	1,638,116	9	0	0	0	0	0	0	0	0	0	0	0	0	0	9
Kokrajhar	3	474,001	8	0	0	0	0	0	0	0	0	0	0	0	0	0	8
Lakhimpur	3	390,358	7	0	0	0	0	0	0	0	0	0	0	0	0	0	7
Morigaon	3	619,033	7	0	0	0	0	0	0	0	0	0	0	0	0	0	7
Nagaon	11	2,576,774	25	0	0	0	0	0	0	0	0	0	0	0	0	0	25



District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Nalbari	4	302,186	7	0	1	0	0	0	0	0	0	0	0	0	0	0	8
Sivasagar	4	500,121	9	0	0	0	0	0	0	0	0	0	0	0	0	0	9
Sonitpur	6	1,198,178	14	0	0	0	0	0	0	0	0	0	0	0	0	0	14
Tinsukia	4	493,299	12	0	0	0	0	0	0	0	0	0	0	0	0	0	12
Udalguri	2	32,244	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Total	110	18,371,991	268	0	4	1	1	0	0	0	2	3	0	0	0	0	279

Table 31-5: Vehicle gap in operational Fire Stations for their ideal jurisdiction area

District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Baksa	1	118,257	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2
Barpeta	5	736,505	-1	3	0	2	0	2	2	2	0	5	5	0	0	2	22
Bongaigaon	2	375,337	0	2	0	1	0	1	1	1	0	2	2	0	0	1	11
Cachar	8	1,620,470	8	5	3	1	1	1	1	1	0	6	7	0	0	1	35
Chirang	2	292,135	0	0	2	1	0	1	1	1	0	2	2	0	0	1	11
Darrang	3	516,730	-1	3	0	1	0	1	1	1	0	3	3	0	0	1	13
Dhemaji	3	386,341	-1	0	2	1	0	1	1	1	0	3	3	0	0	1	12
Dhubri	6	1,325,108	7	4	0	1	0	1	1	1	0	6	6	0	0	1	28
Dibrugarh	3	263,245	-5	0	1	1	1	1	1	1	0	2	2	0	0	1	6
Dima Hasao	3	179,449	-5	0	0	1	0	1	1	1	0	3	3	0	0	1	6



									elivering a		rations						
District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Goalpara	3	525,237	0	2	-1	1	0	1	1	1	0	3	3	0	0	1	12
Golaghat	4	627,496	-2	3	2	1	0	1	1	1	0	4	4	0	0	1	16
Hailakandi	2	312,525	0	1	0	1	0	1	1	1	0	2	2	0	0	1	10
Jorhat	5	989,494	2	1	3	1	1	1	1	1	0	5	5	0	0	1	22
Kamrup Metropolitan	7	807,923	-8	1	5	1	2	4	2	1	0	1	3	0	0	2	14
Kamrup Rural	6	751,480	-1	1	1	1	0	1	1	1	0	5	5	0	0	1	16
Karbi Anglong	3	319,949	-2	0	1	1	0	1	1	1	0	3	3	0	0	1	10
Karimganj	4	1,638,116	13	7	2	1	0	1	1	1	0	4	4	0	0	1	35
Kokrajhar	3	474,001	-2	3	0	1	0	1	1	1	0	3	3	0	0	1	12
Lakhimpur	3	390,358	-1	1	0	1	0	1	1	1	0	3	3	0	0	1	11
Morigaon	3	619,033	1	3	0	1	0	1	1	1	0	3	3	0	0	1	15
Nagaon	11	2,576,774	10	7	6	1	1	1	1	1	0	10	10	0	0	1	49
Nalbari	4	302,186	-2	0	0	1	0	1	1	1	0	3	3	0	0	1	9
Sivasagar	4	500,121	2	1	1	1	0	1	1	1	0	3	3	0	0	1	15
Sonitpur	6	1,198,178	4	2	3	1	1	1	2	1	0	6	6	0	0	2	29
Tinsukia	4	493,299	-2	0	2	1	0	1	1	1	0	4	4	0	0	1	13
Udalguri	2	32,244	-2	0	0	1	0	1	1	1	0	1	1	0	0	1	5
Total	110	18,371,991	12	50	33	27	7	30	29	27	0	96	99	0	0	29	439



Table 31-6: Total gap in operational and new urban Fire Stations under their ideal jurisdiction areas

District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Baksa	1	118,257	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2
Barpeta	5	736,505	-1	3	0	2	0	2	2	2	0	5	5	0	0	2	22
Bongaigaon	3	430,245	1	2	1	1	0	1	1	1	0	2	2	0	0	1	13
Cachar	8	1,620,470	8	5	3	1	1	1	1	1	0	6	7	0	0	1	35
Chirang	2	292,135	0	0	2	1	0	1	1	1	0	2	2	0	0	1	11
Darrang	3	516,730	-1	3	0	1	0	1	1	1	0	3	3	0	0	1	13
Dhemaji	3	386,341	-1	0	2	1	0	1	1	1	0	3	3	0	0	1	12
Dhubri	8	1,432,582	9	4	0	1	0	1	1	1	0	6	6	0	0	1	30
Dibrugarh	11	701,144	3	2	3	1	1	1	2	1	0	2	2	0	0	1	19
Dima Hasao	3	179,449	-5	0	0	1	0	1	1	1	0	3	3	0	0	1	6
Goalpara	3	525,237	0	2	-1	1	0	1	1	1	0	3	3	0	0	1	12
Golaghat	4	627,496	-2	3	2	1	0	1	1	1	0	4	4	0	0	1	16
Hailakandi	2	312,525	0	1	0	1	0	1	1	1	0	2	2	0	0	1	10
Jorhat	5	989,494	2	1	3	1	1	1	1	1	0	5	5	0	0	1	22
Kamrup Metropolitan	11	1,098,495	-4	1	7	1	2	5	2	1	0	1	3	0	0	2	21
Kamrup Rural	7	786,180	0	1	1	1	0	1	1	1	0	5	5	0	0	1	17
Karbi Anglong	3	319,949	-2	0	1	1	0	1	1	1	0	3	3	0	0	1	10
Karimganj	4	1,638,116	13	7	2	1	0	1	1	1	0	4	4	0	0	1	35
Kokrajhar	3	474,001	-2	3	0	1	0	1	1	1	0	3	3	0	0	1	12
Lakhimpur	3	390,358	-1	1	0	1	0	1	1	1	0	3	3	0	0	1	11
Morigaon	3	619,033	1	3	0	1	0	1	1	1	0	3	3	0	0	1	15



District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Nagaon	11	2,576,774	10	7	6	1	1	1	1	1	0	10	10	0	0	1	49
Nalbari	4	302,186	-2	0	0	1	0	1	1	1	0	3	3	0	0	1	9
Sivasagar	5	624,982	3	2	2	1	0	1	1	1	0	3	3	0	0	1	18
Sonitpur	10	1,252,377	8	2	3	1	1	1	2	1	0	6	6	0	0	2	33
Tinsukia	8	669,189	2	0	2	1	0	1	1	1	0	4	4	0	0	1	17
Udalguri	2	32,244	-2	0	0	1	0	1	1	1	0	1	1	0	0	1	5
Total	135	19,652,494	37	53	39	27	7	31	30	27	0	96	99	0	0	29	475

Table 31-7: Additional vehicle required for new rural Fire Stations under their ideal jurisdiction areas

District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Baksa	5	824,182	9	7	0	0	0	0	0	0	0	5	5	0	0	0	26
Barpeta	5	1,151,910	12	12	0	0	0	0	0	0	0	5	5	0	0	0	34
Bongaigaon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cachar	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Chirang	3	392,654	4	1	2	0	0	0	0	0	0	3	3	0	0	0	13
Darrang	1	209,505	2	2	0	0	0	0	0	0	0	1	1	0	0	0	6
Dhemaji	2	379,104	4	2	1	0	0	0	0	0	0	2	2	0	0	0	11
Dhubri	2	720,378	8	6	0	0	0	0	0	0	0	2	2	0	0	0	18



								Della	ering a work	u or solution	9						
District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Dibrugarh	4	748,384	8	3	3	0	0	0	0	0	0	4	4	0	0	0	22
Dima Hasao	1	41,154	1	0	0	0	0	0	0	0	0	1	1	0	0	0	3
Goalpara	3	531,928	6	5	0	0	0	0	0	0	0	3	3	0	0	0	17
Golaghat	4	534,684	6	2	1	0	0	0	0	0	0	4	4	0	0	0	17
Hailakandi	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Jorhat	1	163,436	2	1	1	0	0	0	0	0	0	1	1	0	0	0	6
Kamrup Metropolitan	2	143,612	2	1	0	0	0	0	0	0	0	2	2	0	0	0	7
Kamrup Rural	5	831,135	8	8	0	0	0	0	0	0	0	5	5	0	0	0	26
Karbi Anglong	2	669,632	8	6	0	0	0	0	0	0	0	2	2	0	0	0	18
Karimganj	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kokrajhar	2	296,386	4	2	0	0	0	0	0	0	0	2	2	0	0	0	10
Lakhimpur	5	682,395	6	2	4	0	0	0	0	0	0	5	5	0	0	0	22
Morigaon	1	181,993	2	2	0	0	0	0	0	0	0	1	1	0	0	0	6
Nagaon	1	175,724	2	1	1	0	0	0	0	0	0	1	1	0	0	0	6
Nalbari	2	458,521	5	5	0	0	0	0	0	0	0	2	2	0	0	0	14
Sivasagar	2	335,380	4	2	2	0	0	0	0	0	0	2	2	0	0	0	12
Sonitpur	5	592,554	6	4	0	0	0	0	0	0	0	5	5	0	0	0	20
Tinsukia	4	568,806	7	5	1	0	0	0	0	0	0	4	4	0	0	0	21
Udalguri	5	883,317	9	8	0	0	0	0	0	0	0	5	5	0	0	0	27
Total	67	11,516,774	125	87	16	0	0	0	0	0	0	67	67	0	0	0	362



Table 31-8: List of specialized equipment available with Assam Fire Service Organization (As on May, 2012)

District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi-Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Baksa	1	118,257	1	0	0	0	0	0	0	0	0	0	0	0	1	0
Barpeta	5	736,505	1	0	12	0	4	0	0	0	0	7	0	0	8	0
Bongaigaon	2	375,337	3	0	1	0	1	0	0	0	0	2	0	0	2	0
Cachar	8	1,620,470	0	0	2	0	3	0	1	0	0	6	0	0	8	0
Chirang	2	292,135	0	0	0	0	1	0	0	0	0	1	0	0	2	0
Darrang	3	516,730	0	1	4	0	1	0	0	0	0	6	0	0	3	0
Dhemaji	3	386,341	0	1	1	0	0	0	0	0	0	0	0	0	3	0
Dhubri	6	1,325,108	0	1	6	0	2	0	0	0	0	4	0	0	8	0
Dibrugarh	3	263,245	0	0	8	0	0	0	0	0	3	4	0	0	4	0
Dima Hasao	3	179,449	1	0	5	0	0	0	0	0	0	2	0	0	5	0
Goalpara	3	525,237	4	0	2	0	0	0	0	0	0	2	0	0	4	0
Golaghat	4	627,496	0	1	7	0	6	0	0	0	0	6	0	0	4	0
Hailakandi	2	312,525	0	1	5	0	3	0	0	0	0	3	0	0	3	0
Jorhat	5	989,494	0	0	8	1	5	0	0	0	0	4	0	0	5	0
Kamrup Metropolitan	7	807,923	1	1	9	1	3	0	4	1	1	3	0	0	9	0
Kamrup Rural	6	751,480	2	1	1	0	3	0	0	0	0	5	0	0	9	0
Karbi Anglong	3	319,949	3	1	1	0	0	0	0	0	0	2	0	0	4	0
Karimganj	4	1,638,116	0	1	2	0	2	0	0	0	0	2	0	0	5	0
Kokrajhar	3	474,001	2	1	2	0	1	0	0	0	0	2	0	0	5	0
Lakhimpur	3	390,358	1	1	2	0	1	0	0	0	0	2	0	0	3	0



								Delive	ering a world of	solutions						
District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi-Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Morigaon	3	619,033	0	1	4	0	2	0	0	0	0	1	0	0	4	0
Nagaon	11	2,576,774	2	1	13	0	5	0	0	0	0	17	0	0	13	0
Nalbari	4	302,186	0	1	7	0	2	0	0	0	0	3	0	0	5	0
Sivasagar	4	500,121	0	1	7	0	3	0	0	0	0	7	0	0	5	0
Sonitpur	6	1,198,178	1	0	9	0	2	0	0	0	13	12	0	0	8	0
Tinsukia	4	493,299	0	1	7	0	1	0	0	0	0	6	0	0	6	0
Udalguri	2	32,244	0	0	2	0	0	0	0	0	0	4	0	0	4	0
Total	110	18,371,991	22	16	127	2	51	0	5	1	17	113	0	0	140	0



Table 31-9: List of specialized equipment available with Assam FSO (As on May, 2012) (continued..)

District	Fire Stations	Ideally Served Population Estimates	Diving Suits (Dry Type)	Diving Suits (Wet Type)	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boat	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Baksa	1	118,257	0	0	0	0	0	0	0	0	0	0	0	2
Barpeta	5	736,505	0	0	12	3	0	0	0	0	0	0	0	47
Bongaigaon	2	375,337	0	0	1	1	0	0	0	0	0	0	0	11
Cachar	8	1,620,470	0	0	1	1	0	1	0	0	0	0	0	23
Chirang	2	292,135	0	0	0	0	0	0	0	0	0	0	0	4
Darrang	3	516,730	0	0	1	2	0	0	0	0	0	0	0	18
Dhemaji	3	386,341	0	0	0	2	0	0	0	0	0	0	0	7
Dhubri	6	1,325,108	0	0	0	1	0	0	0	0	0	0	0	22
Dibrugarh	3	263,245	0	0	1	2	0	0	0	0	0	0	0	22
Dima Hasao	3	179,449	0	0	1	1	0	0	0	0	0	0	0	15
Goalpara	3	525,237	0	0	1	2	0	0	0	0	0	0	0	15
Golaghat	4	627,496	0	0	1	3	0	0	0	0	0	0	0	28
Hailakandi	2	312,525	0	0	1	0	0	0	0	0	0	0	0	16
Jorhat	5	989,494	0	0	1	2	0	0	0	0	0	0	0	26
Kamrup Metropolitan	7	807,923	0	3	2	3	2	12	0	6	3	8	0	72
Kamrup Rural	6	751,480	0	0	0	3	0	1	0	0	0	0	0	25
Karbi Anglong	3	319,949	0	0	1	0	0	0	0	0	0	0	0	12
Karimganj	4	1,638,116	0	0	0	0	0	0	0	0	0	0	0	12
Kokrajhar	3	474,001	0	0	1	1	0	1	0	0	0	0	0	16
Lakhimpur	3	390,358	0	0	0	1	0	0	0	0	0	0	0	11
Morigaon	3	619,033	0	0	1	1	0	0	0	0	0	1	0	15



							Deliveriii	g a world of	solutions					
District	Fire Stations	Ideally Served Population Estimates	Diving Suits (Dry Type)	Diving Suits (Wet Type)	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boat	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Nagaon	11	2,576,774	2	0	1	5	0	0	0	0	0	0	0	59
Nalbari	4	302,186	0	0	1	3	0	1	0	0	0	0	0	23
Sivasagar	4	500,121	0	0	1	2	0	0	0	0	0	0	0	26
Sonitpur	6	1,198,178	0	0	12	2	0	0	0	0	0	0	0	59
Tinsukia	4	493,299	0	0	4	2	0	0	0	0	0	0	0	27
Udalguri	2	32,244	0	0	0	1	0	0	0	0	0	0	0	11
Total	110	18,371,991	2	3	45	44	2	16	0	6	3	9	0	624

Table 31-10: Specialized equipment gap in operational Fire Stations for ideal jurisdiction area

District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi-Tools	B.A. Sets	BA Compressors		Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Baksa	1	118,257	-1	0	12	1	4	0	0	1	1	4	0	0	2	0
Barpeta	5	736,505	1	8	72	6	20	2	2	6	6	17	8	2	12	0
Bongaigaon	2	375,337	-2	2	37	2	10	1	1	2	2	9	2	1	7	0
Cachar	8	1,620,470	2	8	178	10	46	2	1	10	10	43	8	2	33	0
Chirang	2	292,135	1	4	34	2	9	1	1	2	2	9	4	1	6	0



								Del	livering a world of s	olutions						
District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi-Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters/ Hammers for Concrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Darrang	3	516,730	1	1	51	4	15	1	1	4	4	10	2	1	10	0
Dhemaji	3	386,341	1	4	45	4	13	1	1	4	4	13	5	1	8	0
Dhubri	6	1,325,108	1	4	128	7	35	1	1	7	7	33	5	1	23	0
Dibrugarh	3	263,245	2	6	26	4	10	2	2	4	1	6	6	2	4	0
Dima Hasao	3	179,449	0	4	21	4	8	1	1	4	4	6	4	1	2	0
Goalpara	3	525,237	-3	6	48	4	14	1	1	4	4	12	6	1	8	0
Golaghat	4	627,496	1	3	60	5	13	1	1	5	5	13	4	1	12	0
Hailakandi	2	312,525	1	4	33	2	8	1	1	2	2	8	5	1	6	0
Jorhat	5	989,494	1	5	95	5	24	1	1	6	6	25	5	1	19	0
Kamrup Metropolitan	7	807,923	6	25	99	7	26	7	3	7	7	26	26	7	15	0
Kamrup Rural	6	751,480	0	5	78	7	20	2	2	7	7	18	6	2	10	0
Karbi Anglong	3	319,949	-2	3	35	4	11	1	1	4	4	9	4	1	5	0
Karimganj	4	1,638,116	1	10	156	5	40	1	1	5	5	40	11	1	30	0
Kokrajhar	3	474,001	-1	1	48	4	13	1	1	4	4	12	2	1	7	0
Lakhimpur	3	390,358	0	4	39	4	11	1	1	4	4	10	5	1	7	0
Morigaon	3	619,033	1	7	56	4	15	1	1	4	4	16	8	1	10	0
Nagaon	11	2,576,774	0	7	241	13	65	2	2	13	13	53	8	2	45	0
Nalbari	4	302,186	2	5	29	5	9	2	2	5	5	8	6	2	4	0
Sivasagar	4	500,121	2	6	63	5	17	2	2	5	5	12	7	2	11	0
Sonitpur	6	1,198,178	0	4	116	7	33	1	1	7	-6	23	4	1	21	0
Tinsukia	4	493,299	1	4	60	5	18	1	1	5	5	13	5	1	10	0



District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi-Tools	B.A. Sets	BA Compressors	First-Aid Boxes	hermal Imaging ameras	ectric Chain ws / Cutter mmers for ncrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Udalguri	2	32,244	2	4	10	2	4	2	2	2	2	0	4	2	-1	0
Total	110	18,371,991	18	144	1870	132	511	40	35	133	117	448	160	40	326	0

Table 31-11: Specialized equipment gap in operational Fire Stations for ideal jurisdiction area (continued..)

District	Fire Stations	Ideally Served Population Estimates	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boats	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Baksa	1	118,257	1	0	0	4	0	1	4	4	1	39
Barpeta	5	736,505	-6	-1	2	26	0	6	36	36	6	267
Bongaigaon	2	375,337	1	0	1	12	0	2	17	17	2	126
Cachar	8	1,620,470	9	1	2	49	0	10	56	56	10	546
Chirang	2	292,135	2	1	1	11	0	2	16	16	2	127
Darrang	3	516,730	3	-1	1	17	0	4	22	22	4	177
Dhemaji	3	386,341	4	-1	1	14	0	4	19	19	4	168
Dhubri	6	1,325,108	7	0	1	38	0	7	43	43	7	399
Dibrugarh	3	263,245	3	0	2	11	0	4	17	17	4	133
Dima Hasao	3	179,449	3	0	1	10	0	4	14	14	4	110
Goalpara	3	525,237	3	-1	1	16	0	4	20	20	4	173
Golaghat	4	627,496	4	-2	1	20	0	5	25	25	5	207
Hailakandi	2	312,525	1	1	1	12	0	2	17	17	2	127



						Deliveri	ing a world of so	lutions				
District	Fire Stations	Ideally Served Population Estimates	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boats	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Jorhat	5	989,494	5	-1	1	30	0	6	36	36	6	313
Kamrup Metropolitan	7	807,923	6	4	5	22	0	2	43	38	8	389
Kamrup Rural	6	751,480	7	-1	2	23	0	7	29	29	7	267
Karbi Anglong	3	319,949	3	1	1	12	0	4	17	17	4	139
Karimganj	4	1,638,116	5	1	1	43	0	5	48	48	5	462
Kokrajhar	3	474,001	3	0	1	15	0	4	20	20	4	164
Lakhimpur	3	390,358	4	0	1	13	0	4	18	18	4	153
Morigaon	3	619,033	3	0	1	18	0	4	23	22	4	203
Nagaon	11	2,576,774	12	-3	2	71	0	13	77	77	13	726
Nalbari	4	302,186	4	-1	2	11	0	5	17	17	5	144
Sivasagar	4	500,121	4	0	2	20	0	5	25	26	5	226
Sonitpur	6	1,198,178	-5	-1	1	36	0	7	44	44	7	345
Tinsukia	4	493,299	1	-1	1	20	0	5	25	25	5	210
Udalguri	2	32,244	2	1	2	5	0	2	10	10	2	69
Total	110	18,371,991	89	-4	38	579	0	128	738	733	134	6409



Table 31-12: Total gap in specialized equipment for operational and new urban Fire Stations

District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi-Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Baksa	1	118,257	-1	0	12	1	4	0	0	1	1	4	0	0	2	0
Barpeta	5	736,505	1	8	72	6	20	2	2	6	6	17	8	2	12	0
Bongaigaon	3	430,245	-1	4	47	3	12	2	2	3	3	11	4	2	9	0
Cachar	8	1,620,470	2	8	178	10	46	2	1	10	10	43	8	2	33	0
Chirang	2	292,135	1	4	34	2	9	1	1	2	2	9	4	1	6	0
Darrang	3	516,730	1	1	51	4	15	1	1	4	4	10	2	1	10	0
Dhemaji	3	386,341	1	4	45	4	13	1	1	4	4	13	5	1	8	0
Dhubri	8	1,432,582	3	6	138	9	39	3	3	9	9	35	7	3	25	0
Dibrugarh	11	701,144	12	20	84	14	28	12	12	14	11	20	20	12	16	0
Dima Hasao	3	179,449	0	4	21	4	8	1	1	4	4	6	4	1	2	0
Goalpara	3	525,237	-3	6	48	4	14	1	1	4	4	12	6	1	8	0
Golaghat	4	627,496	1	3	60	5	13	1	1	5	5	13	4	1	12	0
Hailakandi	2	312,525	1	4	33	2	8	1	1	2	2	8	5	1	6	0
Jorhat	5	989,494	1	5	95	5	24	1	1	6	6	25	5	1	19	0
Kamrup Metropolitan	11	1,098,495	11	32	128	12	35	12	8	12	12	33	33	12	21	0
Kamrup Rural	7	786,180	1	6	83	8	22	3	3	8	8	19	7	3	11	0
Karbi Anglong	3	319,949	-2	3	35	4	11	1	1	4	4	9	4	1	5	0
Karimganj	4	1,638,116	1	10	156	5	40	1	1	5	5	40	11	1	30	0
Kokrajhar	3	474,001	-1	1	48	4	13	1	1	4	4	12	2	1	7	0
Lakhimpur	3	390,358	0	4	39	4	11	1	1	4	4	10	5	1	7	0



District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi-Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Morigaon	3	619,033	1	7	56	4	15	1	1	4	4	16	8	1	10	0
Nagaon	11	2,576,774	0	7	241	13	65	2	2	13	13	53	8	2	45	0
Nalbari	4	302,186	2	5	29	5	9	2	2	5	5	8	6	2	4	0
Sivasagar	5	624,982	3	10	77	6	21	3	3	6	6	16	11	3	14	0
Sonitpur	10	1,252,377	5	9	135	12	41	6	6	12	-1	28	9	6	25	0
Tinsukia	8	669,189	6	9	79	10	26	6	6	10	10	18	10	6	14	0
Udalguri	2	32,244	2	4	10	2	4	2	2	2	2	0	4	2	-1	0
Total	135	19,652,494	48	184	2034	162	566	70	65	163	147	488	200	70	360	0

Table 31-13: Total gap in specialized equipment for operational and new urban Fire Stations (Continued....)

District	Fire Stations	Ideally Served Population Estimates	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boats	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Baksa	1	118,257	1	0	0	4	0	1	4	4	1	39
Barpeta	5	736,505	-6	-1	2	26	0	6	36	36	6	267
Bongaigaon	3	430,245	2	1	2	14	0	3	19	19	3	164
Cachar	8	1,620,470	9	1	2	49	0	10	56	56	10	546
Chirang	2	292,135	2	1	1	11	0	2	16	16	2	127
Darrang	3	516,730	3	-1	1	17	0	4	22	22	4	177
Dhemaji	3	386,341	4	-1	1	14	0	4	19	19	4	168



						Deliver	ng a world of so					
District	Fire Stations	Ideally Served Population Estimates	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boats	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Dhubri	8	1,432,582	9	2	3	40	0	9	45	47	9	453
Dibrugarh	11	701,144	13	10	12	25	0	14	33	35	14	431
Dima Hasao	3	179,449	3	0	1	10	0	4	14	14	4	110
Goalpara	3	525,237	3	-1	1	16	0	4	20	20	4	173
Golaghat	4	627,496	4	-2	1	20	0	5	25	25	5	207
Hailakandi	2	312,525	1	1	1	12	0	2	17	17	2	127
Jorhat	5	989,494	5	-1	1	30	0	6	36	36	6	313
Kamrup Metropolitan	11	1,098,495	11	9	10	30	0	7	51	48	13	540
Kamrup Rural	7	786,180	8	0	3	24	0	8	30	31	8	294
Karbi Anglong	3	319,949	3	1	1	12	0	4	17	17	4	139
Karimganj	4	1,638,116	5	1	1	43	0	5	48	48	5	462
Kokrajhar	3	474,001	3	0	1	15	0	4	20	20	4	164
Lakhimpur	3	390,358	4	0	1	13	0	4	18	18	4	153
Morigaon	3	619,033	3	0	1	18	0	4	23	22	4	203
Nagaon	11	2,576,774	12	-3	2	71	0	13	77	77	13	726
Nalbari	4	302,186	4	-1	2	11	0	5	17	17	5	144
Sivasagar	5	624,982	5	1	3	24	0	6	29	30	6	283
Sonitpur	10	1,252,377	0	4	6	41	0	12	49	52	12	469
Tinsukia	8	669,189	6	4	6	25	0	10	30	33	10	334
Udalguri	2	32,244	2	1	2	5	0	2	10	10	2	69
Total	135	19,652,494	119	26	68	620	0	158	781	789	164	7282



Table 31-14: Additional specialized equipment required for new rural Fire Stations

District	e Stations	ideally Served Population Estimates	Hydraulic Rescue Tools	Combi-Tools	B.A. Sets	Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
	Fire					ВА										
Baksa	5	824,182	0	0	89	6	25	0	0	6	6	25	0	0	21	0
Barpeta	5	1,151,910	0	0	127	6	35	0	0	6	6	35	0	0	29	0
Bongaigaon	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cachar	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Chirang	3	392,654	0	0	41	4	12	0	0	4	4	12	0	0	10	0
Darrang	1	209,505	0	0	22	1	6	0	0	1	1	6	0	0	5	0
Dhemaji	2	379,104	0	0	38	2	11	0	0	2	2	11	0	0	9	0
Dhubri	2	720,378	0	0	72	2	19	0	0	2	2	19	0	0	16	0
Dibrugarh	4	748,384	0	0	77	5	22	0	0	5	5	22	0	0	18	0
Dima Hasao	1	41,154	0	0	7	1	2	0	0	1	1	2	0	0	2	0
Goalpara	3	531,928	0	0	60	4	17	0	0	4	4	17	0	0	14	0
Golaghat	4	534,684	0	0	53	5	16	0	0	5	5	16	0	0	13	0
Hailakandi	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Jorhat	1	163,436	0	0	22	1	6	0	0	1	1	6	0	0	5	0
Kamrup Metropolitan	2	143,612	0	0	19	2	6	0	0	2	2	6	0	0	5	0
Kamrup Rural	5	831,135	0	0	89	6	25	0	0	6	6	25	0	0	21	0
Karbi Anglong	2	669,632	0	0	72	2	19	0	0	2	2	19	0	0	16	0
Karimganj	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kokrajhar	2	296,386	0	0	34	2	10	0	0	2	2	10	0	0	8	0



District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi-Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Bulled Cutters / Hammers for Concrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Lakhimpur	5	682,395	0	0	70	6	20	0	0	6	6	20	0	0	17	0
Morigaon	1	181,993	0	0	22	1	6	0	0	1	1	6	0	0	5	0
Nagaon	1	175,724	0	0	22	1	6	0	0	1	1	6	0	0	5	0
Nalbari	2	458,521	0	0	53	2	14	0	0	2	2	14	0	0	12	0
Sivasagar	2	335,380	0	0	43	2	12	0	0	2	2	12	0	0	10	0
Sonitpur	5	592,554	0	0	60	6	18	0	0	6	6	18	0	0	15	0
Tinsukia	4	568,806	0	0	72	5	20	0	0	5	5	20	0	0	17	0
Udalguri	5	883,317	0	0	94	6	26	0	0	6	6	26	0	0	22	0
Total	67	11,516,774	0	0	1258	78	353	0	0	78	78	353	0	0	295	0

Table 31-15: Additional specialized equipment required for new rural Fire Stations (continued...)

District	Fire Stations	Ideally Served Population Estimates	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boats	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Baksa	5	824,182	6	0	0	25	0	6	25	25	6	271
Barpeta	5	1,151,910	6	0	0	35	0	6	35	35	6	367
Bongaigaon	0	0	0	0	0	0	0	0	0	0	0	0
Cachar	0	0	0	0	0	0	0	0	0	0	0	0
Chirang	3	392,654	4	0	0	12	0	4	12	12	4	135



						Deliverin	g a world of soil	110110	40			
District	Fire Stations	Ideally Served Population Estimates	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boats	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Darrang	1	209,505	1	0	0	6	0	1	6	6	1	63
Dhemaji	2	379,104	2	0	0	11	0	2	11	11	2	114
Dhubri	2	720,378	2	0	0	19	0	2	19	19	2	195
Dibrugarh	4	748,384	5	0	0	22	0	5	22	22	5	235
Dima Hasao	1	41,154	1	0	0	2	0	1	2	2	1	25
Goalpara	3	531,928	4	0	0	17	0	4	17	17	4	183
Golaghat	4	534,684	5	0	0	16	0	5	16	16	5	176
Hailakandi	0	0	0	0	0	0	0	0	0	0	0	0
Jorhat	1	163,436	1	0	0	6	0	1	6	6	1	63
Kamrup Metropolitan	2	143,612	2	0	0	6	0	2	6	6	2	66
Kamrup Rural	5	831,135	6	0	0	25	0	6	25	25	6	271
Karbi Anglong	2	669,632	2	0	0	19	0	2	19	19	2	195
Karimganj	0	0	0	0	0	0	0	0	0	0	0	0
Kokrajhar	2	296,386	2	0	0	10	0	2	10	10	2	104
Lakhimpur	5	682,395	6	0	0	20	0	6	20	20	6	223
Morigaon	1	181,993	1	0	0	6	0	1	6	6	1	63
Nagaon	1	175,724	1	0	0	6	0	1	6	6	1	63
Nalbari	2	458,521	2	0	0	14	0	2	14	14	2	147
Sivasagar	2	335,380	2	0	0	12	0	2	12	12	2	125
Sonitpur	5	592,554	6	0	0	18	0	6	18	18	6	201
Tinsukia	4	568,806	5	0	0	20	0	5	20	20	5	219
Udalguri	5	883,317	6	0	0	26	0	6	26	26	6	282
Total	67	11,516,774	78	0	0	353	0	78	353	353	78	3786



31.3.3 FIRE MANPOWER GAP

SFAC guidelines have suggested manpower, including reserve for duty off, training, leave for Station Officer, Sub-Officer (75%) and Leading Firemen and lower staff (25%). This has been further estimated for two shifts for Leading Firemen and lower staff (Table 31-16).

Table 31-16: Manpower requirement for Station Officer and lower staff for Assam as per SFAC norm (considering two shifts duty pattern)

Sr No	Size of Station (Pumping Unit)	Station Officer	Sub-Officer*	Leading Firemen (L.F.)	Additional LFM	Total LFM	Drivers/ Operators	Fire men	Additional FM per FS (FAD,HID, DISP,WRO)	Total Fire men	Total
1	One	0	1.75	2.5	1.25	3.75	5	15	10	25	35.50
2	Two	1.75	1.75	5	1.25	6.25	7.5	30	10	40	57.25
3	Three	1.75	3.5	7.5	1.25	8.75	10	45	10	55	79.00
4	Four	3.5	3.5	10	1.25	11.25	15	60	10	70	103.25
5	Five	3.5	5.25	12.5	1.25	13.75	17.5	75	10	85	125.00
6	Six	3.5	7	15	1.25	16.25	22.5	90	10	100	149.25
7	Seven	5.25	7	17.5	1.25	18.75	25	105	10	115	171.00

^{*:} Where extent of fire risk may justify Sub-Officers may be replaced with Station Officers

However, Delhi Administrative Reform Department (ARD), Govt. of India has studied the fire manpower requirement, and optimized it further for two-shift duty pattern. From Tables 31-16 and 31-17, it is quite clear that The Administrative Reform Department (ARD, Delhi), has already optimized the fire manpower requirement in comparison of what has been suggested in SFAC norms. It may be noted that total number of staff is coming in decimal places, as calculations are on pumping units including reserve staff, which has been rounded of in the fire manpower gap analysis at district and State levels (Table 31-17).

Table 31-17: Manpower requirement for Station officer and lower staffs as per ARD, Delhi (2-shifts)

Sr No	Fire Station (Pumping Unit)	Station Officer	Sub-Officer	LFM	Firemen- cum-Driver- cum Operator	Total Staff
1	One	0.00	2.50	2.50	15.63	20.60
2	Two	1.25	2.50	2.50	31.25	37.50
3	Three	1.25	3.75	7.50	46.88	59.40
4	Four	2.50	4.69	9.38	60.00	76.60
5	Five	2.50	5.63	11.25	73.13	92.50
6	Six	3.75	6.56	13.13	87.19	110.60
7	Seven	3.75	7.50	15.00	101.25	127.50

Thus for optimization on resources, following manpower criteria have been suggested for manpower gap analysis. Accordingly, total firefighting manpower gap in both urban and rural



Fire Stations in Assam State has been estimated, which comes to 15,969 (Table 31-19 to 31-21) against the present strength of 2,297.

In addition to fire fighting staffs, there is an urgent need of senior level fire officers for making a well coordinated State level hierarchy and fire prevention wing for inspection, awareness generation and training, so that recurrence of the fire incidences, such as Advance Medical Research Institute (AMRI), Kolkata, in terms of their magnitude and frequency can be reduced. Accordingly, to support ADG-cum-Director, Assam Fire Service Organization, additional officers at the levels of Director (Technical), Deputy Director (Technical), Chief Fire Officer (CFO), Dy Chief Fire Officer (Dy-CFO), Divisional Fire Officer (DFO), and Assistant Divisional Fire Officer (ADFO) have been suggested. To meet the ideal requirement of officials, following numbers of total officials have been proposed (including existing officials), which may be recruited in a phased manner approach:

Director (Technical) : 1
Deputy Director (Technical) : 1
Chief Fire Officer (CFO) : 2
Deputy Chief Fire Officer (Dy.CFO) : 4

Divisional Fire Officer (DDO)
 : 25 (one per 8 Fire Stations)
 Assistant Divisional Fire Officer (ADFO)
 : 50 (one per 4 Fire Stations)

It may be noted that for cleaning staff, we recommend hiring of Cleaners on contract basis. For computation in financial analysis, we have assumed a fixed salary of Rs 7,000/pm, and without any reserve over that.

Accordingly, existing fire manpower and gap analysis for all the districts in Assam State have been carried out and are shown Tables 31-19 to 31-21.



Table 31-18: List of fire manpower available for operational Fire Stations in Assam FSO (As on May, 2012)

District	Fire	Level	Total										
	Stations	10	9	8	7	6	5	4	3	2	1	0	Staff
Baksa	1	0	0	0	0	0	0	0	0	5	14	1	20
Barpeta	5	0	0	0	0	0	0	3	5	24	69	5	106
Bongaigaon	2	0	0	0	0	0	0	2	5	7	32	2	48
Cachar	8	0	0	0	0	0	0	7	11	18	103	4	143
Chirang	2	0	0	0	0	0	0	2	3	7	23	2	37
Darrang	3	0	0	0	0	0	0	2	5	16	48	3	74
Dhemaji	3	0	0	0	0	0	0	2	1	7	39	3	52
Dhubri	6	0	0	0	0	0	0	4	7	15	88	5	119
Dibrugarh	3	0	0	0	0	0	7	3	4	9	49	3	75
Dima Hasao	3	0	0	0	0	0	0	2	4	8	46	1	61
Goalpara	3	0	0	0	0	0	0	1	7	9	40	3	60
Golaghat	4	0	0	0	0	0	0	2	4	10	58	4	78
Hailakandi	2	0	0	0	0	0	0	1	4	5	31	2	43
Jorhat	5	0	0	0	0	0	0	4	8	9	66	5	92
Kamrup Metropolitan	7	1	0	0	0	4	2	6	15	34	141	7	210
Kamrup Rural	6	0	0	0	0	0	0	2	10	25	72	6	115
Karbi Anglong	3	0	0	0	0	0	0	3	3	11	41	3	61
Karimganj	4	0	0	0	0	0	0	3	5	10	56	2	76
Kokrajhar	3	0	0	0	0	0	0	2	5	10	36	3	56
Lakhimpur	3	0	0	0	0	0	0	2	4	7	45	3	61
Morigaon	3	0	0	0	0	0	0	1	7	6	43	3	60
Nagaon	11	0	0	0	0	0	0	9	18	33	159	11	230
Nalbari	4	0	0	0	0	0	0	2	6	21	74	4	107
Sivasagar	4	0	0	0	0	0	0	2	6	7	54	4	73
Sonitpur	6	0	0	0	0	0	0	4	8	24	80	6	122
Tinsukia	4	0	0	0	0	0	0	4	3	11	51	4	73



District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Udalguri	2	0	0	0	0	0	5	2	4	9	23	2	45
Total	110	1	0	0	0	4	14	77	162	357	1,581	101	2,297

Level 10: Director General/Director/Joint Director/Deputy Director; Level 9: CFO/CO; Level 8: Deputy CFO; Level 7: Deputy Controller; Level 6: DO/DFO/Inspector/EO/Fire Supervisor; Level 5: ADO/ADFO/AFO/Fire In-charge; Level 4: St.O/Sub Inspector/Station In-charge/ASt O./AEO; Level 3: S O/Assistant Sub Inspector/ASO/Sub-Fire Officer/; Level 2: LFM/ Mechanic Driver/Head Constable/Store Superintendant; Level 1: FM/ FM Driver/Radio Technician/ SGFM/ Driver/Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; Level 0: Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Tindal.

Table 31-19: Fire manpower gap in operational Fire Stations for ideal jurisdiction area

District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Baksa	1	0	0	0	0	0	0	1	3	1	22	0	27
Barpeta	5	0	0	0	0	2	2	11	28	57	379	0	479
Bongaigaon	2	0	0	0	0	0	1	5	10	27	152	0	195
Cachar	8	0	0	1	0	1	3	16	41	106	587	4	759
Chirang	2	0	0	0	0	1	2	4	11	25	148	0	191
Darrang	3	0	0	0	0	1	1	7	15	30	188	0	242
Dhemaji	3	0	0	0	0	1	1	5	17	40	225	0	289
Dhubri	6	0	0	0	0	1	2	13	33	88	491	1	629
Dibrugarh	3	0	1	1	0	1	-4	4	11	29	194	0	237
Dima Hasao	3	0	0	0	0	1	1	2	11	24	101	2	142
Goalpara	3	0	0	0	0	1	2	6	12	40	243	0	304
Golaghat	4	0	0	0	0	1	1	8	19	39	213	0	281
Hailakandi	2	0	0	0	0	0	1	6	11	37	210	0	265
Jorhat	5	0	0	0	0	1	2	8	26	83	448	0	568
Kamrup Metropolitan	7	2	1	1	0	-3	1	13	28	74	515	0	632
Kamrup Rural	6	0	0	0	0	1	3	8	18	31	237	0	298
Karbi Anglong	3	0	0	0	0	1	1	3	12	21	138	0	176
Karimganj	4	0	0	0	0	1	2	18	37	109	678	2	847



District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Kokrajhar	3	0	0	0	0	1	2	5	14	34	186	0	242
Lakhimpur	3	0	0	0	0	1	1	4	14	40	203	0	263
Morigaon	3	0	0	0	0	1	1	8	14	48	278	0	350
Nagaon	11	0	0	0	0	1	3	21	53	146	807	0	1031
Nalbari	4	0	0	0	0	1	2	3	12	13	105	0	136
Sivasagar	4	0	0	0	0	1	2	8	18	51	285	0	365
Sonitpur	6	0	0	1	0	1	1	14	34	86	526	0	663
Tinsukia	4	0	0	0	0	1	2	5	21	51	276	0	356
Udalguri	2	0	0	0	0	1	-3	2	6	11	85	0	102
Total	110	2	2	4	0	21	33	208	529	1,341	7920	9	10,069

Level 10: Director General/Director/Joint Director/Deputy Director; Level 9: CFO/CO; Level 8: Deputy CFO; Level 7: Deputy Controller; Level 6: DO/DFO/Inspector/EO/Fire Supervisor; Level 5: ADO/ADFO/AFO/Fire In-charge; Level 4: St. O/Sub Inspector/Station In-charge/ASt O./AEO; Level 3: S O/Assistant Sub Inspector/ASO/Sub-Fire Officer/; Level 2: LFM/ Mechanic Driver/Head Constable/Store Superintendant; Level 1: FM/ FM Driver/Radio Technician/ SGFM/ Driver/Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; Level 0: Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Tindal.

Table 31-20: Total fire manpower gap for operational and new urban Fire Stations

District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Baksa	1	0	0	0	0	0	0	1	3	1	22	0	27
Barpeta	5	0	0	0	0	2	2	11	28	57	379	0	479
Bongaigaon	3	0	0	0	0	0	1	6	12	29	183	1	232
Cachar	8	0	0	1	0	1	3	16	41	106	587	4	759
Chirang	2	0	0	0	0	1	2	4	11	25	148	0	191
Darrang	3	0	0	0	0	1	1	7	15	30	188	0	242
Dhemaji	3	0	0	0	0	1	1	5	17	40	225	0	289
Dhubri	8	0	0	0	0	1	2	13	38	93	522	3	672
Dibrugarh	11	0	1	1	0	1	-3	10	31	49	397	8	495
Dima Hasao	3	0	0	0	0	1	1	2	11	24	101	2	142



							Delivering a wo	orld of solution	5				
District	Fire	Level	Level	Level	Level	Level	Level	Level	Level	Level	Level	Level	Total
	Stations	10	9	8	7	6	5	4	3	2	1	0	Staff
Goalpara	3	0	0	0	0	1	2	6	12	40	243	0	304
Golaghat	4	0	0	0	0	1	1	8	19	39	213	0	281
Hailakandi	2	0	0	0	0	0	1	6	11	37	210	0	265
Jorhat	5	0	0	0	0	1	2	8	26	83	448	0	568
Kamrup Metropolitan	11	2	1	1	0	-3	1	15	39	89	624	4	773
Kamrup Rural	7	0	0	0	0	1	3	8	20	33	253	1	319
Karbi Anglong	3	0	0	0	0	1	1	3	12	21	138	0	176
Karimganj	4	0	0	0	0	1	2	18	37	109	678	2	847
Kokrajhar	3	0	0	0	0	1	2	5	14	34	186	0	242
Lakhimpur	3	0	0	0	0	1	1	4	14	40	203	0	263
Morigaon	3	0	0	0	0	1	1	8	14	48	278	0	350
Nagaon	11	0	0	0	0	1	3	21	53	146	807	0	1031
Nalbari	4	0	0	0	0	1	2	3	12	13	105	0	136
Sivasagar	5	0	0	0	0	1	2	9	22	58	332	1	425
Sonitpur	10	0	0	1	0	1	2	14	44	96	588	4	750
Tinsukia	8	0	0	0	0	1	3	5	31	61	338	4	443
Udalguri	2	0	0	0	0	1	-3	2	6	11	85	0	102
Total	135	2	2	4	0	21	36	218	593	1,412	8,481	34	10,803

Level 10: Director General/Director/Joint Director/Deputy Director; Level 9: CFO/CO; Level 8: Deputy CFO; Level 7: Deputy Controller; Level 6: DO/DFO/Inspector/EO/Fire Supervisor; Level 5: ADO/ADFO/AFO/Fire In-charge; Level 4: St.O/Sub Inspector/Station In-charge/ASt O./AEO; Level 3: S O/Assistant Sub Inspector/ASO/Sub-Fire Officer/; Level 2: LFM/ Mechanic Driver/Head Constable/Store Superintendant; Level 1: FM/ FM Driver/Radio Technician/ SGFM/ Driver/Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; Level 0: Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Tindal.



Table 31-21: Additional fire manpower required for new rural Fire Stations

District	Fire	Level	Total										
	Stations	10	9	8	7	6	5	4	3	2	1	0	Staff
Baksa	5	0	0	0	0	0	0	9	25	55	265	5	359
Barpeta	5	0	0	0	0	0	0	15	32	71	378	5	501
Bongaigaon	0	0	0	0	0	0	0	0	0	0	0	0	0
Cachar	0	0	0	0	0	0	0	0	0	0	0	0	0
Chirang	3	0	0	0	0	0	0	4	13	26	122	3	168
Darrang	1	0	0	0	0	0	0	2	6	13	65	1	87
Dhemaji	2	0	0	0	0	0	0	4	11	24	113	2	154
Dhubri	2	0	0	0	0	0	0	9	17	46	268	2	342
Dibrugarh	4	0	0	0	0	0	0	7	21	48	229	4	309
Dima Hasao	1	0	0	0	0	0	0	0	3	6	21	1	31
Goalpara	3	0	0	0	0	0	0	6	16	35	179	3	239
Golaghat	4	0	0	0	0	0	0	4	17	35	156	4	216
Hailakandi	0	0	0	0	0	0	0	0	0	0	0	0	0
Jorhat	1	0	0	0	0	0	0	2	6	13	65	1	87
Kamrup Metropolitan	2	0	0	0	0	0	0	1	7	13	57	2	80
Kamrup Rural	5	0	0	0	0	0	0	10	24	53	267	5	359
Karbi Anglong	2	0	0	0	0	0	0	9	17	46	268	2	342
Karimganj	0	0	0	0	0	0	0	0	0	0	0	0	0
Kokrajhar	2	0	0	0	0	0	0	2	10	22	99	2	135
Lakhimpur	5	0	0	0	0	0	0	7	20	39	210	5	281
Morigaon	1	0	0	0	0	0	0	2	6	13	65	1	87
Nagaon	1	0	0	0	0	0	0	2	6	13	65	1	87
Nalbari	2	0	0	0	0	0	0	6	13	30	157	2	208
Sivasagar	2	0	0	0	0	0	0	5	11	27	130	2	175
Sonitpur	5	0	0	0	0	0	0	5	20	39	179	5	248



District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Tinsukia	4	0	0	0	0	0	0	7	21	47	216	4	295
Udalguri	5	0	0	0	0	0	0	10	25	55	281	5	376
Total	67	0	0	0	0	0	0	128	347	769	3,855	67	5,166

Level 10: Director General/Director/Joint Director/Deputy Director; Level 9: CFO/CO; Level 8: Deputy CFO; Level 7: Deputy Controller; Level 6: DO/DFO/Inspector/EO/Fire Supervisor; Level 5: ADO/ADFO/AFO/Fire In-charge; Level 4: St. O/Sub Inspector/Station In-charge/ASt O./AEO; Level 3: S O/Assistant Sub Inspector/ASO/Sub-Fire Officer/; Level 2: LFM/ Mechanic Driver/Head Constable/Store Superintendant; Level 1: FM/ FM Driver/Radio Technician/ SGFM/ Driver/Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; Level 0: Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Tindal.



31.3.4 Fire Station Building Infrastructure Gap

Depending upon the number of pumping units, no of bays in a Fire Station has been estimated. However, in order to consider future growth in population, a minimum two bay Fire Station has been proposed, even at a Fire Station having requirement of one pumping unit. Accordingly, gaps in operational Fire Stations, new urban and rural Fire Stations have been given in Table 31-22.

Table 31-22: Fire Station building required for gap in operational, new urban and new rural Fire Stations (no. of bays)

District	Fire Stations	Bay1	Bay2	Bay3	Bay4	Bay5	Bay6	Bay7	Bay More Than 7
Baksa	6	1	2	0	2	1	0	0	0
Barpeta	10	0	1	1	1	1	3	1	1
Bongaigaon	3	0	0	0	0	0	2	0	0
Cachar	8	-1	1	2	-1	2	2	0	1
Chirang	5	1	0	0	2	0	0	1	0
Darrang	4	0	-1	1	1	0	2	0	0
Dhemaji	5	1	1	1	0	0	1	0	1
Dhubri	10	3	-1	0	0	1	2	0	3
Dibrugarh	15	4	5	0	2	1	0	0	1
Dima Hasao	4	3	0	0	-1	0	0	1	0
Goalpara	6	0	2	1	1	1	0	0	1
Golaghat	8	2	1	0	0	1	1	1	0
Hailakandi	2	0	0	0	1	0	0	0	1
Jorhat	6	1	0	2	1	-1	0	0	2
Kamrup Metropolitan	13	3	2	1	0	1	0	0	2
Kamrup Rural	12	1	4	0	3	1	0	1	0
Karbi Anglong	5	0	2	0	-1	0	1	1	1
Karimganj	4	0	-2	0	0	-1	1	0	3
Kokrajhar	5	1	-1	1	0	2	1	0	0
Lakhimpur	8	1	4	1	1	0	0	0	1
Morigaon	4	0	0	1	1	0	0	0	1
Nagaon	12	0	-2	4	2	1	2	0	2
Nalbari	6	1	1	0	1	0	1	1	0
Sivasagar	7	0	0	1	1	0	1	0	1
Sonitpur	15	6	2	1	1	1	0	0	2
Tinsukia	12	6	0	1	3	1	0	0	1
Udalguri	7	1	2	0	2	1	1	0	0
Total	202	35	23	19	23	14	21	7	25



31.4 Investment and Financial Analysis

31.4.1 CAPITAL COST

Building Infrastructure Cost:

Table 31-23 provides details of the Fire Station building infrastructure cost analysis in Assam State. The ideal requirement of land for a Fire Station is 2 ½ acres, however, a 2 bay Fire Station may be constructed in a one acre land. It may be noted that land cost will vary from time to time and place to place; hence it has not been added in cost estimates. The civil construction cost estimation involves cost of Fire Station building including stores, offices, residential quarters, static water tanks, which will vary in size depending upon the number of bays (garage) in a Fire Station. Accordingly, total cost estimates for one, two, three, five, and seven bay Fire Stations (based on the P.W. D. norms) is about 150 Lakhs, 300 Lakhs, 450 Lakhs, 700 Lakhs, 950 Lakhs.

Table 31-23: Cost (in Lakhs Rupees) of Fire Station building (no. of bays) required for gap in operational, new urban and new rural Fire Stations

District	Fire Stations	Bay1	Bay2	Bay3	Bay4	Bay5	Bay6	Вау7	Bay More Than 7	Total Bay construction cost
Baksa	6	150.00	600.00	0.00	1,150.00	700.00	0.00	0.00	0.00	2,600.00
Barpeta	10	0.00	300.00	450.00	575.00	700.00	2,475.00	950.00	950.00	6,400.00
Bongaigaon	3	0.00	0.00	0.00	0.00	0.00	1,650.00	0.00	0.00	1,650.00
Cachar	8	-150.00	300.00	900.00	-575.00	1,400.00	1,650.00	0.00	950.00	4,475.00
Chirang	5	150.00	0.00	0.00	1,150.00	0.00	0.00	950.00	0.00	2,250.00
Darrang	4	0.00	-300.00	450.00	575.00	0.00	1,650.00	0.00	0.00	2,375.00
Dhemaji	5	150.00	300.00	450.00	0.00	0.00	825.00	0.00	950.00	2,675.00
Dhubri	10	450.00	-300.00	0.00	0.00	700.00	1,650.00	0.00	2,850.00	5,350.00
Dibrugarh	15	600.00	1,500.00	0.00	1,150.00	700.00	0.00	0.00	950.00	4,900.00
Dima Hasao	4	450.00	0.00	0.00	-575.00	0.00	0.00	950.00	0.00	825.00
Goalpara	6	0.00	600.00	450.00	575.00	700.00	0.00	0.00	950.00	3,275.00
Golaghat	8	300.00	300.00	0.00	0.00	700.00	825.00	950.00	0.00	3,075.00
Hailakandi	2	0.00	0.00	0.00	575.00	0.00	0.00	0.00	950.00	1,525.00
Jorhat	6	150.00	0.00	900.00	575.00	-700.00	0.00	0.00	1,900.00	2,825.00
Kamrup Metropolitan	13	450.00	600.00	450.00	0.00	700.00	0.00	0.00	1,900.00	4,100.00



	1					Delivering a world of	solutions			
District	Fire Stations	Bay1	Bay2	Вау3	Bay4	Вау5	Bay6	Вау7	Bay More Than 7	Total Bay construction cost
Kamrup Rural	12	150.00	1,200.00	0.00	1,725.00	700.00	0.00	950.00	0.00	4,725.00
Karbi Anglong	5	0.00	600.00	0.00	-575.00	0.00	825.00	950.00	950.00	2,750.00
Karimganj	4	0.00	-600.00	0.00	0.00	-700.00	825.00	0.00	2,850.00	2,375.00
Kokrajhar	5	150.00	-300.00	450.00	0.00	1,400.00	825.00	0.00	0.00	2,525.00
Lakhimpur	8	150.00	1,200.00	450.00	575.00	0.00	0.00	0.00	950.00	3,325.00
Morigaon	4	0.00	0.00	450.00	575.00	0.00	0.00	0.00	950.00	1,975.00
Nagaon	12	0.00	-600.00	1,800.00	1,150.00	700.00	1,650.00	0.00	1,900.00	6,600.00
Nalbari	6	150.00	300.00	0.00	575.00	0.00	825.00	950.00	0.00	2,800.00
Sivasagar	7	0.00	0.00	450.00	575.00	0.00	825.00	0.00	950.00	2,800.00
Sonitpur	15	900.00	600.00	450.00	575.00	700.00	0.00	0.00	1,900.00	5,125.00
Tinsukia	12	900.00	0.00	450.00	1,725.00	700.00	0.00	0.00	950.00	4,725.00
Udalguri	7	150.00	600.00	0.00	1,150.00	700.00	825.00	0.00	0.00	3,425.00
Total	202	5,250.00	6,900.00	8,550.00	13,225.00	9,800.00	17,325.00	6,650.00	23,750.00	91,450.00

Thus, total estimated capital cost for the Fire Stations building development for gap in operational and all the proposed and new urban and rural Fire Stations is **Rs. 914.5 Crores** (Table 31-23).

Firefighting and Rescue Vehicles and Specialized Equipment Cost:

The costs of different fire fighting vehicles and specialized equipment including communication sets (static and mobile VHF sets) have been taken as approximate rates quoted by fire equipment suppliers. Accordingly, capital cost for fire fighting vehicles and equipment for all the districts in Assam State have been estimated (Tables 31-24 to 31-29).



Table 31-24: Cost estimates (in Lakhs Rupees) for gap in fire fighting vehicles for operational and new urban Fire Stations

District	Fire Stations	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle Cost
Baksa	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.00	7.00	0.00	0.00	0.00	16.00
Barpeta	5	-35.00	90.00	0.00	1,000.00	0.00	70.00	60.00	60.00	0.00	45.00	34.00	0.00	0.00	40.00	1,364.00
Bongaigaon	3	35.00	60.00	40.00	500.00	0.00	35.00	30.00	30.00	0.00	18.00	14.00	0.00	0.00	20.00	782.00
Cachar	8	280.00	150.00	120.00	500.00	500.00	35.00	30.00	30.00	0.00	54.00	47.00	0.00	0.00	20.00	1,766.00
Chirang	2	0.00	0.00	80.00	500.00	0.00	35.00	30.00	30.00	0.00	18.00	14.00	0.00	0.00	20.00	727.00
Darrang	3	-35.00	90.00	0.00	500.00	0.00	35.00	30.00	30.00	0.00	27.00	20.00	0.00	0.00	20.00	717.00
Dhemaji	3	-35.00	0.00	80.00	500.00	0.00	35.00	30.00	30.00	0.00	27.00	20.00	0.00	0.00	20.00	707.00
Dhubri	8	315.00	120.00	0.00	500.00	0.00	35.00	30.00	30.00	0.00	54.00	41.00	0.00	0.00	20.00	1,145.00
Dibrugarh	11	105.00	60.00	120.00	500.00	500.00	35.00	60.00	30.00	0.00	18.00	14.00	0.00	0.00	20.00	1,462.00
Dima Hasao	3	-175.00	0.00	0.00	500.00	0.00	35.00	30.00	30.00	0.00	27.00	20.00	0.00	0.00	20.00	487.00
Goalpara	3	0.00	60.00	-40.00	500.00	0.00	35.00	30.00	30.00	0.00	27.00	20.00	0.00	0.00	20.00	682.00
Golaghat	4	-70.00	90.00	80.00	500.00	0.00	35.00	30.00	30.00	0.00	36.00	27.00	0.00	0.00	20.00	778.00
Hailakandi	2	0.00	30.00	0.00	500.00	0.00	35.00	30.00	30.00	0.00	18.00	14.00	0.00	0.00	20.00	677.00
Jorhat	5	70.00	30.00	120.00	500.00	500.00	35.00	30.00	30.00	0.00	45.00	34.00	0.00	0.00	20.00	1,414.00
Kamrup Metropolitan	11	-140.00	30.00	280.00	500.00	1,000.00	175.00	60.00	30.00	0.00	9.00	20.00	0.00	0.00	40.00	2,004.00
Kamrup Rural	7	0.00	30.00	40.00	500.00	0.00	35.00	30.00	30.00	0.00	45.00	34.00	0.00	0.00	20.00	764.00
Karbi Anglong	3	-70.00	0.00	40.00	500.00	0.00	35.00	30.00	30.00	0.00	27.00	20.00	0.00	0.00	20.00	632.00
Karimganj	4	455.00	210.00	80.00	500.00	0.00	35.00	30.00	30.00	0.00	36.00	27.00	0.00	0.00	20.00	1,423.00
Kokrajhar	3	-70.00	90.00	0.00	500.00	0.00	35.00	30.00	30.00	0.00	27.00	20.00	0.00	0.00	20.00	682.00
Lakhimpur	3	-35.00	30.00	0.00	500.00	0.00	35.00	30.00	30.00	0.00	27.00	20.00	0.00	0.00	20.00	657.00
Morigaon	3	35.00	90.00	0.00	500.00	0.00	35.00	30.00	30.00	0.00	27.00	20.00	0.00	0.00	20.00	787.00



District	Fire Stations	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	מאד	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle Cost
Nagaon	11	350.00	210.00	240.00	500.00	500.00	35.00	30.00	30.00	0.00	90.00	68.00	0.00	0.00	20.00	2,073.00
Nalbari	4	-70.00	0.00	0.00	500.00	0.00	35.00	30.00	30.00	0.00	27.00	20.00	0.00	0.00	20.00	592.00
Sivasagar	5	105.00	60.00	80.00	500.00	0.00	35.00	30.00	30.00	0.00	27.00	20.00	0.00	0.00	20.00	907.00
Sonitpur	10	280.00	60.00	120.00	500.00	500.00	35.00	60.00	30.00	0.00	54.00	41.00	0.00	0.00	40.00	1,720.00
Tinsukia	8	70.00	0.00	80.00	500.00	0.00	35.00	30.00	30.00	0.00	36.00	27.00	0.00	0.00	20.00	828.00
Udalguri	2	-70.00	0.00	0.00	500.00	0.00	35.00	30.00	30.00	0.00	9.00	7.00	0.00	0.00	20.00	561.00
Total	135	1,295.00	1,590.00	1,560.00	13,500.00	3,500.00	1,085.00	900.00	810.00	0.00	864.00	668.00	0.00	0.00	580.00	26,352.00

Table 31-25: Cost estimates (in Lakhs Rupees) for gap in fire vehicles for new rural Fire Stations

District	Fire Stations	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambu-lances	Education Vans	Total Vehicle Cost
Baksa	5	315.00	210.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	45.00	33.75	0.00	0.00	0.00	603.75
Barpeta	5	420.00	360.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	45.00	33.75	0.00	0.00	0.00	858.75
Bongaigaon	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cachar	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Chirang	3	140.00	30.00	80.00	0.00	0.00	0.00	0.00	0.00	0.00	27.00	20.25	0.00	0.00	0.00	297.25
Darrang	1	70.00	60.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.00	6.75	0.00	0.00	0.00	145.75
Dhemaji	2	140.00	60.00	40.00	0.00	0.00	0.00	0.00	0.00	0.00	18.00	13.50	0.00	0.00	0.00	271.50
Dhubri	2	280.00	180.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.00	13.50	0.00	0.00	0.00	491.50
Dibrugarh	4	280.00	90.00	120.00	0.00	0.00	0.00	0.00	0.00	0.00	36.00	27.00	0.00	0.00	0.00	553.00
Dima Hasao	1	35.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.00	6.75	0.00	0.00	0.00	50.75



								20111	orning a morn	d of solutions						
District	Fire Stations	Water Tenders	Water Bowsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambu-lances	Education Vans	Total Vehicle Cost
Goalpara	3	210.00	150.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27.00	20.25	0.00	0.00	0.00	407.25
Golaghat	4	210.00	60.00	40.00	0.00	0.00	0.00	0.00	0.00	0.00	36.00	27.00	0.00	0.00	0.00	373.00
Hailakandi	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jorhat	1	70.00	30.00	40.00	0.00	0.00	0.00	0.00	0.00	0.00	9.00	6.75	0.00	0.00	0.00	155.75
Kamrup Metropolitan	2	70.00	30.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.00	13.50	0.00	0.00	0.00	131.50
Kamrup Rural	5	280.00	240.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	45.00	33.75	0.00	0.00	0.00	598.75
Karbi Anglong	2	280.00	180.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.00	13.50	0.00	0.00	0.00	491.50
Karimganj	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kokrajhar	2	140.00	60.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.00	13.50	0.00	0.00	0.00	231.50
Lakhimpur	5	210.00	60.00	160.00	0.00	0.00	0.00	0.00	0.00	0.00	45.00	33.75	0.00	0.00	0.00	508.75
Morigaon	1	70.00	60.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.00	6.75	0.00	0.00	0.00	145.75
Nagaon	1	70.00	30.00	40.00	0.00	0.00	0.00	0.00	0.00	0.00	9.00	6.75	0.00	0.00	0.00	155.75
Nalbari	2	175.00	150.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.00	13.50	0.00	0.00	0.00	356.50
Sivasagar	2	140.00	60.00	80.00	0.00	0.00	0.00	0.00	0.00	0.00	18.00	13.50	0.00	0.00	0.00	311.50
Sonitpur	5	210.00	120.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	45.00	33.75	0.00	0.00	0.00	408.75
Tinsukia	4	245.00	150.00	40.00	0.00	0.00	0.00	0.00	0.00	0.00	36.00	27.00	0.00	0.00	0.00	498.00
Udalguri	5	315.00	240.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	45.00	33.75	0.00	0.00	0.00	633.75
Total	67	4,375.00	2,610.00	640.00	0.00	0.00	0.00	0.00	0.00	0.00	603.00	452.25	0.00	0.00	0.00	8,680.25



Table 31-26: Cost estimate (in Lakhs Rupees) for gap in fire fighting specialized equipment for operational and new urban Fire Stations

District	Fire Stations	Hydraulic Rescue Tools	Combi Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters / Hammers for Wood	Hydraulic / anual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Baksa	1	-15.00	0.00	4.80	1.50	0.40	0.00	0.00	0.50	0.30	10.00	0.00	0.00	4.00	0.00
Barpeta	5	15.00	20.00	28.80	9.00	2.00	20.00	1.60	3.00	1.80	42.50	2.40	13.00	24.00	0.00
Bongaigaon	3	-15.00	10.00	18.80	4.50	1.20	20.00	1.60	1.50	0.90	27.50	1.20	13.00	18.00	0.00
Cachar	8	30.00	20.00	71.20	15.00	4.60	20.00	0.80	5.00	3.00	107.50	2.40	13.00	66.00	0.00
Chirang	2	15.00	10.00	13.60	3.00	0.90	10.00	0.80	1.00	0.60	22.50	1.20	6.50	12.00	0.00
Darrang	3	15.00	2.50	20.40	6.00	1.50	10.00	0.80	2.00	1.20	25.00	0.60	6.50	20.00	0.00
Dhemaji	3	15.00	10.00	18.00	6.00	1.30	10.00	0.80	2.00	1.20	32.50	1.50	6.50	16.00	0.00
Dhubri	8	45.00	15.00	55.20	13.50	3.90	30.00	2.40	4.50	2.70	87.50	2.10	19.50	50.00	0.00
Dibrugarh	11	180.00	50.00	33.60	21.00	2.80	120.00	9.60	7.00	3.30	50.00	6.00	78.00	32.00	0.00
Dima Hasao	3	0.00	10.00	8.40	6.00	0.80	10.00	0.80	2.00	1.20	15.00	1.20	6.50	4.00	0.00
Goalpara	3	-45.00	15.00	19.20	6.00	1.40	10.00	0.80	2.00	1.20	30.00	1.80	6.50	16.00	0.00
Golaghat	4	15.00	7.50	24.00	7.50	1.30	10.00	0.80	2.50	1.50	32.50	1.20	6.50	24.00	0.00
Hailakandi	2	15.00	10.00	13.20	3.00	0.80	10.00	0.80	1.00	0.60	20.00	1.50	6.50	12.00	0.00
Jorhat	5	15.00	12.50	38.00	7.50	2.40	10.00	0.80	3.00	1.80	62.50	1.50	6.50	38.00	0.00
Kamrup Metropolitan	11	165.00	80.00	51.20	18.00	3.50	120.00	6.40	6.00	3.60	82.50	9.90	78.00	42.00	0.00
Kamrup Rural	7	15.00	15.00	33.20	12.00	2.20	30.00	2.40	4.00	2.40	47.50	2.10	19.50	22.00	0.00
Karbi Anglong	3	-30.00	7.50	14.00	6.00	1.10	10.00	0.80	2.00	1.20	22.50	1.20	6.50	10.00	0.00
Karimganj	4	15.00	25.00	62.40	7.50	4.00	10.00	0.80	2.50	1.50	100.00	3.30	6.50	60.00	0.00
Kokrajhar	3	-15.00	2.50	19.20	6.00	1.30	10.00	0.80	2.00	1.20	30.00	0.60	6.50	14.00	0.00
Lakhimpur	3	0.00	10.00	15.60	6.00	1.10	10.00	0.80	2.00	1.20	25.00	1.50	6.50	14.00	0.00



District	Fire Stations	Hydraulic Rescue Tools	Combi Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters / Hammers for Wood	Hydraulic / anual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Morigaon	3	15.00	17.50	22.40	6.00	1.50	10.00	0.80	2.00	1.20	40.00	2.40	6.50	20.00	0.00
Nagaon	11	0.00	17.50	96.40	19.50	6.50	20.00	1.60	6.50	3.90	132.50	2.40	13.00	90.00	0.00
Nalbari	4	30.00	12.50	11.60	7.50	0.90	20.00	1.60	2.50	1.50	20.00	1.80	13.00	8.00	0.00
Sivasagar	5	45.00	25.00	30.80	9.00	2.10	30.00	2.40	3.00	1.80	40.00	3.30	19.50	28.00	0.00
Sonitpur	10	75.00	22.50	54.00	18.00	4.10	60.00	4.80	6.00	-0.30	70.00	2.70	39.00	50.00	0.00
Tinsukia	8	90.00	22.50	31.60	15.00	2.60	60.00	4.80	5.00	3.00	45.00	3.00	39.00	28.00	0.00
Udalguri	2	30.00	10.00	4.00	3.00	0.40	20.00	1.60	1.00	0.60	0.00	1.20	13.00	-2.00	0.00
Total	135	720.00	460.00	813.60	243.00	56.60	700.00	52.00	81.50	44.10	1,220.00	60.00	455.00	720.00	0.00

Table 31-27: Cost estimate (in Lakhs Rupees) for gap in fire fighting specialized equipment for operational and new urban Fire Stations (contd...)

District	Fire Stations	Diving Suits (Dry Type)	Diving Suits (Wet Type)	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boats	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Baksa	1.00	0.00	0.00	2.10	0.00	0.00	1.60	0.00	0.27	0.68	0.48	0.30	11.93
Barpeta	5.00	0.00	0.00	-12.60	-1.00	10.00	10.40	0.00	1.62	6.12	4.32	1.80	203.76
Bongaigaon	3.00	0.00	0.00	4.20	1.00	10.00	5.60	0.00	0.81	3.23	2.28	0.90	131.22
Cachar	8.00	0.00	0.00	18.90	1.00	10.00	19.60	0.00	2.70	9.52	6.72	3.00	429.94
Chirang	2.00	0.00	0.00	4.20	1.00	5.00	4.40	0.00	0.54	2.72	1.92	0.60	117.48
Darrang	3.00	0.00	0.00	6.30	-1.00	5.00	6.80	0.00	1.08	3.74	2.64	1.20	137.26
Dhemaji	3.00	0.00	0.00	8.40	-1.00	5.00	5.60	0.00	1.08	3.23	2.28	1.20	146.59



District	Fire Stations	Diving Suits (Dry Type)	Diving Suits (Wet Type)	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boats	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Dhubri	8.00	0.00	0.00	18.90	2.00	15.00	16.00	0.00	2.43	7.65	5.64	2.70	401.62
Dibrugarh	11.00	0.00	0.00	27.30	10.00	60.00	10.00	0.00	3.78	5.61	4.20	4.20	718.39
Dima Hasao	3.00	0.00	0.00	6.30	0.00	5.00	4.00	0.00	1.08	2.38	1.68	1.20	87.54
Goalpara	3.00	0.00	0.00	6.30	-1.00	5.00	6.40	0.00	1.08	3.40	2.40	1.20	89.68
Golaghat	4.00	0.00	0.00	8.40	-2.00	5.00	8.00	0.00	1.35	4.25	3.00	1.50	163.80
Hailakandi	2.00	0.00	0.00	2.10	1.00	5.00	4.80	0.00	0.54	2.89	2.04	0.60	113.37
Jorhat	5.00	0.00	0.00	10.50	-1.00	5.00	12.00	0.00	1.62	6.12	4.32	1.80	239.86
Kamrup Metropolitan	11.00	0.00	0.00	23.10	9.00	50.00	12.00	0.00	1.89	8.67	5.76	3.90	780.42
Kamrup Rural	7.00	0.00	0.00	16.80	0.00	15.00	9.60	0.00	2.16	5.10	3.72	2.40	262.08
Karbi Anglong	3.00	0.00	0.00	6.30	1.00	5.00	4.80	0.00	1.08	2.89	2.04	1.20	77.11
Karimganj	4.00	0.00	0.00	10.50	1.00	5.00	17.20	0.00	1.35	8.16	5.76	1.50	348.97
Kokrajhar	3.00	0.00	0.00	6.30	0.00	5.00	6.00	0.00	1.08	3.40	2.40	1.20	104.48
Lakhimpur	3.00	0.00	0.00	8.40	0.00	5.00	5.20	0.00	1.08	3.06	2.16	1.20	119.80
Morigaon	3.00	0.00	0.00	6.30	0.00	5.00	7.20	0.00	1.08	3.91	2.64	1.20	172.63
Nagaon	11.00	0.00	0.00	25.20	-3.00	10.00	28.40	0.00	3.51	13.09	9.24	3.90	500.14
Nalbari	4.00	0.00	0.00	8.40	-1.00	10.00	4.40	0.00	1.35	2.89	2.04	1.50	160.48
Sivasagar	5.00	0.00	0.00	10.50	1.00	15.00	9.60	0.00	1.62	4.93	3.60	1.80	287.95
Sonitpur	10.00	0.00	0.00	0.00	4.00	30.00	16.40	0.00	3.24	8.33	6.24	3.60	477.61
Tinsukia	8.00	0.00	0.00	12.60	4.00	30.00	10.00	0.00	2.70	5.10	3.96	3.00	420.86
Udalguri	2.00	0.00	0.00	4.20	1.00	10.00	2.00	0.00	0.54	1.70	1.20	0.60	104.04
Total	135.00	0.00	0.00	249.90	26.00	340.00	248.00	0.00	42.66	132.77	94.68	49.20	6809.01



Table 31-28: Cost estimate (in Lakhs Rupees) for gap in specialized fire equipment for new rural Fire Stations

District	Fire Stations	Hydraulic Rescue Tools	Combi Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters / Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Baksa	5	0.00	0.00	35.60	9.00	2.50	0.00	0.00	3.00	1.80	62.50	0.00	0.00	42.00	0.00
Barpeta	5	0.00	0.00	50.80	9.00	3.50	0.00	0.00	3.00	1.80	87.50	0.00	0.00	58.00	0.00
Bongaigaon	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cachar	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Chirang	3	0.00	0.00	16.40	6.00	1.20	0.00	0.00	2.00	1.20	30.00	0.00	0.00	20.00	0.00
Darrang	1	0.00	0.00	8.80	1.50	0.60	0.00	0.00	0.50	0.30	15.00	0.00	0.00	10.00	0.00
Dhemaji	2	0.00	0.00	15.20	3.00	1.10	0.00	0.00	1.00	0.60	27.50	0.00	0.00	18.00	0.00
Dhubri	2	0.00	0.00	28.80	3.00	1.90	0.00	0.00	1.00	0.60	47.50	0.00	0.00	32.00	0.00
Dibrugarh	4	0.00	0.00	30.80	7.50	2.20	0.00	0.00	2.50	1.50	55.00	0.00	0.00	36.00	0.00
Dima Hasao	1	0.00	0.00	2.80	1.50	0.20	0.00	0.00	0.50	0.30	5.00	0.00	0.00	4.00	0.00
Goalpara	3	0.00	0.00	24.00	6.00	1.70	0.00	0.00	2.00	1.20	42.50	0.00	0.00	28.00	0.00
Golaghat	4	0.00	0.00	21.20	7.50	1.60	0.00	0.00	2.50	1.50	40.00	0.00	0.00	26.00	0.00
Hailakandi	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jorhat	1	0.00	0.00	8.80	1.50	0.60	0.00	0.00	0.50	0.30	15.00	0.00	0.00	10.00	0.00
Kamrup Metropolitan	2	0.00	0.00	7.60	3.00	0.60	0.00	0.00	1.00	0.60	15.00	0.00	0.00	10.00	0.00
Kamrup Rural	5	0.00	0.00	35.60	9.00	2.50	0.00	0.00	3.00	1.80	62.50	0.00	0.00	42.00	0.00
Karbi Anglong	2	0.00	0.00	28.80	3.00	1.90	0.00	0.00	1.00	0.60	47.50	0.00	0.00	32.00	0.00
Karimganj	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kokrajhar	2	0.00	0.00	13.60	3.00	1.00	0.00	0.00	1.00	0.60	25.00	0.00	0.00	16.00	0.00
Lakhimpur	5	0.00	0.00	28.00	9.00	2.00	0.00	0.00	3.00	1.80	50.00	0.00	0.00	34.00	0.00
Morigaon	1	0.00	0.00	8.80	1.50	0.60	0.00	0.00	0.50	0.30	15.00	0.00	0.00	10.00	0.00



									g a world of so						
District	Fire Stations	Hydraulic Rescue Tools	Combi Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters / Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Nagaon	1	0.00	0.00	8.80	1.50	0.60	0.00	0.00	0.50	0.30	15.00	0.00	0.00	10.00	0.00
Nalbari	2	0.00	0.00	21.20	3.00	1.40	0.00	0.00	1.00	0.60	35.00	0.00	0.00	24.00	0.00
Sivasagar	2	0.00	0.00	17.20	3.00	1.20	0.00	0.00	1.00	0.60	30.00	0.00	0.00	20.00	0.00
Sonitpur	5	0.00	0.00	24.00	9.00	1.80	0.00	0.00	3.00	1.80	45.00	0.00	0.00	30.00	0.00
Tinsukia	4	0.00	0.00	28.80	7.50	2.00	0.00	0.00	2.50	1.50	50.00	0.00	0.00	34.00	0.00
Udalguri	5	0.00	0.00	37.60	9.00	2.60	0.00	0.00	3.00	1.80	65.00	0.00	0.00	44.00	0.00
Total	67	0.00	0.00	503.20	117.00	35.30	0.00	0.00	39.00	23.40	882.50	0.00	0.00	590.00	0.00



Table 31-29: Cost estimate (in Lakhs Rupees) for gap in specialized fire equipment for new rural Fire Stations (continued...)

District	Fire Stations	Diving Suits (Dry Type)	Diving Suits (Wet Type)	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boats	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Baksa	5	0.00	0.00	12.60	0.00	0.00	10.00	0.00	1.62	4.25	3.00	1.80	189.67
Barpeta	5	0.00	0.00	12.60	0.00	0.00	14.00	0.00	1.62	5.95	4.20	1.80	253.77
Bongaigaon	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
Cachar	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
Chirang	3	0.00	0.00	8.40	0.00	0.00	4.80	0.00	1.08	2.04	1.44	1.20	95.76
Darrang	1	0.00	0.00	2.10	0.00	0.00	2.40	0.00	0.27	1.02	0.72	0.30	43.51
Dhemaji	2	0.00	0.00	4.20	0.00	0.00	4.40	0.00	0.54	1.87	1.32	0.60	79.33
Dhubri	2	0.00	0.00	4.20	0.00	0.00	7.60	0.00	0.54	3.23	2.28	0.60	133.25
Dibrugarh	4	0.00	0.00	10.50	0.00	0.00	8.80	0.00	1.35	3.74	2.64	1.50	164.03
Dima Hasao	1	0.00	0.00	2.10	0.00	0.00	0.80	0.00	0.27	0.34	0.24	0.30	18.35
Goalpara	3	0.00	0.00	8.40	0.00	0.00	6.80	0.00	1.08	2.89	2.04	1.20	127.81
Golaghat	4	0.00	0.00	10.50	0.00	0.00	6.40	0.00	1.35	2.72	1.92	1.50	124.69
Hailakandi	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
Jorhat	1	0.00	0.00	2.10	0.00	0.00	2.40	0.00	0.27	1.02	0.72	0.30	43.51
Kamrup Metropolitan	2	0.00	0.00	4.20	0.00	0.00	2.40	0.00	0.54	1.02	0.72	0.60	47.28
Kamrup Rural	5	0.00	0.00	12.60	0.00	0.00	10.00	0.00	1.62	4.25	3.00	1.80	189.67
Karbi Anglong	2	0.00	0.00	4.20	0.00	0.00	7.60	0.00	0.54	3.23	2.28	0.60	133.25
Karimganj	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
Kokrajhar	2	0.00	0.00	4.20	0.00	0.00	4.00	0.00	0.54	1.70	1.20	0.60	72.44
Lakhimpur	5	0.00	0.00	12.60	0.00	0.00	8.00	0.00	1.62	3.40	2.40	1.80	157.62
Morigaon	1	0.00	0.00	2.10	0.00	0.00	2.40	0.00	0.27	1.02	0.72	0.30	43.51
Nagaon	1	0.00	0.00	2.10	0.00	0.00	2.40	0.00	0.27	1.02	0.72	0.30	43.51



District	Fire Stations	Diving Suits (Dry Type)	Diving Suits (Wet Type)	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boats	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Nalbari	2	0.00	0.00	4.20	0.00	0.00	5.60	0.00	0.54	2.38	1.68	0.60	101.2
Sivasagar	2	0.00	0.00	4.20	0.00	0.00	4.80	0.00	0.54	2.04	1.44	0.60	86.62
Sonitpur	5	0.00	0.00	12.60	0.00	0.00	7.20	0.00	1.62	3.06	2.16	1.80	143.04
Tinsukia	4	0.00	0.00	10.50	0.00	0.00	8.00	0.00	1.35	3.40	2.40	1.50	153.45
Udalguri	5	0.00	0.00	12.60	0.00	0.00	10.40	0.00	1.62	4.42	3.12	1.80	196.96
Total	67	0.00	0.00	163.80	0.00	0.00	141.20	0.00	21.06	60.01	42.36	23.40	2,642.23

31.4.2 RECURRING COST

Manpower Cost

The manpower cost estimation per year has been carried out by considering pay-scale structure for different level of employees. Accordingly, cost estimates for manpower requirement at various levels by district is shown in Table 31-30 and Table 31-31. The total estimated annual manpower cost for existing and proposed staff will be **Rs. 362.63 Crores** (Table 41-30) after filling gap in operational and new urban Fire Stations and **Rs. 172.30 Crores only** (Table 31-31) for new rural Fire Stations.

Table 31-30: Annual cost estimates (in Lakhs Rupees) for manpower for Assam after filling up the gap in operational and new urban Fire Stations

District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Baksa	1	0.00	0.00	0.00	0.00	0.00	0.00	5.05	12.90	3.31	71.28	0.00	92.54
Barpeta	5	0.00	0.00	0.00	0.00	12.80	11.44	55.55	120.40	188.67	1,227.96	0.00	1,616.82
Bongaigaon	3	0.00	0.00	0.00	0.00	0.00	5.72	30.30	51.60	95.99	592.92	0.84	777.37
Cachar	8	0.00	0.00	8.61	0.00	6.40	17.16	80.80	176.30	350.86	1,901.88	3.36	2,545.37
Chirang	2	0.00	0.00	0.00	0.00	6.40	11.44	20.20	47.30	82.75	479.52	0.00	647.61
Darrang	3	0.00	0.00	0.00	0.00	6.40	5.72	35.35	64.50	99.30	609.12	0.00	820.39
Dhemaji	3	0.00	0.00	0.00	0.00	6.40	5.72	25.25	73.10	132.40	729.00	0.00	971.87



							D	elivering a world of	SOLUTIONS				
District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Dhubri	8	0.00	0.00	0.00	0.00	6.40	11.44	65.65	163.40	307.83	1,691.28	2.52	2,248.52
Dibrugarh	11	0.00	13.75	8.61	0.00	6.40	-17.16	50.50	133.30	162.19	1,286.28	6.72	1,650.59
Dima Hasao	3	0.00	0.00	0.00	0.00	6.40	5.72	10.10	47.30	79.44	327.24	1.68	477.88
Goalpara	3	0.00	0.00	0.00	0.00	6.40	11.44	30.30	51.60	132.40	787.32	0.00	1,019.46
Golaghat	4	0.00	0.00	0.00	0.00	6.40	5.72	40.40	81.70	129.09	690.12	0.00	953.43
Hailakandi	2	0.00	0.00	0.00	0.00	0.00	5.72	30.30	47.30	122.47	680.40	0.00	886.19
Jorhat	5	0.00	0.00	0.00	0.00	6.40	11.44	40.40	111.80	274.73	1,451.52	0.00	1,896.29
Kamrup Metropolitan	11	29.52	13.75	8.61	0.00	-19.20	5.72	75.75	167.70	294.59	2,021.76	3.36	2,601.56
Kamrup Rural	7	0.00	0.00	0.00	0.00	6.40	17.16	40.40	86.00	109.23	819.72	0.84	1,079.75
Karbi Anglong	3	0.00	0.00	0.00	0.00	6.40	5.72	15.15	51.60	69.51	447.12	0.00	595.50
Karimganj	4	0.00	0.00	0.00	0.00	6.40	11.44	90.90	159.10	360.79	2,196.72	1.68	2,827.03
Kokrajhar	3	0.00	0.00	0.00	0.00	6.40	11.44	25.25	60.20	112.54	602.64	0.00	818.47
Lakhimpur	3	0.00	0.00	0.00	0.00	6.40	5.72	20.20	60.20	132.40	657.72	0.00	882.64
Morigaon	3	0.00	0.00	0.00	0.00	6.40	5.72	40.40	60.20	158.88	900.72	0.00	1,172.32
Nagaon	11	0.00	0.00	0.00	0.00	6.40	17.16	106.05	227.90	483.26	2,614.68	0.00	3,455.45
Nalbari	4	0.00	0.00	0.00	0.00	6.40	11.44	15.15	51.60	43.03	340.20	0.00	467.82
Sivasagar	5	0.00	0.00	0.00	0.00	6.40	11.44	45.45	94.60	191.98	1,075.68	0.84	1,426.39
Sonitpur	10	0.00	0.00	8.61	0.00	6.40	11.44	70.70	189.20	317.76	1,905.12	3.36	2,512.59
Tinsukia	8	0.00	0.00	0.00	0.00	6.40	17.16	25.25	133.30	201.91	1,095.12	3.36	1,482.50
Udalguri	2	0.00	0.00	0.00	0.00	6.40	-17.16	10.10	25.80	36.41	275.40	0.00	336.95
Total	135	29.52	27.50	34.44	0.00	134.40	205.92	1,100.90	2,549.90	4,673.72	27,478.44	28.56	36,263.30



Table 31-31: Cost estimate (in Lakhs Rupees) manpower in Assam for new rural Fire Stations

District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Baksa	5	0.00	0.00	0.00	0.00	0.00	0.00	45.45	107.50	182.05	858.60	4.20	1,197.80
Barpeta	5	0.00	0.00	0.00	0.00	0.00	0.00	75.75	137.60	235.01	1,224.72	4.20	1,677.28
Bongaigaon	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cachar	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Chirang	3	0.00	0.00	0.00	0.00	0.00	0.00	20.20	55.90	86.06	395.28	2.52	559.96
Darrang	1	0.00	0.00	0.00	0.00	0.00	0.00	10.10	25.80	43.03	210.60	0.84	290.37
Dhemaji	2	0.00	0.00	0.00	0.00	0.00	0.00	20.20	47.30	79.44	366.12	1.68	514.74
Dhubri	2	0.00	0.00	0.00	0.00	0.00	0.00	45.45	73.10	152.26	868.32	1.68	1,140.81
Dibrugarh	4	0.00	0.00	0.00	0.00	0.00	0.00	35.35	90.30	158.88	741.96	3.36	1,029.85
Dima Hasao	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.90	19.86	68.04	0.84	101.64
Goalpara	3	0.00	0.00	0.00	0.00	0.00	0.00	30.30	68.80	115.85	579.96	2.52	797.43
Golaghat	4	0.00	0.00	0.00	0.00	0.00	0.00	20.20	73.10	115.85	505.44	3.36	717.95
Hailakandi	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jorhat	1	0.00	0.00	0.00	0.00	0.00	0.00	10.10	25.80	43.03	210.60	0.84	290.37
Kamrup Metropolitan	2	0.00	0.00	0.00	0.00	0.00	0.00	5.05	30.10	43.03	184.68	1.68	264.54
Kamrup Rural	5	0.00	0.00	0.00	0.00	0.00	0.00	50.50	103.20	175.43	865.08	4.20	1,198.41
Karbi Anglong	2	0.00	0.00	0.00	0.00	0.00	0.00	45.45	73.10	152.26	868.32	1.68	1,140.81
Karimganj	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kokrajhar	2	0.00	0.00	0.00	0.00	0.00	0.00	10.10	43.00	72.82	320.76	1.68	448.36
Lakhimpur	5	0.00	0.00	0.00	0.00	0.00	0.00	35.35	86.00	129.09	680.40	4.20	935.04
Morigaon	1	0.00	0.00	0.00	0.00	0.00	0.00	10.10	25.80	43.03	210.60	0.84	290.37
Nagaon	1	0.00	0.00	0.00	0.00	0.00	0.00	10.10	25.80	43.03	210.60	0.84	290.37
Nalbari	2	0.00	0.00	0.00	0.00	0.00	0.00	30.30	55.90	99.30	508.68	1.68	695.86
Sivasagar	2	0.00	0.00	0.00	0.00	0.00	0.00	25.25	47.30	89.37	421.20	1.68	584.80
Sonitpur	5	0.00	0.00	0.00	0.00	0.00	0.00	25.25	86.00	129.09	579.96	4.20	824.50
Tinsukia	4	0.00	0.00	0.00	0.00	0.00	0.00	35.35	90.30	155.57	699.84	3.36	984.42



District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Udalguri	5	0.00	0.00	0.00	0.00	0.00	0.00	50.50	107.50	182.05	910.44	4.20	1,254.69
Total	67	0.00	0.00	0.00	0.00	0.00	0.00	646.40	1,492.10	2,545.39	12,490.20	56.28	17,230.37

Level 10: Director General/Director/Joint Director/Deputy Director; Level 9: CFO/CO; Level 8: Deputy CFO; Level 7: Deputy Controller; Level 6: DO/DFO/Inspector/EO/Fire Supervisor; Level 5: ADO/ADFO/AFO/Fire In-charge; Level 4: St.O/Sub Inspector/Station In-charge/ASt O./AEO; Level 3: S O/Assistant Sub Inspector/ASO/Sub-Fire Officer/; Level 2: LFM/ Mechanic Driver/Head Constable/Store Superintendant; Level 1: FM/ FM Driver/Radio Technician/ SGFM/ Driver/ Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; Level 0: Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Tindal.



Annual Vehicle Maintenance & Repairs, and PDL Cost

For Gap analysis, vehicle maintenance, repairs and Petrol, Diesel & Lubricant (PDL) costs have been estimated based on average current expenditure to total vehicles cost (Table 31-32). The total estimated cost on vehicle maintenance & repairs, and PDL will be **Rs. 15.75 Crores** per year for filling the gap in operational and urban areas in Assam State. The annual specialized equipment, building maintenance, office expanses, and training expanses will be about **Rs. 6.38 Crores**, **Rs. 14.47 Crores**, **Rs. 27.63 Crores** and **Rs. 4.82 Crores**, respectively.

Table 31-32: Annual recurring cost estimates (in Lakhs Rupees) for petrol, diesel, and lubricants after filling the gap in operational and new urban Fire Stations

District	Num of Fire Stations	Annual Vehicle maintenance	Annual PDL Cost	Annual Equipment maintenance	Annual Building Maintenance	Office Expenses	Training Expenses
Baksa	1	2.06	1.54	2.31	6.00	9.78	1.71
Barpeta	5	43.65	32.74	22.85	67.00	123.52	21.57
Bongaigaon	3	22.96	17.22	15.11	39.00	59.06	10.31
Cachar	8	57.85	43.38	37.31	104.00	190.55	33.27
Chirang	2	20.80	15.60	9.93	30.50	48.51	8.47
Darrang	3	23.93	17.95	13.32	42.00	66.97	11.69
Dhemaji	3	22.85	17.14	12.60	34.00	71.71	12.52
Dhubri	8	39.23	29.42	34.70	83.50	166.18	29.02
Dibrugarh	11	43.48	32.61	59.57	73.00	120.59	21.05
Dima Hasao	3	19.25	14.44	9.81	25.00	42.94	7.50
Goalpara	3	23.21	17.41	13.41	34.00	76.64	13.38
Golaghat	4	26.23	19.67	15.82	47.50	75.92	13.26
Hailakandi	2	21.28	15.96	10.70	30.50	64.71	11.30
Jorhat	5	52.05	39.04	21.53	59.00	138.52	24.19
Kamrup Metropolitan	11	99.17	74.38	69.11	108.00	209.38	36.56
Kamrup Rural	7	29.25	21.94	26.33	57.00	91.60	15.99
Karbi Anglong	3	21.05	15.79	11.21	31.00	50.11	8.75
Karimganj	4	41.71	31.28	29.40	73.50	194.03	33.88
Kokrajhar	3	23.09	17.32	12.51	39.50	63.15	11.03
Lakhimpur	3	21.65	16.24	12.02	31.00	68.13	11.90
Morigaon	3	24.77	18.58	15.25	34.00	86.26	15.06
Nagaon	11	70.74	53.06	49.76	144.00	265.35	46.33
Nalbari	4	21.05	15.79	15.12	34.00	51.43	8.98
Sivasagar	5	29.33	22.00	26.01	53.50	104.82	18.30
Sonitpur	10	53.03	39.77	45.88	90.50	183.38	32.02
Tinsukia	8	29.95	22.46	37.09	57.00	108.40	18.93
Udalguri	2	16.82	12.61	9.91	19.50	31.43	5.49
Total	135	900.46	675.35	638.57	1,447.50	2,763.06	482.44



Table 31-33: State level summary of Capital Expenditure required for filling the gap (in Crores Rupees)

Capital Expenditure									
Operational Type	Fire Station Building Infrastructure	Vehicle Gost	Equipment Cost	Total Capital Cost					
Operational Fire Stations	132.00	111.67	11.73	255.40					
Gap in Operational Fire Stations	537.75	250.82	51.29	839.87					
New Urban Fire Stations	54.00	12.70	16.80	83.50					
Total Gap in New Urban and Operational Fire Stations	591.75	263.52	68.09	923.36					
New Rural Fire Stations	322.75	86.80	26.42	435.97					
Total Gap in New Urban ,New Rural and Operational Fire Stations	914.50	350.33	94.51	1,359.34					

Table 31-34: State level summary of Recurring Expenditure required for filling the gap (in Crores Rupees)

		R	ecurring E	xpenditu	ıre			
Operational Type	Annual Staff Salary	Annual Vehicle Maintenance	Annual Maintenance Contract (Specialized Equipment)	Annual Petrol diesel and Lubricant Cost	Annual Building maintenance	Annual Office Expenses	Annual Training Expenses	Total Recurring Expenditure
Operational Fire Stations	75.95	2.68	0.94	2.01	2.64	4.78	0.84	89.84
Gap in Operational Fire Stations	338.47	6.02	4.10	4.51	10.76	21.32	3.72	388.91
New Urban Fire Stations	24.17	0.30	1.34	0.23	1.08	1.52	0.27	28.91
Total Gap in New Urban and Operational Fire Stations	362.63	6.32	5.45	4.74	11.84	22.85	3.99	417.82
New Rural Fire Stations	172.30	2.08	2.11	1.56	6.46	10.86	1.90	197.27
Total Gap in New Urban ,New Rural and Operational Fire Stations	534.94	8.41	7.56	6.31	18.29	33.70	5.88	615.09



31.5 Detailed Financial Investment Plan

All the above detailed capital and recurring expenses have been taken into consideration, while finalizing the detailed Investment Plan for next 10 years for Assam State (Tables 31-35 and 31-36).

Table 31-35: State level 10 year investment plan for Assam Fire Service Organization for filling gap in operational and new urban Fire Stations (in Crores Rupees)

	Cap Expen	oital iditure		Recurrin	g Expen	diture			
Year	Building Infrastructure	Vehicle and Equipment	Annual Vehicle Maintenance & PDL AMC	Annual Staff Salary	Annual Office Expenses	Annual Training Office Expenses	Annual Bidg. maintenance	Total	
First Year	118.35	151.06	12.95	245.18	15.45	2.70	8.02	553.70	
Second Year	131.37	158.61	21.89	464.15	4.79	13.53	823.57		
Third Year	72.91	6.50	24.08	525.91	33.13	5.08	13.88	681.50	
Fourth Year	80.93	6.83	26.48	595.81	37.54	5.40	14.25	767.22	
Fifth Year	89.83	3.59	28.85	671.11	42.28	5.70	14.50	855.86	
Sixth Year	99.72	3.76	31.43	755.90	47.62	6.02	14.76	959.21	
Seventh Year	110.68	3.95	34.24	34.24 851.37 53.64 6.36 15.02					
Eighth Year	122.86	4.15	37.31	1,205.61					
Ninth Year	0.00	4.36	40.64	1,079.93	68.04	7.09	15.56	1,215.61	
Tenth Year	0.00	4.58	44.26	1,216.22	7.48	15.83	1,365.00		
Total	826.65	347.39	302.12	7,364.45	463.96	57.34	140.64	9,502.54	

Table 31-36: State level 10 year investment plan for Assam Fire Service Organization for filling gap in operational, new urban and new rural Fire Stations (in Crores Rupees)

	Capi Expend			Recurrin	g Expen	diture		
Year	Building Infrastructure	Vehicle and Equipment	Annual Vehicle Maintenance & PDL AMC	Annual Staff Salary	Annual Office Expenses	Annual Training Office Expenses	Annual Bldg. maintenance	Total
First Year	182.90	151.06	12.95	245.18	15.45	2.70	8.02	618.25
Second Year	203.02	158.61	21.89	464.15	29.24	4.79	13.53	895.22
Third Year	112.68	31.47	25.42	569.13	35.86	5.50	15.20	795.26
Fourth Year	125.07	33.04	29.38	692.64	43.64	6.28	16.91	946.94
Fifth Year	138.83	17.35	32.77	806.67	50.82	6.85	17.86	1,071.14
Sixth Year	154.10	18.22	36.51	938.09	59.10	7.47	18.83	1,232.32
Seventh Year	171.05	19.13	40.64	1,089.44	68.64	8.14	19.82	1,416.85
Eighth Year	189.87	20.08	45.20	1,263.60	79.61	8.85	20.82	1,628.04
Ninth Year	0.00	21.09	50.23	1,463.88	92.23	9.61	21.85	1,658.89
Tenth Year	0.00	22.14	55.78	1,694.03	106.72	10.42	22.89	1,911.99
Total	1,277.51	492.18	350.77	9,226.81	581.29	70.61	175.73	12,174.90



31.6 Prioritization of new Fire Stations/Fire Posts

For prioritization of new Fire Stations/Fire Posts, the RMSI team has strictly followed risk categorization and estimated population density in the jurisdiction of new Fire Station/Fire Post as criteria. Accordingly, the priority for establishing new urban Fire Stations and rural Fire Stations/Fire Posts has been given in Table 31-40 and Table 31-41, respectively.

However, It may be noted that actual implementation of priority depends upon a number of factors such as land availability, land possession, tackling any encroachment on available land, getting construction clearances from various authorities for implementation of construction work. Hence, AFSO may change the priority of a new Fire Station depending upon the local situation and requirements.

31.7 Avenues of Fund Generation

Assam State can generate new avenues for funds from the followings:

- Introduction of Fire Tax (1% of existing property tax)
- Introduction of Fire Cess, which can be collected for auditing and inspecting various occupancies for adoption of Fire Safety Measures besides training public manpower for use of first aid firefighting equipment
- Training programs at different levels and duration to private sector employee on chargeable basis
- Capitation fees can be charged for scrutiny of building plans
- Clearance of building plans from fire safety point of view
- Sale of condemned fire appliances, equipment, uniform articles and general store items
- Fee on deployment of members of Fire Service along-with necessary equipment and appliances beyond the jurisdiction of the State Fire Services
- Standby charges on deployment of members of Fire Service along-with equipment and appliances in the area for stand by for a specific duration can be charged except the visits of Government authorities, or in public interest, if demanded by the district administration
- Training Charges from the external trainees sponsored by private industries for short and long duration courses.

31.8 Capacity Building and Training Facilities

The State has framed Recruitment Rules (RR) for each level, and these are being adhered to for filling the vacant position.

Assam FSO has a Regionl Fire Training Institute at Sila, North Guwahati. The institute is imparting trainings to trainees from Assam as well as from neighboring States/UTs. The institute offers trainings from level of Sub-officer Courses to elementary firefighting courses and Motor Maintenance, and Pump Operator and Driver Courses. A few of the senior officials have trainings at NFSC, Nagpur also.In general, AFSO firefighters as well as officers have sufficient opportunity towards training. However, given the number of vacant positions, the State lacks trained manpower in firefighting as training is not a one time activity. During year 2011, the Assam Fire Services Organization has imparted training to more than four hundred fire personnel (Table 31-37).



Table 31-37: Details of the training courses conducted by the State Fire Service Organization during the year 2011

Sr. No.	Name of Training Course	Duration(Months)	Maximum Capacity (in numbers)	Number of Personnel Trained Annually
1.	27th External Sub Officer' Course	25 Weeks (6 months)	28	
2.	28th . External Sub Officer' Course	25 Weeks (6 months)	29	57
3.	3rd Batch Elementary Fire Fighting Traing Course(S.O. & Sub Officer)	25 Weeks (6 months)	29	29
4.	86th Elementary Fire Fighting Traing Course Fireman	25 Weeks (6 months)	65	143
5.	87th Elementary Fire Fighting Traing Course Fireman	25 Weeks (6 months)	78	143
6.	25th Batch Motor Maintenance & Pump Operation Drivers Course	10 Weeks	20	20
7.	3rd Batch Refresher Course For S.O. & Sub Officer)	6 Weeks	25	25
8.	11th Batch Condense Course	10 Days	18	
9.	12th Batch Condense Course	10 Days	07	
10.	13th Batch Condense Course	10 Days	27	
11.	14th Batch Condense Course	10 Days	16	
12.	15th Batch Condense Course	10 Days	09	122
13.	16th Batch Condense Course	2 Days	25	
14.	17th Batch Condense Course	3 Days	07	
15.	18th Batch Condense Course	2 Days	13	
16.	1st Batch (T.O.T.) U.S.A.R. & M.F.R.	3 Weeks	30	50
17.	Course 2 nd Batch (T.O.T.) U.S.A.R. & M.F.R. Course	3 Weeks	26	56

The roles of firefighter cannot be performed until and unless sufficient training is being imparted to the fire service personnel. The types of training and duration depend upon the type of entry to the fire service department or the change of responsibility on promotion. Broadly, there are two entry levels in fire services in India; 1) Fireman level and 2) Middle level (Sub Officer/ Asstt. Station Officer). Immediately after joining the Fire Services, it is mandatory that every fire personnel needs to undergo professional training.



In order to further strengthen the AFSO, the gap in training has been estimated for various levels of fire personnel. The Fire Station survey and gap analysis reveal that there are gaps in training needs. The previous section (section 31.3.3.) details about gap in manpower in operational Fire Stations and need of additional fire personnel for new urban and new rural Fire Stations. As per the guidelines of SFAC, immediately after recruitment, fire personnel should undertake professional trainings. Moreover, there should be refresher-training courses at an interval of 3 to 5 years for every fire personnel. The following sections detail about the estimation of training need at different levels (fireman, leading fireman, station officer, sub-officer etc.).

31.8.1 BASIC TRAINING FOR FIREMAN

The basic training course should provide practical experience of fire fighting to meet the challenge in fire fighting operations. Fire personnel should also be trained for operation and maintenance of fire fighting vehicles and equipment.

Estimated number of fire personnel who require basic training for fireman in operational Fire Stations (after filling the gap of manpower), and additional new recruitment for new urban and new rural Fire Stations is shown in Table 31-38. Additional requirement of Refresher Training Course for fireman after every 3-5 years of service is also shown the Table 31-38. Some of the special training for handling specialized equipment such as Breathing Apparatus, Global-positioning System etc should also be part of the Refresher course. As a whole, AFSO would require to train 12,810 fire personnel in basic and 7,749 fire personnel in refresher training in next 10 years. Therefore, State training centre should have adequate capacity and infrastructure for meeting such training requirement.

31.8.2 TRAINING COURSE FOR LEADING FIREMAN

While promotion from fireman to leading fireman category, fire personnel should undertake training course designed for leading fireman. This training will provide both theoretical and practical training required for effective deployment of fire vehicles and fire equipment as well.

Estimated number of fire personnel who require training for leading fireman in operational Fire Stations (after filling the gap of manpower), and additional new recruitment for new urban and new rural Fire Stations is shown in Table 31-38. In total, AFSO would need to train at least 2,288 leading fireman in next 10 years.

31.8.3 OTHER SPECIALIZED TRAINING COURSES

Besides regular normal training course for leading fireman, every leading fireman should also undergo at least one special training for multi-tasking performance in due course of time. In many cases, the fire services need to face new challenges and play an important role in other emergencies. Therefore, fire personnel must be well trained to perform in all possible situations. Some of the other specialized trainings courses are mentioned below:

- Breathing Apparatus
- Collapsed structure Search & Rescue
- Advanced Search & Rescue
- Flood Rescue
- Chemical Disaster
- Flood / Cyclone Disaster Response
- Earthquake Disaster Response
- Emergency Response to Rail Accidents
- Hazardous Material Emergency



The syllabi for above courses are already provided in SFAC guidelines. Number of leading fireman need to attend specialized course is also shown in Table 31-38. In total, Assam State would need to train at least 1,519 fire personnel for specialized courses in next 10 years.

Table 31-38: Estimated training requirements for fire personnel in Assam Fire Service Organization

Basic T	raining for Fireman	
Duoio i	Number of Fire Personnel in Operational Fire Stations	8,394
	Number of Fire Personnel in New Urban Fire Stations	561
	Number of Fire Personnel in New Rural Fire Stations	3,855
	Total Number of Fire Personnel for Training	12,810
	Total Rambel of File Forsonite for Training	12,010
Refres	her Training for Fireman	
	Total Number of Fire Personnel	7,749
Leadin	g Fireman Training Course	
	Number of Fire Personnel in Operational Fire Stations	1448
	Number of Fire Personnel in New Urban Fire Stations	71
	Number of Fire Personnel in New Rural Fire Stations	769
	Total Number of Fire Personnel for Training	2,288
	<u> </u>	•
Other s	pecialized Training Course	
Othior 5	Total Number of Fire Personnel for Training	1,519
	10 to	,
	Off T	
Junior	Officer Training Course	200
	Number of Fire Personnel in Operational Fire Stations	809
	Number of Fire Personnel in New Urban Fire Stations	74
	Number of Fire Personnel in New Rural Fire Stations	475
	Total Number of Fire Personnel for Training	1,358
Division	nal Officer Training Course	
	Number of Fire Personnel in Operational Fire Stations	65
	Number of Fire Personnel in New Urban Fire Stations	3
	Total Number of Fire Personnel for Training	68
	<u> </u>	•
Fire Pre	evention Course	
	Total Number of Fire Personnel for Training	81
	1 3 3 3 3 3 3 3 3	

31.8.4 JUNIOR OFFICER TRAINING COURSE

While promotion from leading fireman to sub-officer/ station officer fire personnel should undertake a Junior Officer training course. This course should provide an understanding of Fire Station administration, fire safety management and leadership as to be able to command a Fire Station and command a fire crew in case of an emergency. Upon successful completion of the training, fire officers should be able to identify components of an effective fire service organization and planning requirement. The officials will be responsible for implementation of fire safety and prevention programs at their assigned Fire Station.



Estimated number of fire officers who need to participate in Junior Officer training course in operational Fire Stations (after filling the gap of manpower), and additional new recruitment for new urban and new rural Fire Stations is shown in Table 31.38. After filling gap in operational Fire Stations, new urban and rural Fire Stations, Assam State would require to train 1,358 junior officers in next 10 years.

31.8.5 Divisional Fire Officer Training Course

On promotion to divisional officer, every fire officer should undertake a Divisional Fire Officer (DFO) training course. This course should provide with theory, principles and practices in terms of Fire Station management, facilities, fire inspection as well as effective guidelines to command fire crew and control at an incident site. This course should be designed to promote them for their roles as senior fire officers. Upon successful completion of training, officers should be able to identify components of an effective fire service organization, and implementation of fire prevention and fire safety programs at their assigned area of jurisdiction.

Estimated number of fire officers who require Divisional Officer training course in operational and new Fire Stations (after filling the gap of manpower) is shown in Table 31-38. About 68 fire officers in AFSO who would require this training in next 10 years.

31.8.6 Fire prevention training course

Beside Firefighting and rescue operations, creating awareness about fire prevention is also integral part of Assam Fire Service Organisation. The AFSO has already set up separate Fire Prevention Wing having designated Fire Prevention Officers. Fire Prevention Wing creates awareness and educate rural and urban population to learn fire prevention methods using different Aids. IMoreover, Fire Prevention Wing officers needs to involve themselves for inspection, awareness generation, and training in schools, colleges, hospitals, cinema halls, high-rise buildings, shopping malls govt. offices, public buildings etc. Though Fire Services in the State are creating public awareness programs for schools, hospitals, Govt. offices, etc. however, it can be made a full-time activity by having dedicated trained manpower, resources, and funds. For that purpose sufficient manpower at senior officer levels have been recommended to have a dedicated "Fire Prevention Wing". The fire prevention wing should have trained officials for fire inspection, awareness and training, so that fire incidences similar to that of AMRI. Kolkata should not occur in the State. The State should have a dedicated "Education Van" in each district for the purpose. The van should be well equipped with short video films as produced by MHA, distribution of pamphlets on "DO"s and "DON'T"s generated by MHA, and live demonstration of how to use "portable extinguishers" and handle small fires. Accordingly, the State would require to train about 81 fire officials in fire prevention course.

31.8.7 AWARENESS GENERATION PROGRAMS

Besides attending regular fire and other rescue calls, Assam Fire Service Organization is also working proactively in awareness generation programs and is conducting regular awareness programs for schools, hospitals, resident welfare societies, govt. offices etc. (Table 31-39). However, there is a need for the State Fire Service to work further on awareness generation programs, and should conduct regular awareness programs in schools, colleges, residential areas, cinema halls, shopping malls, hospitals, NCC camps, industries, Govt.& private offices etc. Currently, numbers of awareness programs and their execution conducted so far by AFSO is at a satisfactory level which can be enhanced further. For large scale public awareness generation, each district is being recommended with an Education Van equipped with short video films as produced by MHA, distribution of pamphlets on "DO"s and "DON'T"s to prevent fire, produced by MHA, live - demonstrations of how to use "portable extinguishers" and how to handle small kitchen fires.



Table 31-39: Details of the Awareness generation programs conduted by the State Fire Service Organization during the year 2011-2012

	Name of	Total no. of programs in the	Total no. of persons	No of	Programs Or	ganized	No of	Persons Atte	ended	
Sr No.	Zonal/ District	year including Fire Safety Week (a +b + c)	attended (d+ e + f)	Govt./ PSU (a)	Pvt. Locations (b)	School s (c)	Govt./ PSU (d)	Pvt. Locations (e)	Schoo Is (f)	Brief Description of the Programmes
1.	Kamrup	51	165100	22	14	15	30000	112000	23100	Lecture Cum Demonstration Mock Fire evacuation Drill
2.	Kamrup (Rural)	12	18800	1	1	10	5000	1200	12600	Lecture Cum Demonstration & Mock Fire evacuation Drill
3.	Nalbari	19	533300	1	5	13	8000	30300	15000	Lecture Cum Demonstration & Mock Fire evacuation Drill
4.	Barpeta	12	40700	1	2	9	5000	25000	10700	Lecture Cum Demonstration & Mock Fire evacuation Drill
5.	Nagaon	14	70300	3	5	6	3500	25000	10300	Lecture Cum Demonstration & Mock Fire evacuation Drill
6.	Morigaon	6	15550	-	2	4	-	9750	5800	Lecture Cum Demonstration & Mock Fire evacuation Drill



		Total no. of	Total no.	No of	Programs Or		No of	Persons Atte	ended	
Sr No.	Name of Zonal/ District	programs in the year including Fire Safety Week (a +b + c)	of persons attended (d+ e + f)	Govt./ PSU (a)	Pvt. Locations (b)	School s (c)	Govt./ PSU (d)	Pvt. Locations (e)	Schoo Is (f)	Brief Description of the Programmes
7.	Sivasagar	13	28000	1	3	9	5000	8000	15000	Lecture Cum Demonstration & Mock Fire evacuation Drill
8.	Golaghat	1	2500	1	-	1	1	-	2500	Lecture Cum Demonstration & Mock Fire evacuation Drill
9.	Dibrugarh	7	7300	ı	1	6	ı	800	6500	Lecture Cum Demonstration & Mock Fire evacuation Drill
10.	Jorhat	11	15900	ı	3	8	ı	4200	11700	Lecture Cum Demonstration & Mock Fire evacuation Drill
11.	Jinisukea	10	41000	2	1	7	30000	1000	10000	Lecture Cum Demonstration & Mock Fire evacuation Drill
12.	Cachar	7	22700	1	1	5	15000	1000	6700	Lecture Cum Demonstration & Mock Fire evacuation Drill



	Nama of	Total no. of programs in the	Total no.	No of	Programs O	ganized	No of	Persons Atte	ended	
Sr No.	Name of Zonal/ District	year including Fire Safety Week (a +b + c)	of persons attended (d+ e + f)	Govt./ PSU (a)	Pvt. Locations (b)	School s (c)	Govt./ PSU (d)	Pvt. Locations (e)	Schoo Is (f)	Brief Description of the Programmes
13.	Hailakandi	3	4100	1	1	2	-	1100	3000	Lecture Cum Demonstration & Mock Fire evacuation Drill
14.	Karbe Anglong	1	1600	ı	1	1	-	ı	1600	Lecture Cum Demonstration & Mock Fire evacuation Drill
15.	Dema Harsac	6	19900	1	2	3	5000	11100	3800	Lecture Cum Demonstration & Mock Fire evacuation Drill
16.	Karimganj	7	13200	1	1	5	5000	1000	7200	Lecture Cum Demonstration & Mock Fire evacuation Drill
17.	North Lakhimpur	1	2500	ı	1	1	-	ı	2500	Lecture Cum Demonstration & Mock Fire evacuation Drill
18.	Sonitpur	11	20000	1	2	8	8000	2300	9700	Lecture Cum Demonstration & Mock Fire evacuation Drill



		Total no. of	Total no.	No of	Programs Or		No of	Persons Atte	ended	
Sr No.	Name of Zonal/ District	programs in the year including Fire Safety Week (a +b + c)	of persons attended (d+ e + f)	Govt./ PSU (a)	Pvt. Locations (b)	School s (c)	Govt./ PSU (d)	Pvt. Locations (e)	Schoo Is (f)	Brief Description of the Programmes
19.	Dhubri	16	37100	3	3	10	20200	5000	12100	Lecture Cum Demonstration & Mock Fire evacuation Drill
20.	Goalpara	7	8900	ı	4	3	-	500	3900	Lecture Cum Demonstration & Mock Fire evacuation Drill
21.	Bongaigaon	7	13100	1	1	5	5000	1000	7100	Lecture Cum Demonstration & Mock Fire evacuation Drill
22.	kokrajhar	7	11200	ı	3	4	-	4000	7200	Lecture Cum Demonstration & Mock Fire evacuation Drill
23.	Darrang	15	29100	1	6	8	6000	13000	10100	Lecture Cum Demonstration & Mock Fire evacuation Drill
24.	Udalguri	1	2500	-	-	1	-	-	2500	Lecture Cum Demonstration & Mock Fire evacuation Drill



	Name of	Total no. of	Total no.	No of	Programs Or		No of	Persons Atte	ended	
Sr No.	Name of Zonal/ District	programs in the year including Fire Safety Week (a +b + c)	of persons attended (d+ e + f)	Govt./ PSU (a)	Pvt. Locations (b)	School s (c)	Govt./ PSU (d)	Pvt. Locations (e)	Schoo Is (f)	Brief Description of the Programmes
25.	Dhemajee	7	18100	1	1	2	5000	6000	7100	Lecture Cum Demonstration & Mock Fire evacuation Drill
26.	Chirang	7	24200	2	3	2	15000	5900	3300	Lecture Cum Demonstration & Mock Fire evacuation Drill
27.	Baysa	2	3400	-	-	2	-	-	3400	Lecture Cum Demonstration & Mock Fire evacuation Drill



31.9 Limitations of the Study

- 1. In fire hazard and risk analysis, fire-load of specific industry has not been taken into consideration. However, weightage has been given to the size of industrial area in the fire hazard and risk analysis of the base unit (district level). An attempt has been made even in the present assignment to go further down at lower levels. Providing special weightage of type of industry will require building level survey including estimation of fire-load for each industry, which is out of scope of present assignment.
- 2. Currently, Census 2011 has published only district level demographic data (the Tehsil/ Block level data is still unavailable), which has been used for further estimation and analysis purpose.
- 3. Floating population in cities has not been considered for distribution over the land use (built-up area); this may be attempted in future detailed studies.
- 4. Non-availability of a uniform level of fire statistics of all the fire events in the past 5 years.
- 5. Designation, rank structure and administrative control are very heterogeneous from State to State, which in the present State creates ambiguity while brining in at National level. For example, Director Position pay scale in one State may not be equal to that of Chief Fire Officer in another State. For the purpose of present assignment, we have divided the rank/designation structure into 11 levels (level 0 to level 10). For this, a system needs to be put in place through having a uniform administrative structure at national level to State level. This may require development and implementation of National Fire Act, which MHA is trying to develop in near future.
- 6. The fire fighting infrastructure of forest department, privately owned companies/ organizations, military cantonment and airbases, nuclear power plants, nuclear research reactors, heavy water plants, mines, ports, airports, oil exploration and oil refineries are out of scope of present study. However, RMSI has tried to get information about the fire-fighting infrastructure for these, and included available information, as there are limitations due to security concerns. This is more so, as result of this study may be made available in public domain with their spatial location. Studying fire infrastructure in above areas will require special MOU's with MHA and controlling agencies, and may be attempted in future studies to have a complete coverage of the country.



31.10 Recommendations for Assam State Fire Service Organization

- 1. At present, the State has Assam Fire Service Act of 1985, and Assam Fire Service Rules, 1989 which AFSO is revisiong to meet provisions of National Building Code (NBC, 2005). Since entire State falls in seismic zone V, there is an urgent need for the strict implementation of fire safety codes in building design and construction. National Building Code should be strictly adhered to in high-rise buildings, schools, colleges, shopping malls, cinema halls, hospitals, industrial units, institutions and public and private buildings. Moreover, keeping in mind the State vulnerability to earthquakes, even low-rise buildings need strict implementation of building codes.
- 2. Computrization of AFSO was envisioned and accordingly several initiatives have been taken, for example, AFSO has already a dedicated website (http://www.asfso.org/). The website provides DO's and DON'Ts on various issues such as Kitchen Fire Safety, leakage of LPG gas cyclinders, fire in cimea halls. However, the AFSO website can be further improved to issue online Fire Reports to public after say 72 hours of a Fire Incidence, and various other forms required for fire safety clearance.
- 3. AFSO lacks firefighting manpower and there are vacancies at all levels in the State in operational Fire Stations, which should be filled up at the earliest.
- 4. Instead of having fireman, driver, and operator separately, the State should recruit fireman-cum-driver-cum-operator. This will help in optimizing the large manpower requirements. Since, these may not be readily available, the State should train the new recruit in a systematic manner, and encourage all existing staff, specially, fireman and leading fireman to obtain heavy vehicle driving license. The AFSO may offer some incentive towards this, as this will help in optimization of resources.
- 5. Based on prioritization of Fire Stations, AFSO needs to add new Fire Stations at a faster pace, as there are large gaps.
- 6. To have computerization of AFSO, training of fire personnel in use of computers is required, which is very important from the modernization point of view.
- 7. Online Vehicle tracking through GPS and development of a fully computerized response system is another area for improvement.
- 8. Though Fire Service Organization in the State is creating public awareness programs for schools, colleges, shopping malls, cinema halls, hospitals, Govt. offices, high-rise buildings, etc., however, it can be be improved further by having dedicated manpower for "AFSO Fire Prevention Wing". For that purpose sufficient manpower at senior officer levels have been recommended to have an effective State "Fire Prevention Wing". The fire prevention wing should have trained officials for fire inspection, awareness and training, so that fire incidences similar to that of AMRI, Kolkata should not occur in the State. The State should have a dedicated "Education Van" in each district for the purpose. The van should be well equipped with short video films as produced by MHA, distribution of pamphlets on "DO"s and "DON'T"s generated by MHA, and live demonstration of how to use "portable extinguishers" and handle small fires.
- 9. Periodic fire drills and fire-inspection of schools, colleges, hospitals, shopping malls, cinema halls, multi-storied buildings, and major industrial centers should be taken care by the AFSO *Fire Prevention Wing*.
- 10. For congested areas, and by-lanes where movement of Water Tender and Water Bowser is difficult, QRTs and motorcycle with mist sets should be used for the fastest response, supplemented by the Water Tenders and Water Bowsers by laying the large hose pipelines. Additionally, AFSO Fire Prevention Wing should identify



congested areas and request district administration to decongest such areas with the help of police. The congestion could be in terms of illegal extension of residential buildings, shops, unauthorized parking on roads. For unauthorized parking, State traffic department can also play an important role. Here role of fire prevention officials is important as such, exercises are not one time exercise and should be carried out regularly.

- 11. AFSO does have promotional avenues for their staff. However, there is a need to have merit-based promotion, so that deserving employees remain motivated and do not leave the organization at midst of their career.
- 12. The AFSO should have audit by a central authority to ensure good finance mechanism for capital, and O&M expenditures.



Table 31-40: Details of operational and new proposed urban Fire Stations with their population density under their jurisdiction, and priority ranking for new Fire Stations

District	FS Ref No	Fire Station Name	Operational Type	Population Density	Priority Ranking of New FS
Barpeta	AS2157	Barpeta Road Fire Station	Operational Urban	4,651	
Barpeta	AS2086	Barpeta Fire Station	Operational Urban	5,195	
Bongaigaon	AS_New Urban17	Bongaigaon	New Urban	1,837	21
Cachar	AS2007	Rangirkhari Fire Station	Operational Urban	4,179	
Cachar	AS2146	Silchar Fire Station	Operational Urban	4,720	
Darrang	AS2149	Mangaldoi Fire Station	Operational Urban	4,853	
Dhemaji	AS2094	Dhemaji Fire Station	Operational Urban	959	
Dhubri	AS_New Urban1	Gauripur	New Urban	3,670	7
Dhubri	AS_New Urban2	Alomganj	New Urban	2,304	10
Dhubri	AS2111	Dhubri Fire Station	Operational Urban	6,140	
Dibrugarh	AS_New Urban3	Dibrugarh	New Urban	4,255	6
Dibrugarh	AS_New Urban18	Kaalibari	New Urban	2,578	9
Dibrugarh	AS_New Urban20	Koylan Pur	New Urban	1,923	13
Dibrugarh	AS_New Urban21	Khatkhati	New Urban	1,683	14
Dibrugarh	AS_New Urban25	Namrup	New Urban	1,444	15
Dibrugarh	AS_New Urban4	Duliajan	New Urban	1,437	16
Dibrugarh	AS_New Urban23	Reba Koch	New Urban	1,304	17
Dibrugarh	AS_New Urban22	Moran	New Urban	1,266	18
Dibrugarh	AS2024	Moran Fire Station	Operational Urban	2,553	
Dibrugarh	AS2072	Dibrugarh Fire Station	Operational Urban	3,829	
Dima Hasao	AS2075	Haflong Fire Station	Operational Urban	2,077	
Golaghat	AS2015	Golaghat Fire Station	Operational Urban	2,093	
Hailakandi	AS1992	Hailakandi Fire Station	Operational Urban	4,716	



District	FS Ref No	Fire Station Name	Operational Type	Population Density	Priority Ranking of New FS
Jorhat	AS2106	Jorhat Fire Station	Operational Urban	4,588	
Kamrup Metro	AS_New Urban8	Basishta	New Urban	2,701	1
Kamrup Metro	AS_New Urban7	Narengi	New Urban	1,907	2
Kamrup Metro	AS_New Urban10	Bojhar	New Urban	1,647	3
Kamrup Metro	AS_New Urban9	Batahguli	New Urban	1,085	4
Kamrup Metro	AS1962	Pandu Fire Station	Operational Urban	3,948	
Kamrup Metro	AS1997	Lokhara Fire Station	Operational Urban	2,549	
Kamrup Metro	AS1999	North Guwahati Fire Station	Operational Urban	406	
Kamrup Metro	AS2043	Chandmari Fire Station	Operational Urban	7,464	
Kamrup Metro	AS2051	Dispur Fire Station	Operational Urban	8,138	
Kamrup Metro	AS2077	Guwahati Fire Station	Operational Urban	6,940	
Kamrup Rural	AS_New Urban16	Changsari	New Urban	1,003	5
Kamrup Rural	AS2000	Baihata Chariali Fire Station	Operational Urban	2,772	
Kamrup Rural	AS2003	Rangia Fire Station	Operational Urban	2,083	
Karbi Anglong	AS2067	Diphu Fire Station	Operational Urban	2,739	
Karimganj	AS1884	Karimganj Fire Station	Operational Urban	2,948	
Kokrajhar	AS2113	Kokrajhar Fire Station	Operational Urban	2,647	
Lakhimpur	AS2160	North Lakhimpur Fire Station	Operational Urban	1,859	
Nagaon	AS2031	Nagaon Fire Station	Operational Urban	7,016	
Nagaon	AS2087	Lumding Fire Station	Operational Urban	4,576	
Nalbari	AS2026	Belsar Fire Station	Operational Urban	1,335	
Nalbari	AS2082	Nalbari Fire Station	Operational Urban	1,933	
Sivasagar	AS_New Urban19	Moranhat	New Urban	2,830	8
Sivasagar	AS1998	Sivasagar Fire Station	Operational Urban	1,231	
Sivasagar	AS2023	Amguri Fire Station	Operational Urban	1,400	



District	FS Ref No	Fire Station Name	Operational Type	Population Density	Priority Ranking of New FS
Sonitpur	AS_New Urban13	Ushanagar	New Urban	2,244	11
Sonitpur	AS_New Urban14	Tezpur	New Urban	2,004	12
Sonitpur	AS_New Urban11	Chariali	New Urban	1,033	19
Sonitpur	AS_New Urban12	Dolabari	New Urban	836	20
Sonitpur	AS2150	Tezpur Fire Station	Operational Urban	2,252	
Tinsukia	AS_New Urban5	Kachujan	New Urban	1,918	22
Tinsukia	AS_New Urban6	Doom Dooma	New Urban	1,402	23
Tinsukia	AS_New Urban15	Ukonimuria	New Urban	735	24
Tinsukia	AS_New Urban24	Makum	New Urban	685	25
Tinsukia	AS2050	Tinsukia Fire Station	Operational Urban	2,696	
Udalguri	AS2163	Tangla Fire Station	Operational Urban	567	
Udalguri	AS2164	Udalguri Fire Station	Operational Urban	294	

Table 31-41: Details of operational and new proposed rural Fire Stations with their population density under their jurisdiction, and priority ranking for new Fire Stations

District	FSRefNo	Fire Station Name	Operational Type	Population Density	Priority Ranking of New FS
Baksa	AS_New Rural40	Goreswar	New Rural	660	43
Baksa	AS_New Rural3	Dhamdhama	New Rural	641	44
Baksa	AS_New Rural2	Barama	New Rural	620	45
Baksa	AS_New Rural42	Ikrajully	New Rural	598	46
Baksa	AS_New Rural4	Baganpara	New Rural	393	50
Baksa	AS2079	Mushalpur Fire Station	Operational Rural	377	
Barpeta	AS_New Rural63	Sarupeta	New Rural	806	16



District	FSRefNo	Fire Station Name	Operational Type	Population Density	Priority Ranking of New FS
Barpeta	AS_New Rural49	Kalgachia	New Rural	697	19
Barpeta	AS_New Rural21	Khongra	New Rural	670	21
Barpeta	AS_New Rural50	Moinbari	New Rural	359	27
Barpeta	AS_New Rural1	Baghmara bazar	New Rural	200	40
Barpeta	AS2080	Pathsala Fire Station	Operational Rural	1,011	
Barpeta	AS2084	Sarthebari Fire Station	Operational Rural	704	
Barpeta	AS2116	Sarbhog Fire Station	Operational Rural	412	
Bongaigaon	AS2091	Bongaigaon Fire Station	Operational Rural	356	
Bongaigaon	AS2092	Abhayapuri Fire Station	Operational Rural	967	
Cachar	AS1912	Katigorah Fire Station	Operational Rural	706	
Cachar	AS2005	Dholai Fire Station	Operational Rural	343	
Cachar	AS2006	Sonai Fire Station	Operational Rural	540	
Cachar	AS2062	Lakhipur Fire Station	Operational Rural	192	
Cachar	AS2076	Udharbond Fire Station	Operational Rural	237	
Cachar	AS2122	Kalain Fire Station	Operational Rural	359	
Chirang	AS_New Rural13	Basugaon	New Rural	592	47
Chirang	AS_New Rural17	Khagrabari - Ourguri	New Rural	262	54
Chirang	AS_New Rural16	Sidli	New Rural	117	60
Chirang	AS2119	Bijni Fire Station	Operational Rural	605	
Chirang	AS2173	Kajalgaon Fire Station	Operational Rural	357	
Darrang	AS_New Rural5	Chamatiapara	New Rural	1,124	2
Darrang	AS2125	Kharupetia Fire Station	Operational Rural	382	
Darrang	AS2137	Sipajhar Fire Station	Operational Rural	884	
Dhemaji	AS_New Rural28	Dhakuakhana	New Rural	382	51
Dhemaji	AS_New Rural54	Seren	New Rural	147	59



District	FSRefNo	Fire Station Name	Operational Type	Population Density	Priority Ranking of New FS
Dhemaji	AS2096	Jonai Fire Station	Operational Rural	132	
Dhemaji	AS2136	Silapathar Fire Station	Operational Rural	201	
Dhubri	AS_New Rural14	Agomoni	New Rural	945	13
Dhubri	AS_New Rural20	Bogribari	New Rural	787	17
Dhubri	AS2083	Mankachar Fire Station	Operational Rural	898	
Dhubri	AS2088	Hatsingimari Fire Station	Operational Rural	248	
Dhubri	AS2093	Bilasipara Fire Station	Operational Rural	1,268	
Dhubri	AS2095	Golokganj Fire Station	Operational Rural	442	
Dhubri	AS2100	Chapar Fire Station	Operational Rural	726	
Dibrugarh	AS_New Rural27	Reba koch	New Rural	683	20
Dibrugarh	AS_New Rural69	Kutuha Kachari Gaon	New Rural	411	25
Dibrugarh	AS_New Rural51	Namrup	New Rural	330	28
Dibrugarh	AS_New Rural53	Tengakhat	New Rural	262	33
Dibrugarh	AS1973	Naharkatia Fire Station	Operational Rural	189	
Dima Hasao	AS_New Rural55	Langting	New Rural	22	67
Dima Hasao	AS2074	Umrangso Fire Station	Operational Rural	59	
Dima Hasao	AS2078	Maibang Fire Station	Operational Rural	24	
Goalpara	AS_New Rural18	Hati satra,Bagaun	New Rural	713	42
Goalpara	AS_New Rural37	Khashikhagra	New Rural	582	48
Goalpara	AS_New Rural30	Dhupdhara	New Rural	233	56
Goalpara	AS2081	Dudhnoi Fire Station	Operational Rural	451	
Goalpara	AS2101	Lakhipur Fire Station	Operational Rural	453	
Goalpara	AS2104	Goalpara Fire Station	Operational Rural	620	
Golaghat	AS_New Rural60	Merapani	New Rural	479	49
Golaghat	AS_New Rural61	Sarupathar	New Rural	296	52



District	FSRefNo	Fire Station Name	Operational Type	Population Density	Priority Ranking of New FS
Golaghat	AS_New Rural7	Numaligarh	New Rural	162	58
Golaghat	AS_New Rural11	Phangchogaon	New Rural	98	61
Golaghat	AS1851	Bokakhat Fire Station	Operational Rural	98	
Golaghat	AS2011	Dergaon Fire Station	Operational Rural	418	
Golaghat	AS2018	Sarupathar Fire Station	Operational Rural	176	
Hailakandi	AS1793	Katlicherra Fire Station	Operational Rural	197	
Jorhat	AS_New Rural43	Kathal khuwa	New Rural	320	6
Jorhat	AS2021	Titabar Fire Station	Operational Rural	310	
Jorhat	AS2030	Teok Fire Station	Operational Rural	639	
Jorhat	AS2045	Mariani Fire Station	Operational Rural	300	
Jorhat	AS2102	Garamur (majili) Faire Station	Operational Rural	144	
Kamrup Metro	AS_New Rural24	Nibira	New Rural	126	9
Kamrup Metro	AS_New Rural23	Chandrapur	New Rural	107	10
Kamrup Metro	AS2073	Sonapur Fire Station	Operational Rural	46	
Kamrup Rural	AS_New Rural47	Muktapur	New Rural	1,422	1
Kamrup Rural	AS_New Rural65	Deuduwar	New Rural	955	3
Kamrup Rural	AS_New Rural64	Tulsibari	New Rural	841	4
Kamrup Rural	AS_New Rural25	Chhaygaon	New Rural	278	7
Kamrup Rural	AS_New Rural62	Nagarbera	New Rural	250	8
Kamrup Rural	AS2047	Boko Fire Station	Operational Rural	171	
Kamrup Rural	AS2055	Hajo Fire Station	Operational Rural	471	
Kamrup Rural	AS2068	Mirza Fire Station	Operational Rural	678	
Kamrup Rural	AS2069	Sualkuchi Fire Station	Operational Rural	335	
Karbi Anglong	AS_New Rural35	Dokmoka	New Rural	288	53
Karbi Anglong	AS_New Rural44	Hawraghat	New Rural	216	57



District	FSRefNo	Fire Station Name	Operational Type	Population Density	Priority Ranking of New FS
Karbi Anglong	AS2020	Bokajan Fire Station	Operational Rural	77	
Karbi Anglong	AS2070	Hamren Fire Station	Operational Rural	55	
Karimganj	AS1893	Patharkandi Fire Station	Operational Rural	464	
Karimganj	AS1907	Ramkrishna Nagar Fire Station	Operational Rural	663	
Karimganj	AS1914	Badarpur Fire Station	Operational Rural	944	
Kokrajhar	AS_New Rural19	Patgaon	New Rural	236	55
Kokrajhar	AS_New Rural15	Katchugaon	New Rural	93	62
Kokrajhar	AS2017	Gossaigaon Fire Station	Operational Rural	422	
Kokrajhar	AS2098	Sapatgram Fire Station	Operational Rural	459	
Lakhimpur	AS_New Rural10	Charaidoloni	New Rural	928	15
Lakhimpur	AS_New Rural9	Barnamghar	New Rural	304	29
Lakhimpur	AS_New Rural39	Dulahatgaon	New Rural	293	30
Lakhimpur	AS_New Rural29	Jengraimukh	New Rural	230	37
Lakhimpur	AS_New Rural38	Gogamukh	New Rural	217	39
Lakhimpur	AS2099	Dhanakhana Fire Station	Operational Rural	314	
Lakhimpur	AS2132	Bihpuria	Operational Rural	209	
Morigaon	AS_New Rural45	Jagiroad	New Rural	482	5
Morigaon	AS1918	Bhuragaon Fire Station	Operational Rural	344	
Morigaon	AS2013	Morigaon Fire Station	Operational Rural	937	
Morigaon	AS2016	Moirabari Fire Station	Operational Rural	496	
Nagaon	AS_New Rural46	Jamunamukh	New Rural	756	18
Nagaon	AS1863	Kampur Fire Station	Operational Rural	498	
Nagaon	AS1875	Raha Fire Station	Operational Rural	1,095	
Nagaon	AS1922	Dhing Fire Station	Operational Rural	602	
Nagaon	AS1994	Sonaribali Fire Station	Operational Rural	345	



District	FSRefNo	Fire Station Name	Operational Type	Population Density	Priority Ranking of New FS
Nagaon	AS2035	Doboka Fire Station	Operational Rural	509	
Nagaon	AS2039	Sankardev Nagar Fire Station	Operational Rural	1,155	
Nagaon	AS2041	Hojai Fire Station	Operational Rural	710	
Nagaon	AS2066	Lanka Fire Station	Operational Rural	311	
Nagaon	AS2097	Kaliabor Fire Station	Operational Rural	240	
Nalbari	AS_New Rural66	Barnardi	New Rural	1,319	11
Nalbari	AS_New Rural6	Barkhala	New Rural	1,151	12
Nalbari	AS2002	Tihu Fire Station	Operational Rural	584	
Nalbari	AS2166	Mukalmua Fire Station	Operational Rural	275	
Sivasagar	AS_New Rural52	Sapekhati	New Rural	527	23
Sivasagar	AS_New Rural26	Demow	New Rural	226	38
Sivasagar	AS2009	Sonari Fire Station	Operational Rural	606	
Sivasagar	AS2012	Nazira Fire Station	Operational Rural	169	
Sonitpur	AS_New Rural58	Borsala	New Rural	370	26
Sonitpur	AS_New Rural8	Nakunia	New Rural	292	31
Sonitpur	AS_New Rural59	RangaChakuwa	New Rural	246	35
Sonitpur	AS_New Rural12	Borgang	New Rural	242	36
Sonitpur	AS_New Rural57	Terajullie T.e	New Rural	164	41
Sonitpur	AS2124	Biswanath chairali Fire Station	Operational Rural	181	
Sonitpur	AS2139	Jamugarihat Fire Station	Operational Rural	225	
Sonitpur	AS2140	Gohpur Fire Station	Operational Rural	422	
Sonitpur	AS2147	Rangapara Fire Station	Operational Rural	294	
Sonitpur	AS2153	Dhekiajili Fire Station	Operational Rural	956	
Tinsukia	AS_New Rural34	Dumsa	New Rural	717	63
Tinsukia	AS_New Rural33	Chota dhirak	New Rural	421	64



District	FSRefNo	Fire Station Name	Operational Type	Population Density	Priority Ranking of New FS
Tinsukia	AS_New Rural32	Tipong	New Rural	387	65
Tinsukia	AS_New Rural31	Digboi	New Rural	123	66
Tinsukia	AS2019	Margherita Fire Station	Operational Rural	114	
Tinsukia	AS2028	Sadiya Fire Station	Operational Rural	234	
Tinsukia	AS2046	Doomdooma Fire Station	Operational Rural	276	
Udalguri	AS_New Rural48	Kalaigaon	New Rural	937	14
Udalguri	AS_New Rural67	Purandia	New Rural	589	22
Udalguri	AS_New Rural68	Betabari	New Rural	429	24
Udalguri	AS_New Rural41	Borengajuli	New Rural	271	32
Udalguri	AS_New Rural56	Mazbat	New Rural	255	34







RMSI is a professional services company providing geospatial solutions and application software services to clients worldwide





Property Rights Notice: All Rights Reserved. This material contains the valuable properties and trade secrets of RMSI, embodying substantial creative efforts and confidential information, ideas and expressions, no part of which may be reproduced or transmitted in any form or by any means, electronic, mechanical or otherwise, including photocopying and recording, or in connection with any information storage or retrieval system without permission in writing from the authorized officer of RMSI, or an RMSI subsidiary.