



Directorate General NDRF & Civil Defence (Fire)
Ministry of Home Affairs
East Block 7, Level 7,
NEW DELHI, 110066,

**Fire Hazard and Risk Analysis in the Country for Revamping the
Fire Services in the Country**

**Final Report – State Wise Risk Assessment, Infrastructure and
Institutional Assessment of Phase IV States
(Andhra Pradesh, Bihar, **Kerala**, Lakshadweep, Tamil Nadu)**

November 2012

Submitted by

RMSI
A-8, Sector 16
Noida 201301, INDIA
Tel: +91-120-251-1102, 2101
Fax: +91-120-251-1109, 0963
www.rmsi.com

Contact: **Sushil Gupta**
General Manager, Risk Modeling and Insurance
Email: Sushil.Gupta@rmsi.com



Table of Contents

Table of Contents.....	2
List of Figures	5
List of Tables	7
Acknowledgements.....	10
Executive Summary	11
1 Introduction.....	19
1.1 Background.....	19
1.2 Role of Fire Services.....	19
1.3 Objective of the Study.....	21
1.4 Scope of the Study.....	21
2 Technical Details on Methodology and Data Development	22
2.1 Understanding of the Scope of Work	22
2.2 Study Area	23
2.3 Phased Approach	24
3 GIS based Fire Hazard and Risk Analysis.....	26
3.1 GIS Data Compilations	26
3.2 GIS - Overlay Analysis	30
3.3 Fire Hazard and Risk Analysis	32
3.4 Hazard Ranking	33
3.5 Exposure Vulnerability Ranking	41
4 Field Surveys of Fire Stations for Data Collection	51
4.1 Field-Survey of individual Fire Station and collection of Headquarter Data	51
4.2 Stakeholder Analysis	52
5 Development of Fire Decision Support System (FDSS)	53
5.1 Salient Features.....	53
5.2 High Level Design.....	53
5.2.1 Data Warehouse.....	55
5.3 Platform Components	55
5.4 System Administration Interface.....	58
5.5 Application Interface	58
5.5.1 Technology	59
5.6 Advantages of Open Source Platform	61
5.7 Identification of Gaps in Infrastructure, Up-gradation and Modernization Requirement.....	62
5.7.1 Infrastructure gaps.....	62

5.7.2	Equipment Gaps	62
5.7.3	Capacity gaps	62
5.8	Preparation of detail cost estimates with Capital and O&M Investment Plan	63
5.9	Institutional Assessment and Capacity Building Plan	63
6	International and National Norms	65
6.1	Literature Survey	65
6.2	Response Time.....	65
6.2.1	Germany	65
6.2.2	Japan.....	66
6.2.3	USA	67
6.2.4	UK	68
6.2.5	India.....	68
	Annex-1: Fire Headquarter Data Collection Form.....	71
	Annex-2: Fire Station Survey Form	88
7	Delhi State	104
8	Rajasthan State	105
9	Maharashtra State	106
10	Jammu and Kashmir State	107
11	Puducherry UT	108
12	Andaman & Nicobar Islands UT	109
13	Chandigarh UT	110
14	Haryana State	111
15	Himachal Pradesh State.....	112
16	Punjab State.....	113
17	Uttarakhand State	114
18	Uttar Pradesh State.....	115
19	Dadra and Nagar Haveli UT	116
20	Daman and Diu UT.....	117
21	Goa State.....	118
22	Gujarat State	119
23	Karnataka State.....	120
24	Madhya Pradesh State	121
25	Andhra Pradesh State	122
26	Bihar State	123
27	Kerala.....	124
27.1	Introduction	124

27.2	Field Surveys of Fire Stations for Data Collection	129
27.3	Infrastructure Gap Analysis	130
27.3.1	Fire Station Location Gap Analysis	130
27.3.2	Firefighting and rescue Vehicles And Equipment Gap	149
27.3.3	Fire Manpower Gap	165
27.3.4	Fire Station Building Infrastructure Gap	171
27.4	Investment and Financial Analysis	172
27.4.1	Capital Cost	172
27.4.2	Recurring Cost.....	180
27.5	Detailed Financial Investment Plan	184
27.6	Prioritization of new Fire Stations/Fire Posts	185
27.7	Avenues of Fund Generation	185
27.8	Capacity Building and Training Facilities	185
27.8.1	Basic Training for Fireman	186
27.8.2	Training Course for Leading Fireman.....	187
27.8.3	Other Specialized Training Courses.....	188
27.8.4	Junior Officer Training Course	188
27.8.5	Divisional Fire Officer Training Course.....	188
27.8.6	Fire prevention training course.....	189
27.8.7	Awareness Generation Programs	189
27.9	Limitations of the Study.....	190
27.10	Recommendations for Kerala State Fire Services	191

List of Figures

Figure 1-1: Distribution of fire services by various States/UTs by administrative organization	19
Figure 2-1 : State/UT wise distribution of fire service stations in India	23
Figure 3-1 : An example of a Land use classification at 25m pixel. The example shows parts of Western Maharashtra (districts – Mumbai, Mumbai sub-urban, Thane, Pune, and Raigarh)	29
Figure 3-2 : Example of an enlarged view of classified. The example shows urban agglomeration classification in Pune city areas.....	30
Figure 3-3 : An example of a detailed classified urban agglomerate area. The example shows parts of Delhi with overlay of GPS locations of Fire Stations.....	31
Figure 3-4 : Overlay analysis for Fire Risk Assessment	32
Figure 3-5 : Seismic zones of India	33
Figure 3-6 : Wind zone map of India (BMTPC, 2006)	35
Figure 3-7 : Climatic Zones of India.....	37
Figure 3-8 : Example of comparison of district level rankings for residential built-up area percentages and absolute areas (in sq km). The example shows a comparison for all 35 districts of Maharashtra State	45
Figure 3-9 : Example of comparison of district level rankings for residential built-up areas and industrial areas (in sq km). The example shows a comparison for all 35 districts of Maharashtra State	46
Figure 5-1 : Three-tier architecture.....	54
Figure 5-2 : High level design of FDSS	55
Figure 5-3 : User Interface for Base Analysis in FDSS. The example shows the States covered in the Pilot Phase of the study.....	57
Figure 5-4 : System administration interface	58
Figure 5-5 : FDSS - Systems Architecture.....	60
Figure 27-1: District map of Kerala.....	125
Figure 27-2: Locations of operational urban Fire Stations in Kerala	127
Figure 27-3: Locations of operational rural Fire Stations in Kerala	128
Figure 27-4: Fire stations gap analysis for Alappuzha and Kottayam rural areas	132
Figure 27-5: Fire stations gap analysis for Alappuzha urban areas	133
Figure 27-6: Fire stations gap analysis for Ernakulam rural areas	134
Figure 27-7: Fire stations gap analysis for Kannur and Kasargod rural areas	135
Figure 27-8: Fire stations gap analysis for Kannur urban areas	136
Figure 27-9: Fire stations gap analysis for Kollam and Thiruvananthapuram areas.....	137
Figure 27-10: Fire stations gap analysis for Kollam urban areas	138
Figure 27-11: Fire stations gap analysis for Kottayam and Pathanamthitta areas	139

Figure 27-12: Fire stations gap analysis for Kottayam urban areas	140
Figure 27-13: Fire stations gap analysis for Kozhikode rural areas	141
Figure 27-14: Fire stations gap analysis for Kozhikode urban areas	142
Figure 27-15: Fire stations gap analysis for Malappuram and Palakkad rural areas	143
Figure 27-16: Fire stations gap analysis for Malappuram urban areas	144
Figure 27-17: Fire stations gap analysis for Thiruvananthapuram rural areas	145
Figure 27-18: Fire stations gap analysis for Thiruvananthapuram urban areas	146
Figure 27-19: Fire stations gap analysis for Thrissur rural areas	147
Figure 27-20: Fire stations gap analysis for Thrissur urban areas	148

List of Tables

Table 2-1: Phase wise distribution of various States/UTs in the Country	24
Table 3-1: Cluster class morphology in land use maps	27
Table 3-2: Risk ranking schema for earthquake, wind and climatic zones	34
Table 3-3: District level ranking for individual (earthquake, wind and climatic) hazard and integrated hazards.....	38
Table 3-4: District level geographical area, population, population density, residential built-up area, residential built-up area, and industrial area	41
Table 3-5: Grouping schema for ranking of exposure and vulnerability layers	45
Table 3-6: Weightage assigned in risk scoring schema for integration of hazard and exposure vulnerability into fire risk categories.....	47
Table 3-7: District risk rankings for four States of Phase III	48
Table 5-1: Advantages of Open Source Platform	61
Table 6-1: Number of operational and additional Fire Stations and fire posts required in Delhi	69
Table 6-2: Revised number of operational and additional Fire Stations and fire posts required in Delhi	70
Table 27-1: Kerala Demography as per Census 2011	126
Table 27-2: Summary of district level operational Fire Stations in Kerala	129
Table 27-3: District level number of operational and new Fire Stations in the Kerala State	131
Table 27-4: List of operational firefighting vehicles available with Kerala FRS (As on July 2012).....	153
Table 27-5: Vehicle gap in operational Fire Stations for their ideal jurisdiction area	154
Table 27-6: Total vehicle gap in operational and new urban Fire Stations under their ideal jurisdiction areas	155
Table 27-7: Additional vehicle required for new rural Fire Stations under their ideal jurisdiction areas	156
Table 27-8: List of specialized equipment available with Kerala FRS Services (As on July, 2012).....	157
Table 27-9: List of specialized equipment available with Kerala FRS (As on July, 2012) (continued..)	158
Table 27-10: Specialized equipment gap in operational Fire Stations for ideal jurisdiction area.....	159
Table 27-11: Specialized equipment gap in operational Fire Stations for ideal jurisdiction area (continued..)	160
Table 27-12: Total gap in specialized equipments for operational and new urban Fire Stations	161
Table 27-13: Total gap in specialized equipments for operational and new urban Fire Stations (Continued....)	162
Table 27-14: Additional specialized equipment required for new rural Fire Stations	163

Table 27-15: Additional specialized equipment required for new rural Fire Stations (continued...)	164
Table 27-16: Manpower requirement for Station officer and lower staffs for Kerala considering two shifts duty pattern	165
Table 27-17: Manpower requirement for Station officer and lower staffs as per ARD, Delhi (2-shifts)	165
Table 27-18: List of manpower available for operational Fire Stations in Kerala FRS (As on July, 2012)	167
Table 27-19: Manpower gap in operational Fire Stations for ideal jurisdiction area	168
Table 27-20: Total staff gap for operational and new urban Fire Stations	169
Table 27-21: Additional staff required for new rural Fire Stations	170
Table 27-22: Fire station building required for gap in operational, new urban and new rural Fire Stations (no. of bays)	171
Table 27-23: Cost (in Lakhs Rupees) of Fire Station building (no. of bays) required for gap in operational, new urban and new rural Fire Stations	173
Table 27-24: Cost estimates (in Lakhs Rupees) for gap in firefighting vehicles for operational and new urban Fire Stations	174
Table 27-25: Cost estimates (in Lakhs Rupees) for gap in firefighting vehicles for new rural Fire Stations	175
Table 27-26: Cost estimate (in Lakhs Rupees) for gap in specialized equipment for operational and new urban Fire Stations	176
Table 27-27: Cost estimate (in Lakhs Rupees) for gap in firefighting specialized equipment for operational and new urban Fire Stations (contd...)	177
Table 27-28: Cost estimate (in Lakhs Rupees) for gap in specialized fire equipment for new rural Fire Stations	178
Table 27-29: Cost estimate (in Lakhs Rupees) for gap in specialized fire equipment for new rural Fire Stations (continued...)	179
Table 27-30: Annual cost estimates (in Lakhs Rupees) for manpower for Kerala after filling up the gap in operational and new urban Fire Stations	180
Table 27-31: Cost estimate (in Lakhs Rupees) manpower in Kerala for new rural Fire Stations	181
Table 27-32: Annual recurring cost estimates (in Lakhs Rupees) for petrol, diesel, and lubricants after filling the gap in operational and new urban Fire Stations	182
Table 27-33: State level summary of Capital Expenditure required for filling the gap (in Crores Rupees)	183
Table 27-34: State level summary of Recurring Expenditure required for filling the gap (in Crores Rupees)	183
Table 27-35: State level 10 year investment plan for Kerala FRS for filling gap in operational and new urban Fire Stations (in Crores Rupees)	184
Table 27-36: State level 10 year investment plan for Kerala FRS for filling gap in operational, new urban and new rural Fire Stations (in Crores Rupees)	184
Table 27-37: Estimated training requirements for fire personnel in Kerala Fire Services	187

Table 27-38: Details of operational and new proposed urban Fire Stations with their ideal jurisdiction area, estimated ideal served population under their jurisdiction, and priority ranking for new Fire Stations	193
Table 27-39: Details of operational and new proposed rural Fire Stations with their ideal jurisdiction area, estimated ideal served population under their jurisdiction, and priority ranking for new Fire Stations	198

Acknowledgements

The assistance of Dr. P. M. Nair, Director General (DG), NDRF & CD, Shri Sandeep Rai Rathore, IG, NDRF & CD, Shri D. K. Shami, Dy. Fire Adviser, Shri Chandrashekhar, Director (Fire Project Cell), Shri Nakul Kumar Tarun, Dy. Director (Fire Project Cell), Shri Santosh Gupta, Assistant Director (Fire Project Cell), Shri Santosh J. Thomas, Assistant Director, (Fire Project Cell), NDRF & CD and other staff members of the Directorate of NDRF & CD is gratefully appreciated for giving this opportunity.

In addition, the support and valuable assistance of DGP-cum-Commandant General, Shri K. S. Sivanandan, Director (Technical) , Kerala Fire and Rescue Services and various other officials and staffs of Kerala Fire and Rescue Services is gratefully acknowledged.

Our special thanks are due to Shri R. K. Srivastava, Joint-Secretary (DM), MHA, Shri Sanjay Agrawal, Director (DM), MHA and the project reviewing and monitoring committee consisting of Dr. P. M. Nair, DG, NDRF & CD, (Chairman), Dr G. A. Bhat (member), Lt. Col (retd.) P.K. Pathak, Consultant, NIDM (member), Shri D. K. Shami (member), and Shri Chandrashekhar (member – secretary), for sparing their valuable time in review of this report.

Executive Summary

Fire service is one of the most important emergency response services in the country, which comes under the 12th schedule of the constitution dealing with Municipal functions. At present, fire prevention and firefighting services are organized by the concerned States and Union Territories (UTs), and Urban Local Bodies (ULBs). Directorate of National Disaster Response Force and Civil Defence (NDRF&CD, Fire Cell), Ministry of Home Affairs (MHA) render technical advice to the States, UTs, and central ministries on fire protection, prevention, and legislation. Fire services in Maharashtra, Haryana, Gujarat, Chhattisgarh, Madhya Pradesh (excluding Indore), and Punjab are under the respective Municipal Corporations. In the remaining States, it is under the respective Home Department.

The growth of fire-services in the country has been on an ad-hoc basis, without much scientific analysis of existing risks in different parts of the country. Varying risk scenarios need different types of equipment. The risk varies with geographical location such as hilly-area, coastal-area, desert-area, and with residential (high-rise, medium, and low rise-buildings), industrial, commercial area or a combination of these. Moreover, lack of knowledge management for future planning and institutional capacity and funds are also seen as one of the major challenges in addressing improvements in fire and emergency services in the country. As per a recent analysis by the Standing Fire and Advisory Council (SFAC), the overall deficiency in the country in terms of number of Fire Stations is 97.54%, in terms of firefighting and rescue vehicles is 80.04% and in terms of fire personnel is 96.28%, respectively, which is quite alarming (NDMA Guideline, 2012, CR SFAC, 2011). In consideration of this and the increasing fire risks from various hazards, the Directorate of NDRF&CD, Fire Cell, MHA planned a study called **“Fire Hazard and Risk Analysis in the Country for Revamping the Fire Services in the Country”**, to identify existing gaps in terms of availability and requirement of Fire Stations, capacity-building, trained man-power and fire-fighting, rescue, and other specialized equipments.

The **broad objectives** of the study are:

- To carry out GIS thematic map based Fire Hazard and Risk analysis through overlaying hazards and quantified risk, and classify the districts as base units into appropriate risk categories such as very high, high, medium, or low.
- To prepare a detailed Investment and Financing Plan for next 10 years for up-gradation, expansion and modernization of Fire Services, based on existing situation analysis and risk based actual requirements.
- To develop an open-source GIS based software called as a Fire Decision Support System (FDSS) containing administrative boundaries, quantified risk GIS layers and with capability of estimation of financial implications for desired capacity development.
- To prepare an Institutional Assessment and Capacity Building Plan, based on field-data collection, enquiry, spatial analysis and understanding of the availability and gaps in the fire service infrastructure.

Role of Fire Services

The primary role of fire services has been to attend to fire incidents. Besides firefighting, fire department also attends to other emergencies such as building collapse, road traffic accidents, human and animal rescue etc., and other special service calls. Some fire services also attend medical emergencies for transportation of casualties through ambulances maintained by them. Similarly, some States, like Delhi, have separate flood department with rescue boats and trained divers. The Fire Services maintain skeletal facilities to act as *‘first*

responders' and wait until assistance from the flood department arrives. It is therefore, considered appropriate that the specialized facilities for such jobs is maintained and operated by the concerned department.

As indicated in the National Disaster Management Authority (NDMA) guidelines, Fire Service is one of the Emergency Support Functions (ESF). Based on DM Act 2005, various States have also formulated State Disaster Management Authorities (SDMA's) and District Disaster Management Authorities (DDMA's) both of which consider Fire Service as an ESF. It is, therefore, evident that the role of Fire Services has become multi-dimensional that includes not only attending fire incident calls but also various other emergencies. Accordingly, fire services in the jurisdiction of the respective Fire Station are required to be prepared with suitable types of equipment to deal with various emergencies.

The role of fire services also includes effective fire prevention, creating awareness on fire safety, and enforcing the inbuilt fire protection arrangements for various types of occupancies in line with National Building Code (NBC) part – IV. However, majority of the States/Municipal Fire Services are unable to enforce the fire safety provisions due to a lack of appropriate directives from the authorities controlling the function of fire services. Some of the Fire Services do not adhere to NBC and have created their own fire-safety building bye-laws, e.g., Mumbai Fire Brigade. It may be noted that in-built fire safety arrangements and escape facilities are much more important than having a fire service within the premises without the above facilities. It is, therefore, necessary to enforce the fire-safety provisions through appropriate directives to all the States/UTs by the Ministry of Home Affairs (MHA) directly or through DG, NDRF & CD office.

In addition to the regular fire services, various other organizations/ industries, such as Ports, Airports, Defence, Power, Oil and Gas, Steel, Heavy Engineering, Fertilizers, Chemicals etc. have their own fire service set-ups (including their own captive resources), in order to provide fire protection to their facilities and some of them at times provide support to local fire services on request. All of them have their rules and regulations concerning fire safety. For example, Oil India Safety Directorate (OISD) norms for Oil and Gas Industries, International Civil Aviation Organization (ICAO) norms for Airports, Tariff Advisory Committee (TAC) regulations- now discontinued, for industries etc. and Electricity Rules for power sector.

Safety of highly hazardous processing and storage industries requires 100 percent round the clock built-in and functional fire protection arrangements with trained fire fighters as well as onsite and off-site disaster management plans. Fire services are not expected to create the infrastructure to independently tackle such emergencies within the industry, as it may be not be possible to do so. However, they are expected to support any on-site and off-site firefighting to protect surrounding populations and handle such incidents during transportation through the civil areas. Moreover, local fire services should have mutual-aid schemes with all the industries in their jurisdiction and must be aware of the various arrangements available with them in order to provide efficient support, in case of an emergency.

Phased Approach

In order to conduct this study for India, a vast country covering all the States and Union Territories (UTs), it was decided to conduct this study in a phased manner. In initial pilot phase, the pilot study comprises of 6 States and UTs (Jammu & Kashmir, Rajasthan, Maharashtra, Delhi, Andaman & Nicobar Island, and Puducherry), and in subsequent phases (Phase I to Phase IV), rest of the States/UTs have been taken up as detailed in section 2.2.

Field Surveys for Fire Infrastructure Data

To collect and collate the information on Fire Infrastructure of these Pilot States/ UTs, RMSI team developed two detailed forms “Headquarter Data Collection Form” and individual “Fire Station Field-Survey Form”. RMSI team field-surveyed all the Fire Stations in pilot States/UTs for collecting detailed fire Infrastructure information. The detailed information collected includes address of Fire Station, name of Fire Station in-charge, emergency contact numbers, communication between Fire Station control room, public and headquarter control room; Fire Station building including staff accommodation and barracks; firefighting vehicles and specialized equipment; fire personnel, their duty pattern and pay-scales; water availability and water sources for fire vehicles, fire-risk in the jurisdiction of Fire Station and its geographical coordinates (latitude, longitude -by using a Global Positioning System, GPS) etc. All this information for each Fire Station has been digitally converted and is available through Fire Decision Support System (FDSS), which can generate a Fire Station report at the click of a button.

GIS based Fire Hazard and Risk Analysis

In general, fire risk is defined as the combination of hazard potential, exposure, and vulnerability:

$$\text{Risk} = F (\text{Hazard potential} \times \text{Exposure} \times \text{Vulnerability})$$

The occurrence of fire incidents that constitute a threat for the population and exposed infrastructure of a certain region is associated with economic and human losses, always as a function of the exposure conditions and the vulnerability of the exposed assets in that particular region. Different natural hazards such as seismic (earthquake), climatic, and wind are considered in risk analysis. Additionally hill zone are also considered in risk analysis due to increased fire risk from wooden houses and heating provisions in cold areas.

For estimating exposure and its vulnerability, detailed urban agglomerate classification maps generated from high-resolution satellite images have been used. With the help of remote sensing techniques applied on high-resolution satellite imageries, various types of urban agglomeration areas have been demarcated. These include urban, semi-urban, building blocks, and industrial and rural villages’ built-up areas of different densities (high medium, low). For exposure vulnerability, 4 different layers such as population density, residential built-up areas, high-rise building block density, and industrial areas have been developed individually at district level. For assessing fire risk, both absolute built-up areas in sq km as well as built-up areas percent (ratio of built-up areas to the total area) are considered as important parameters. It is obvious that industrial areas in districts have much lower percentages than residential built-up areas. However, presence of industrial areas in a district has a significant influence in assessing fire risk. Hence, industrial areas in absolute terms (sq km) have been considered in risk ranking.

In order to assess the impact of each exposure vulnerability type, a vulnerability score/ ranking has been assigned to each layer at their base unit. The vulnerability score represents the level of vulnerability (very high to negligible) of a specific type of exposure in response to the occurrences of small and medium fire incidents. The natural break in value distribution has been considered for defining the ranking class.

After developing ranking of individual units of hazard and exposure vulnerability, GIS layers have been overlaid on top of each other and a spatial analysis has been performed for integration in GIS environment. For combining hazard and risk, Weighted Factor Analysis (WFA) in GIS environment has been performed. Weighted ranking scores have been used in the integration analysis and quantified risk distribution for each district. Values of weighted factor depend upon the importance of a particular hazard/ vulnerability class in risk analysis. For integration of hazards, equal weights have been assigned to wind, seismic and climatic hazards, while double weights have been given to hill zoning. This is because, in hilly terrain,

wooden houses and heating provisions in buildings increase the chances of fire-incidences, and thus have been given higher weightage.

After obtaining integrated individual weighted score for hazard and exposure vulnerability, fire risk categories have been obtained in quantitative terms by further integration of hazard and exposure vulnerability. It is obvious that in the occurrence of the number of fire incidents in a given district, exposure vulnerability has more importance than the prevailing hazard. Hence, in quantified integration, double weights have been assigned to exposure vulnerability. The quantified numeric values of district risk scores are again grouped into four descriptive categories of district level risk ranking (very high, high, medium, and low).

As per project scope of work, countrywide district level fire hazard and risk analysis has been carried out. However, it is obvious that the fire risk is not uniformly distributed throughout the districts in both urban and rural areas. Considering the above fact, RMSI has performed GIS based risk analysis, based on distribution of population agglomeration by defining built-up areas into different risk categories, such as high-density urban, low-density urban, sub-urban, and village. Moreover, distinct demarcated industrial areas have also been considered in the analysis.

Review of International and National Norms

To estimate the gaps from the existing position in terms of number of Fire Stations and their appropriate location, the RMSI team followed scientific and innovative GIS based response time network analysis approach involving various norms and regulations. Various international and national norms on response time have been reviewed. Response time is defined as “*en route time (in minutes) taken by the firefighting vehicle from the Fire Station to the fire emergency scene.*” Different countries follow different norms on response time such as:

Germany: response time in urban areas varies from 8 to 15 minutes

Japan: response time varies from 5 to 10 minutes, depending upon the location of the building

USA: response time varies from (3-4) to 8 minutes

United Kingdom: response time varies from 5 to 8 minutes

India: SFAC norms recommended response time for first fire tender is 3, 5, and 7 minutes respectively depending on risk category A, B, and C in urban area and 20 minutes in rural area. The norms also defined one Fire Station in an area of 10 sq km in urban area; and 50 sq km in rural area.

To investigate the practicability of SFAC norms, RMSI team carried out a number of simulations using GIS based network analysis. With these simulations, RMSI demonstrated that two SFAC norms (response time and area-based) are not in synchronization with each other, and recommended revised response time based norms for positioning a Fire Station, as response area will vary from place to place depending upon the road network.


- ***Depending upon the risk category, the recommended response time for first fire tender is 5 to 7 minutes in urban areas and 20 minutes in rural areas***

Summary of Findings for Kerala State

Presently, Kerala State Fire & Rescue Services (FRS) has 100 operational Fire Stations, both in urban and rural areas. Based on detailed demarcated built-up areas and GIS based network analysis (response time analysis), ideal jurisdiction boundaries have been demarcated for all operational Fire Stations excluding areas served by other agencies, such as ports, airports, military cantonments, thermal power plants etc. The remaining areas, not covered under ideal jurisdiction of operational Fire Stations, are also divided for ideal jurisdictions of new proposed Fire Stations. The requirements for firefighting and rescue vehicles and specialized equipments are based on ideal served population, population density, and built-up areas within ideal jurisdiction boundary.

Fire Station Gap Analysis

As per detailed GIS based analysis, the State would require additional 57 Fire Stations in urban areas and 71 Fire Stations in rural areas. Hence this study finds an overall gap of 56% in terms of number of Fire Stations in Kerala State (for details, please refer to section 27.3.1).



Firefighting and Rescue Vehicles and Specialized Equipment Gap Analysis

For estimating the gap in firefighting and rescue vehicles and specialized equipment in operational as well proposed Fire Stations both in urban and rural areas, the RMSI team modified the SFAC norms with expert opinions. These modifications also helped in optimization of resources and are detailed in section 27.3.2. This finds an overall gap of 68% in the firefighting and rescue vehicle and about 94% in specialized equipment for both operational and new Fire Stations in urban and rural areas.

Fire Personnel Gap Analysis

For estimating the gap in fire personnel in operational as well as proposed Fire Stations both in urban and rural areas, the RMSI team used Administrative Reform Department (ARD, Delhi) norms based on duty pattern (double-shift) prevalent in Delhi as ARD has already optimized the fire manpower requirement in comparison to what has been suggested in

SFAC norms. The current duty pattern in Kerala State is 24 hours, in general, and RMSI team estimated for manpower requirement for double shift duty pattern (for details, please refer to section 27.3.3). Thus, in Kerala State, this study finds an overall gap of about 86% in fire personnel considering double shift duty pattern.

Fire Prevention Wing

In addition to firefighting staff, Kerala State has a well running fire prevention wing for inspection, awareness generation, and training for schools, hospitals, high-rise buildings, shopping malls, cinema halls, govt. offices, public buildings etc. need further strengthening. However, there is a need for a dedicated Fire Prevention Wing in Kerala Fire and Rescue Services throughout the State, so that recurrence of the fire incidences similar to that at the Advance Medical Research Institute (AMRI), Kolkata, in terms of their magnitude and frequency can be reduced. Accordingly, to support DG-cum-Commandant General, Kerala Fire and Rescue Services, additional officers at the levels of Director (Technical), Additional Director (Technical), Deputy Director (Technical), Chief Fire Officers (CFO), Deputy Chief Fire Officers (Dy-CFO), Division Officers (DO), and Assistant Divisional Officers (ADO) have been recommended (for details, please refer to section 27.2.2).

Fire Station, District and State Level Report Generation

The detailed report of Operational Fire Stations, district and State levels for fire infrastructure and gap analysis is also available through the Fire Decision Support System (FDSS), which can generate reports for each Operational Fire Station, district, and State level at the click of a button.

Roadmap for Investment and Financial Plan for next 10 years

The other tasks include the development of Investment and Financial Plan, Institutional Assessment & Capacity Building Plan along with a dynamic web-based Fire Decision Support System (FDSS). As detailed in section 27.5, the detailed investment and financial plan at district level includes estimation of capital cost for infrastructure cost, firefighting and rescue vehicles, and specialized fire and communication equipment. The recurring expenditure cost includes fire personnel cost depending upon pay-scales at various levels; staff uniform cost, and Personal Protective Equipment (PPE); annual vehicle and specialized equipment maintenance cost, Petrol, Diesel, and Lubricant (PDL); building maintenance; office and training expenses etc. The detailed roadmap and investment plan (section 27.5) for the next 10-years includes both capital and recurring expenditures. RMSI analysis estimates a total investment of about **Rs 10,760 Crores** (Table 27-36) spread over a period of 10 years for Kerala State including inflationary factors and after filling the gaps for both operational and proposed urban and rural Fire Stations.

Prioritization of New Fire Stations

The prioritization of new Fire Stations in Kerala for both rural and urban areas has been detailed in section 27.6. Accordingly, separate priority ranking for both urban and rural areas are given in Tables 27.38 and 27.39, respectively.

Avenues for Fund Generation

Kerala FRS can generate new avenues for funds from the following:

- Introduction of Fire Tax (1% of existing property tax)
- Training programs at different levels and durations to private sector employees on chargeable basis
- Capitation fee can be charged for scrutiny of building plans
- Sale of condemned fire appliances, equipments, uniform articles and general store items.

Capacity Building and Training Facilities

The study finds that there is a substantial gap for Capacity Building and Training among the fire personnel within the Kerala State. The detailed capacity building and training need assessment at various levels have been discussed in section 27.8. Additionally, RMSI team is making a separate report on Capacity Building and Training Infrastructure for all States/UTs in the country.

Limitations of the Study

Limitations of study have been given in section 27.9.

Recommendations

The report concludes with the recommendations for the Kerala Fire and Rescue Services department and is detailed in section 27.10. The present study made some recommendations to overcome some of the crucial issues such as lacks firefighting manpower, strict implementation of State Fire Act & Fire Policy, and building byelaws as per national building code (NBC- Part IV). In short, Kerala State Fire services can be revamped in next 10 years to desired level provided sufficient funds and trained resources are made available.

Report Structure

This report for the Phase III States/UTs is divided in two parts:

Part A: This part comprises of chapters 1-6, which are common for all the 35 States/UTs Fire Services for which this study is conducted.

- Chapter 1 provides brief details of project background, role of fire services, objective and scope of study
- Chapter 2 outlines the methodology adopted and data development
- Chapter 3 provides details on GIS based fire hazard and risk analysis
- Chapter 4 provides a brief overview of field-survey of individual Fire Station and headquarter data collection and approach for stakeholder analysis
- Chapter 5 briefly explains the Development of Fire Decision Support System (FDSS)
- Chapter 6 examines international and national norms

Part B: This part comprises of Chapters 25-29, which are specific to the State/UT being discussed.

- Chapter 25 provides detailed analysis for the Andhra Pradesh State
- Chapter 26 provides detailed analysis for the Bihar State
- Chapter 27 provides detailed analysis for the Kerala State
- Chapter 28 provides detailed analysis for the Lakshadweep UT
- Chapter 29 provides detailed analysis for the Tamil Nadu State

For Part-B, this report consists of Chapter 27, which is for the Kerala State.

PART - A

1 Introduction

1.1 Background

Fire service is one of the most important emergency response services. In India, Fire services come under the 12th Schedule of the constitution dealing with Municipal functions. At present, fire prevention and firefighting services are organized by the concerned States and Union Territories (UTs), and Urban Local Bodies (ULBs). Ministry of Home Affairs (MHA) renders technical advice to the States, UTs, and central ministries on fire protection, prevention, and legislation. Fire services in Maharashtra, Haryana, Gujarat, Chhattisgarh, Madhya Pradesh excluding Indore, and Punjab are under the respective Municipal Corporations. In remaining States, it is under the Home Department (Figure 1-1).




Figure 1-1: Distribution of fire services by various States/UTs by administrative organization

1.2 Role of Fire Services

As far as the role of fire services is concerned, the primary job of fire services has been to attend to fire incidents. However, they also attend to other emergencies like rescue from building collapse, road traffic accidents, human and animal rescue etc., and other special

service calls. Some fire services also attend medical emergencies for transportation of casualties through ambulances maintained by them. Similarly, some States have separate flood department with rescue boats and trained divers, like Delhi. The Fire Services maintain skeleton facility to act as 'first responder' and wait until assistance from flood department is reached. It is therefore, considered appropriate that the specialized facilities for such job is maintained and operated by the concerned department.

As indicated in the National Disaster Management Authority (NDMA) guidelines, Fire Services is one of the Emergency Support Functions (ESF). Based on DM Act 2005, various States have also formulated State Disaster Management Authorities (SDMA's) and District Disaster Management Authorities (DDMA's) both of which consider Fire Service as an ESF. It is therefore evident that the role of Fire Service is multi-dimensional that includes attending various emergencies. Accordingly, fire services are required to be prepared with suitable types of equipment to deal with various emergencies arising in the jurisdiction of the respective Fire Station.

The role of fire services also includes effective fire prevention, creating awareness on fire safety, and enforcing the inbuilt fire protection arrangements for various types of occupancies in line with National Building Code (NBC) part – IV. However, some of the States/Municipal Fire Services are unable to enforce the fire safety provisions due to a lack of appropriate directives from the authorities controlling the function of fire services. Some of the Fire Services do not adhere to NBC and have created their own fire-safety building bye-laws, e.g., Mumbai Fire Brigade. It may be noted that in-built fire safety arrangements and escape facilities are much more important than having a fire service within the premises without the above facilities. It is, therefore, necessary to enforce the fire-safety provisions through appropriate directives to all the States/UTs by the Ministry of Home Affairs (MHA) directly or through DG, NDRF & CD office.

In addition to the regular fire services, various other organizations/ industries, such as Ports, Airports, Defence, Power, Oil and Gas, Steel, Heavy Engineering, Fertilizers, Chemicals etc. have their own fire service set-ups (including their own captive resources), in order to provide fire protection to their facilities and some of them at times provide support to local fire services on request. All of them have their rules and regulations concerning fire safety. For example, Oil India Safety Directorate (OISD) norms for Oil and Gas Industries, International Civil Aviation Organization (ICAO) norms for Airports, Tariff Advisory Committee (TAC) regulations- now discontinued, for industries etc. and Electricity Rules for power sector.

Safety of highly hazardous processing and storage industries requires 100 percent round the clock built-in and functional fire protection arrangements with trained fire fighter as well as onsite and off-site disaster management plans. Fire services are not expected to create the infrastructure to independently tackle such emergencies within the industry, as it may be not be possible to do so. However, they are expected to support any on-site and off-site firefighting to protect surrounding populations and handle such incidents during transportation through the civil areas. Moreover, local fire services should have mutual-aid schemes with all the industries in their jurisdiction and must be aware of the various arrangements available with them in order to provide efficient support, in case of an emergency.

The growth of fire-services in the country has been on an ad-hoc basis, without much scientific analysis of existing risks in different parts of the country. Varying risk scenarios need different types of equipments depending upon the risk and geographical location such as hilly-area, coastal-area, desert-area, and residential (high-rise, medium, and low rise-buildings), industrial, commercial area or a combination of these. Moreover, lack of knowledge management for future planning and institutional capacity and funds are also seen as major challenges in addressing improvements in fire and emergency services in the

country. As per a recent analysis by the Standing Fire and Advisory Council (SFAC), the overall deficiency in the country in number of Fire Stations is 97.54%, in firefighting & rescue vehicles 80.04% and in fire personnel is 96.28%, respectively, which is quite alarming (NDMA Guideline, 2012, CR SFAC, 2011).

In consideration of this and the increasing risks from various hazards, such as Fire Following an Earthquake (FFEQ), and the rapid pace of urbanization and industrialization in the country, the Directorate of National Disaster Response Force and Civil Defence (NDRF&CD, Fire Cell), MHA felt the need for a comprehensive study to identify existing gaps in terms of availability and requirement of Fire Stations, capacity-building, in terms of trained man-power and fire-fighting, rescue, and other specialized equipments. This comprehensive study **aims at preparing a perspective plan for the next 10 years for revamping the fire services in the country.**

1.3 Objective of the Study

The broader objective of this study is to prepare a Capital Investment and Institutional Strengthening plan for accelerated development of fire services in the country.

1.4 Scope of the Study

The study area for this assignment is the entire country under the Directorate of NDRF & Civil Defence (Fire). The scope of the assignment will include, inter alia, the following activities:

1. **Fire Hazard & Risk Analysis:** Carry out a GIS (Open Source) based fire hazard and risk analysis and identify the gaps in fire services in terms of firefighting vehicles, specialized equipment, and trained fire personnel.
2. **Investment and Financing Plan:** Assess the status, availability and distribution of the fire service infrastructure under the Directorate of NDRF & Civil Defence (Fire Cell) by conducting field investigations and interviews. It is expected to conduct an investigation to assess the gaps and needs for future planning and up-gradation/modernization of the fire service infrastructure in the country in a quantified approach. As part of the Investment and Financing Plan, it is also expected to estimate the Capital and O&M Investment plan for the next 10 years and the investment priorities.
3. **Institutional assessment and capacity building plan:** Based on field-data collection, enquiry, spatial analysis and understanding on the availability and gaps in the fire service infrastructure, and prepare an institutional assessment and capacity-building plan for the department. Institutional Assessment and Capacity Building Plan will include but will not be limited to understanding the policies, regulations, strategies and programs of the department; existing legal and institutional mechanisms, issues and constraints of effective management; and training needs and capacity of the department's resources. Based on a comprehensive understanding of the mentioned variables, it is expected to prepare a consolidated national report and key recommendations for the Directorate of NDRF & CD (Fire Cell). It is also expected to explore the possibility of funding sources and provide recommendations for improvements to ensure appropriate financing mechanisms for capital expenditure, and for operation and maintenance.

2 Technical Details on Methodology and Data Development

2.1 Understanding of the Scope of Work

The primary objective of this comprehensive study on “Fire Hazard and Risk Analysis in the Country” is to prepare a capital investment and institutional strengthening plan for accelerated Development of Fire Services in the country. To achieve this objective of the study, the Directorate of NDRF & CD has defined the broad scope of the work as:

1. Risk and Hazard Analysis
 - Identifications of gaps in the existing fire services
2. Investment and Financial Plan
3. Institutional Assessment and Capacity Building Plan
 - Including survey of NFSC Nagpur and regional fire training Centers

As part of the Risk and Hazard Analysis, it is expected to carry out a GIS based hazard, risk analysis at base unit (district) level, and identify the gaps in the existing fire services. Risk assessment of forest fire is not included under the present scope of work. The infrastructures of forest department, privately owned fire safety infrastructure, infrastructures in restricted areas like military cantonments and airbases, and ammunition depots; nuclear facilities such as nuclear power plants, nuclear research reactors, heavy water plants; and mines, ports, airports, and oil exploration and oil refineries are excluded from the study. While assessing the infrastructure for the Investment and Financing Plan, RMSI has focused specifically on the State/UTs Fire Services . ***However, it may please be noted that RMSI team is also making efforts to get details of areas served by other agencies as well, so that requirement of establishing Fire Stations in these areas does not become part of the Gap analyses.***

As part of the ‘Investment and Financing Plan’, it is expected to assess the status, availability and distribution of the fire service infrastructure under the jurisdiction of Director General (NDRF & Civil Defence) through conducting field investigations and interviews. It is also expected to conduct an investigation to assess the gaps and needs for future planning, up gradation/ modernization of the fire service infrastructure in the country through a quantified approach. As part of the Investment and Financing Plan, it is also expected to estimate the Capital and O&M Investment plan for the next 10 years and the investment priorities. Based on the field data collection, enquiry, spatial analysis and understanding on the availability and gaps in the fire service infrastructure, it is expected to prepare an institutional assessment and capacity-building plan for the department. Institutional Assessment and Capacity Building Plan will include but not limited be to understanding the policies, regulations, strategies and programs of the department; existing legal and institutional mechanisms, issues and constrains of effective management; training needs and capacity of the department’s resources. Based on a comprehensive understanding of the mentioned variables, it is expected to prepare a consolidated National Report and key recommendations for the Director General (NDRF & Civil Defence) for all the Fire Stations under jurisdiction of the Directorate of NDRF & CD. Moreover, the possibility of funding sources will also be explored, and recommendations will be made for improvements to ensure good financing mechanisms for capital expenditure and operation and maintenance.

2.2 Study Area

The study area for this assignment is the entire fire service area of the country under the Directorate of NDRF & Civil Defence (Fire Cell). RMSI has carried out physical survey of all the Fire Stations under the Directorate of NDRF & CD (Fire Cell) (Figure 2-1) across the country.




Figure 2-1 : State/UT wise distribution of fire service stations in India

2.3 Phased Approach

As India is a vast country and in order to conduct this study for all the States and Union Territories (UTs), it was decided to conduct this study in a phased manner (Table 2-1).

The initial phase pilot study comprises of six States and UTs - **Jammu & Kashmir, Rajasthan, Puducherry, Maharashtra, Andaman & Nicobar Island, and Delhi** and in subsequent phases (Phases I to Phase IV), the other States/UTs have taken up as detailed in section 2.2. The Fire- Infrastructure of all States/ UTs has been Field-Surveyed by RMSI team and fire hazard and risk analyses have been carried out. The other tasks include development of Investment and financing plan, Institutional assessment & capacity building plan along with a prototype Fire Decision Support System (FDSS). The outcomes of pilot study were submitted to the Expert Group of the project for their review and approval and detailed discussions were held with senior Fire Officials, MHA and respective State/UT representatives. The approved report are being used as a template for conducting the study for the remaining States/ UTs in the phased manner indicated in Table 2-1.

It may be noted that there could be region specific modifications and variations in the requirements of different kinds and types of firefighting equipments depending upon the risk category of the district (base unit) of Fire Station, its geographical location such as coastal-area, hilly-area and desert-area. Phase wise list of States/UTs also includes corresponding number of districts (Census, 2011), number of Talukas/ Mandals (Census, 2001), and number of Fire Stations (Table 2-1).

Table 2-1: Phase wise distribution of various States/UTs in the Country

States	No of Districts (Census 2011)	No of Talukas/ Tehsils/ Mandals (Census 2001)	No of Fire Stations
Pilot Phase			
NCT of Delhi	9	27	53
Maharashtra	35	355	157
Puducherry	4	15	13
Andaman & Nicobar Islands	3	7	20
Rajasthan	33	241	126
Jammu & Kashmir	22	59	163
Phase I			
Chandigarh	1	1	7
Haryana	21	67	82
Punjab	20	72	48
Himachal Pradesh	12	109	25
Uttarakhand	13	49	33
Uttar Pradesh	71	300	237
Phase II			
Madhya Pradesh	50	259	292
Gujarat	26	227	183
Daman & Diu	2	2	3
Dadra & Nagar	1	1	1

States	No of Districts (Census 2011)	No of Talukas/ Tehsils/ Mandals (Census 2001)	No of Fire Stations
Haveli			
Karnataka	30	175	182
Goa	2	11	15
Phase III			
Kerala	14	63	100
Lakshadweep	1	4	4
Tamil Nadu	32	202	303
Andhra Pradesh	23	1110	251
Bihar	38	533	102
Phase IV			
West Bengal	19	343	107
Assam	27	145	110
Manipur	9	38	16
Meghalaya	7	32	32
Mizoram	8	25	12
Sikkim	4	9	9
Tripura	4	38	35
Nagaland	11	93	9
Arunachal Pradesh	16	149	13
Orissa	30	398	180
Chhattisgarh	18	97	33
Jharkhand	24	210	31
Total	640	5,466	2,987

3 GIS based Fire Hazard and Risk Analysis

Based on RMSI's vast experience of executing large projects at State and country levels, RMSI team has adopted the following approach (detailed below) to carry out this assignment. This approach has also been presented and discussed in a series of meetings with the officials of the Directorate of NDRF & CD, MHA, Government of India.

The risk of fire in urban areas has increased over the years and the rising cost of fire losses would seem to indicate that they are increasing at a greater rate than the measures devised to control them. Cities are growing in size and complexity day by day; therefore, they need to be managed more efficiently.

Geographic Information System (GIS) is an important and efficient tool that can be used by local administrations to minimize natural disasters (Recep Nisanci, 2010). Although there are many formal definitions of GIS, for practical purposes GIS can be defined as a computer-based system to aid in the collection, maintenance, storage, analysis, output and distribution of spatial data information (Bolstad, 2005). Thus, GIS technologies have been used in fire analysis related to the optimum location of Fire Stations. For example, Habibi et al. (2008), has made spatial analysis of urban Fire Stations in Tehran, using an analytical hierarchy process and GIS. Yang et al. (2004) also carried out studies concerning the selection of Fire Station locations using GIS.

Unlike a flat paper map, a GIS-generated map can represent many layers of different information. This representation provides a unique way of thinking about geographic space. By linking map databases, GIS enables users to visualize, manipulate, analyze and display spatial data. GIS technology based approach is cost-effective and provides accurate solutions in an expanding range of applications. RMSI team is adopting following approach for fire risk analysis of Indian States..

3.1 GIS Data Compilations

GIS Map based fire hazard and risk analysis is one of the main tasks of this assignment. In order to undertake hazard and risk analysis, various GIS layers and other associated thematic maps have been created for each of the pilot States/UTs that form the basis for risk ranking of base units (districts). The following is a list of selected GIS layers as base administrative layers and other dependant layers that have been used in GIS based fire risk analyses.

1. State administrative boundary layers
2. District administrative boundary layers
3. Rail network
4. Major (highways) and main road networks
5. Minor roads/ street road networks
6. Locations of cities, and major towns with their names
7. State level Land use land cover maps
8. Demarcation of residential, commercial and industrial built-up areas
9. Census population data 2011
10. Geographical locations (latitude, longitude) of operational Fire Stations
11. Other collateral data such as information from city development plans (if available), and demarcation of fire-station jurisdictional areas.

These data layers and their attribute data have been expanded according to needs analyses. The needs analyses include query information for the data needed for generating risk maps and effective firefighting planning.

After taking into account all requirements and data types, RMSI team has generated various GIS data layers for further GIS spatial analyses. District boundaries were considered as the base unit for analysis in assessing fire services infrastructure gaps, risk quantifications, and risk classifications.

GIS maps for administrative boundary layers such as State, and district are based on published Census 2011 data. **Currently, Census 2011 has published only district level demographic data.** In comparison to previous census (Census 2001), several new districts have been created. These new districts have been considered in the analysis.

Classified land use and land cover data is the backbone in fire hazard and risk analysis. Latest vintage satellite images have been used to capture the various features such as road networks, forest areas and habitat/settlement areas (Figure 3-1). The various land use land cover classes were extracted from latest vintage satellite images at 25m resolution for the selected States and UTs, and at higher resolution for major cities. The extraction is based on a semi-automated classification approach to distinguish the classes based on their reflectance values in the source satellite imagery. Data quality and data validation checks have been carried out for each stage of data generation.

For LULC classification, remote sensing satellite images were geo-referenced and classified to generate different LULC layers such as vegetation, built-up area, water bodies, and streets, based on their spectral reflectance i.e. DN (Digital Number) values. In this process, through a semi-automated process, these DN values of satellite images are classified into respective LULC classes to generate the clutter data. These clutter data layers are further subdivided into their respective sub-classes and merged together to give preliminary clutter data. The output clutter goes through standard validation processes and quality checks to produce high quality final clutters. Table 3-1 shows a list of classified LULC data at 25-meter resolution. Figure 3-1 displays delineated LULC classes for different parts of western Maharashtra (districts– Mumbai, Mumbai sub-urban, Thane, Pune and Raigarh). Figure 3-2 shows an enlarged view of classified urban agglomerate of Pune city areas.

Table 3-1: Cluster class morphology in land use maps

ID	Class Name	Description
0	Unclassified	Edge of the database
1	Urban High Density	Areas within urban perimeters, Inner city, very little/negligible vegetation. Closely packed buildings indicative of high density with only major streets and roads being visible. Absence of large open spaces.
2	Urban Medium Density	Medium density of buildings, vegetations are less but higher than the dense urban, major pedestrian zones being partially visible and streets and roads visible. Comparatively more open spaces exist within this region
3	Urban Low Density	Low density of buildings, vegetations / open area are higher than the medium urban, major pedestrian zones being partially visible and streets and roads visible. Comparatively more open spaces than medium density exist within this region
4	Suburban High Density	Suburban areas surrounding big cities (Outer parts of the city) with loosely packed built up and little vegetation.
5	Suburban Low Density	Sparse Suburban areas in outskirts of big cities (Outer parts of the city) with loosely packed built up and little vegetation.
6	Building Blocks	Systematic groups of buildings, parallel or not, that may be separated by large open spaces.

ID	Class Name	Description
7	Villages	Unsystematic small pockets /clusters of buildings, within large agriculture / open spaces
8	Industrial	Industrial: Factories, Warehouse, Garages, Shipyards, Mostly situated outside the main cities.
9	Commercial Areas	Commercial: Central Mall, Office Complexes with large building footprints, Central Business districts, Commercial buildings within the city (like petrol pumps, gas filling stations etc.) etc. will be classified as commercial areas
10	Forest	All kinds of dense forest in rural areas, over hills/ mountains, Natural Parks with high tree density.
11	Low Dense Vegetation	Low density of trees, low vegetation, bushes, scrubs with low tree density.
12	Agriculture/Fallow	All kinds of agriculture/fallow cultivated areas, croplands, farmlands etc.
13	Water	Inland permanent water bodies. This class will consist of lakes & dams.
14	Open	No buildings, no vegetation e.g. desert, beach, and open lands mostly barren.
15	Quasi Open	Areas with some obstruction like scattered trees or bushes with some mixed built-up, open, agricultural fallow lands etc
16	Airport	Airstrip and terminal buildings
17	River/Canal	Linear water features like streams and rivers.
18	Seasonal Water Body	Seasonal water body
19	Sea	Sea




Figure 3-1 : An example of a Land use classification at 25m pixel. The example shows parts of Western Maharashtra (districts – Mumbai, Mumbai sub-urban, Thane, Pune, and Raigarh)




Figure 3-2 : Example of an enlarged view of classified. The example shows urban agglomeration classification in Pune city areas

For major city areas, classifications that are even more detailed have been created with a high-resolution data layer as shown in Figure 3-3. For major cities / towns, besides the other classified units, such as highways and main roads, minor roads/streets and localities, have been captured. After the field survey of individual Fire Stations, GPS locations of all Fire Stations have been displayed for gap analysis.

3.2 GIS - Overlay Analysis

The basic way to create or identify spatial relationships among various GIS layers is through the process of spatial overlay. Overlay is a GIS operation in which layers with a common, registered map base are joined on the basis of their occupation of space. (Keith C. Clarke, 1997). Spatial overlay is accomplished by joining and viewing together separate data sets that share all or part of the same area. The result of this combination is a new data set that identifies the spatial relationships.




Figure 3-3 : An example of a detailed classified urban agglomerate area. The example shows parts of Delhi with overlay of GPS locations of Fire Stations

Overlay analysis is a common, widely used method of analyzing and evaluating geospatial data. Overlay analysis utilizes map layers in GIS to discover relationships across the layers. Overlay analysis is used to investigate geographic patterns and to determine locations that meet specific criteria. Spatial overlay is illustrated and highlighted in Figure 3-4. Various data layers, such as Land Use Land Cover (LULC), composite hazard, demographic exposure, road network, administrative boundary and Fire Station locations have been used through overlay analysis by combining diverse data sets for hazard analysis and Fire Station gap analysis.




Figure 3-4 : Overlay analysis for Fire Risk Assessment

3.3 Fire Hazard and Risk Analysis

The first-turnout of fire vehicles normally originates from the Fire Station under whose jurisdiction the fire-call has been received. Sometimes, calls go to a centralized control room, from where they are directed to the concerned Fire Station. To provide an effective response, Fire Station infrastructure in the form of firefighting and rescue vehicles, specialized equipment and manpower should also take into consideration of fire risks in addition to road conditions and population distribution. Thus, hazard and risk analysis of the base unit (district) should be on a scientific basis.

In general, fire risk is defined as the combination of hazard potential, exposure, and vulnerability:

$$\text{Risk} = F (\text{Hazard potential} \times \text{Exposure} \times \text{Vulnerability})$$

The occurrence of fire incidents that constitute a threat for the population and the exposed infrastructure of a certain region is associated with economic and human losses, always as a function of the exposure conditions and the vulnerability of the exposed assets in that particular region. In the present scope, fire risk can be defined as associated with the number of small and medium fire incidents and their locations.

3.4 Hazard Ranking

Earthquake (Seismic zones)

Besides loss of life, property damage, building collapses, and loss of basic amenities such as bridge and road damage, earthquakes can also induce small to large fires. Hence, earthquake zoning is an important parameter for fire risk analysis.

Based on occurrence of earthquakes of different intensities, the Seismic Zoning Map of India (IS 1893, 2001; BMTPC, 2006; NBC 2005) divides the country into 4 seismic zones as shown in Figure 3-5. Seismic Zone V is the highest risk zone where earthquakes having intensity of IX+ on Modified Mercalli Intensity (MMI) scale can take place. Earthquakes of intensities between VIII to IX can be experienced in seismic Zone IV, whereas earthquakes can occur between VI and VIII intensity in seismic Zone III.




Figure 3-5 : Seismic zones of India

With GIS overlay analysis, district areas falling within each seismic zone have been computed. In order to compare seismic risk among various districts, district level ranking of seismic zones has been assigned, based on the scheme shown in Table 3-2. District level seismic ranking for pilot States/UTs is shown in Table 3-3.

Wind Zones

Prevailing wind speed is one of the important parameters in assessing fire risk in the area. Wind speed has a noticeable influence on fire spread. The wind zone map illustrates the areas vulnerable to high wind speeds (Figure 3-6). There are six basic wind speeds considered for zoning, namely:

- 55m/s (198 km/hr) Very High Damage Risk Zone-A
- 50m/s (180 km/hr) Very High Damage Risk Zone-B
- 47m/s (169.2 km/hr) High Damage Risk Zone
- 44m/s (158.4 km/hr) Moderate Damage Risk Zone-A
- 39m/s (140.4 km/hr) Moderate Damage Risk Zone-B
- 33m/s (118.8 km/hr) Low Damage Risk Zone

The coastal areas are subjected to severe windstorms and cyclonic storms. A full-grown cyclone is 150 to 1,000 km across and 10 to 15 km high. Macro-level wind speed zones of India have been formulated and published in IS 875 (Part-3) – 1987. It is known that in certain events, the wind gusts could appreciably exceed the given basic wind speeds. For assessing vulnerability and fire risk to buildings, above macro-level zonings have been considered. Based on wind speed, risk ranking has been assigned to each wind zone following the schema described in Table 3-2. District wise estimated wind risk from GIS overlay analysis is shown in Table 3-3.

Table 3-2: Risk ranking schema for earthquake, wind and climatic zones

Wind Zone	Ranking	Seismic Zone	Ranking	Climatic Zones	Ranking
Very High Damage Risk Zone - A (Vb=55m/s)	4	ZONE V	4	Hot and Dry	3
Very High Damage Risk Zone - B (Vb=50m/s)	3.5	ZONE IV	3	Composite, Temperate	2
High Damage Risk Zone (Vb=47m/s)	3	ZONE III	2	Warm and Humid	1
Moderate damage Risk Zone - A (Vb=44m/s)	2	ZONE II	1	Cold Climate	1
Moderate damage Risk Zone - B (Vb=39m/s)	1.5				
Low Damage Risk Zone (Vb=33m/s)	1				
Importance Factors/ Weightage	20%	20%		20%	

Hill Zoning	Ranking
Cold climate	5
Other climates	1
Importance Factors/ Weightage	40%




Figure 3-6 : Wind zone map of India (BMTPC, 2006)

Climatic Zones

Regions having similar characteristic features of climate are grouped under one climatic zone. According to a recent code of the Bureau of Indian Standards, the country has been divided into the following five major climatic zones:

- Hot & Dry (mean monthly temperature >30 and relative humidity <55%);
- Warm & Humid (mean monthly temperature >25-30 and relative humidity >55-75%);
- Temperate (mean monthly temperature 25-30 and relative humidity <75%);
- Cold (mean monthly temperature <25 and relative humidity – can be any values);
- Composite (This applies when six months or more do not fall within any of the other categories meaning sharing characteristics of two or more of the above categories in a year).

Map of climatic zones is shown in Figure 3-7. The hot and dry zone lies in the western and the central parts of India; Jaisalmer, Jodhpur and Sholapur are some of the towns that experience this type of climate. In this zone, solar radiation and movement of hot winds are higher. The warm and humid zone covers the coastal parts of the country, such as Mumbai, Chennai and Kolkata. Pune and Bangalore are examples of non-coastal cities that fall the under moderate climatic zone. Generally, the Himalayan region experiences cold type of climate. The composite zone covers the northern Indo-Gangetic plains, such as New Delhi, Kanpur, and Allahabad.

With GIS overlay analysis, district overlap areas falling within each climatic zone have been computed. In order to compare impact of being a district in a climatic zone, district level ranking has been assigned based on the scheme shown in Table 3-2. District level climatic zone ranking for pilot States/ UT is shown in Table 3-3.

Hilly Areas and Building Class Zones

Extreme cold climate, rugged topography and use of flammable material in building construction (such as wood) and the use of heating provisions in houses during cold weather is an important factor for causing fire incidents in that region. To capture such elements in fire risk hazard, Hilly Areas and Building Class Zones have been created. This class is directly linked to the cold climate zone. All hilly districts, (such as all districts of Jammu & Kashmir in the Pilot study) fall under this category. In such districts, a ranking of five has been assigned. Importance of this zone in terms of occurrence of number of fire incidents is quite high. Hence, while integrating, a double weightage of 40% has been assigned to this layer.




Figure 3-7 : Climatic Zones of India

Table 3-3: District level ranking for individual (earthquake, wind and climatic) hazard and integrated hazards

Importance Factor			20%	20%	20%	40%	Integrated Hazard Zoning
State	State/District	Total Area	Wind Zoning	Seismic Zoning	Climate Zoning	Hill Zoning	
Andhra Pradesh							
	Adilabad	16,114	2.0	1.4	1.3	1.5	1.5
	Anantapur	19,182	1.1	1.0	1.1	1.0	1.0
	Chittoor	15,013	1.4	1.5	1.0	1.0	1.2
	East Godavari	10,840	2.9	1.8	1.0	1.0	1.5
	Guntur	11,400	2.3	1.4	1.0	1.0	1.3
	Hyderabad	192	2.0	1.0	2.0	2.0	1.8
	Karimnagar	11,845	2.0	1.2	1.9	2.0	1.8
	Khammam	15,968	2.0	1.9	1.0	1.0	1.4
	Krishna	8,754	2.6	2.0	1.0	1.0	1.5
	Kurnool	17,701	1.6	1.0	1.0	1.0	1.1
	Mahbubnagar	18,471	1.8	1.0	1.7	2.0	1.7
	Medak	9,726	1.9	1.0	2.0	2.0	1.8
	Nalgonda	14,233	2.0	1.0	1.4	1.5	1.5
	Nizamabad	7,971	1.9	1.0	2.0	2.0	1.8
	Prakasam	17,617	2.5	1.2	1.0	1.0	1.3
	Rangareddy	7,510	1.8	1.0	2.0	2.0	1.8
	Sri Potti Sriramulu Nellore	13,213	2.9	1.8	1.0	1.0	1.5
	Srikakulam	5,867	3.3	1.0	1.0	1.0	1.5
	Visakhapatnam	11,604	2.6	1.0	1.0	1.0	1.3
	Vizianagaram	6,169	2.6	1.0	1.0	1.0	1.3
	Warangal	12,911	2.0	1.3	1.6	2.0	1.8
	West Godavari	7,727	2.4	2.0	1.0	1.0	1.5
	Y.S.R.	15,356	1.4	1.1	1.0	1.0	1.1
Bihar							
	Araria	2,826	3.0	4.0	1.0	1.0	2.0
	Arwal	521	3.0	2.0	2.0	2.0	2.2
	Aurangabad	3,314	1.9	2.0	2.0	2.0	2.0
	Banka	3,055	2.8	2.8	1.4	1.5	2.0
	Begusarai	1,946	3.0	3.0	2.0	2.0	2.4
	Bhagalpur	2,578	3.0	3.0	1.0	1.0	1.8
	Bhojpur	2,431	3.0	2.0	2.0	2.0	2.2
	Buxar	1,668	3.0	2.0	2.0	2.0	2.2
	Darbhanga	2,524	3.0	3.5	1.8	2.0	2.5
	Gaya	4,985	1.5	2.0	2.0	2.0	1.9
	Gopalganj	2,044	3.0	3.0	2.0	2.0	2.4
	Jamui	3,121	1.6	2.4	2.0	2.0	2.0
	Jehanabad	1,060	2.8	2.0	2.0	2.0	2.2

Importance Factor			20%	20%	20%	40%	Integrated Hazard Zoning
State	State/District	Total Area	Wind Zoning	Seismic Zoning	Climate Zoning	Hill Zoning	
	Kaimur (Bhabua)	3,372	2.6	2.0	2.0	2.0	2.1
	Katihar	3,070	3.0	3.0	1.0	1.0	1.8
	Khagaria	1,504	3.0	3.0	1.4	1.5	2.1
	Kishanganj	2,012	3.0	3.4	1.0	1.0	1.9
	Lakhisarai	1,225	2.7	3.0	2.0	2.0	2.3
	Madhepura	1,816	3.0	3.6	1.0	1.0	1.9
	Madhubani	3,525	3.0	4.0	1.0	1.0	2.0
	Munger	1,421	3.0	3.0	2.0	2.0	2.4
	Muzaffarpur	3,191	3.0	3.0	1.9	2.0	2.4
	Nalanda	2,378	2.8	2.7	2.0	2.0	2.3
	Nawada	2,504	1.5	2.1	2.0	2.0	1.9
	Pashchim Champaran	5,245	3.0	3.0	1.7	2.0	2.3
	Patna	3,191	3.0	2.6	2.0	2.0	2.3
	Purba Champaran	3,982	3.0	3.0	1.4	1.5	2.1
	Purnia	3,245	3.0	3.3	1.0	1.0	1.9
	Rohtas	3,850	2.5	2.0	2.0	2.0	2.1
	Saharsa	1,677	3.0	3.3	1.4	1.5	2.1
	Samastipur	2,701	3.0	3.0	2.0	2.0	2.4
	Saran	2,686	3.0	2.8	2.0	2.0	2.4
	Sheikhpura	668	2.5	3.0	2.0	2.0	2.3
	Sheohar	444	3.0	3.0	1.0	1.0	1.8
	Sitamarhi	2,199	3.0	3.4	1.0	1.0	1.9
	Siwan	2,223	3.0	2.6	2.0	2.0	2.3
	Supaul	2,437	3.0	4.0	1.0	1.0	2.0
	Vaishali	2,030	3.0	3.0	2.0	2.0	2.4
Kerala							
	Alappuzha	1,423	1.5	2.0	1.0	1.0	1.3
	Ernakulam	3,067	1.5	2.0	1.0	1.0	1.3
	Idukki	4,377	1.5	2.0	1.0	1.0	1.3
	Kannur	2,979	1.5	2.0	1.0	1.0	1.3
	Kasaragod	1,998	1.5	2.0	1.0	1.0	1.3
	Kollam	2,495	1.5	2.0	1.0	1.0	1.3
	Kottayam	2,216	1.5	2.0	1.0	1.0	1.3
	Kozhikode	2,353	1.5	2.0	1.0	1.0	1.3
	Malappuram	3,579	1.4	2.0	1.0	1.0	1.3
	Palakkad	4,503	1.5	2.0	1.0	1.0	1.3
	Pathanamthitta	2,662	1.5	2.0	1.0	1.0	1.3
	Thiruvananthapuram	2,180	1.5	2.0	1.0	1.0	1.3
	Thrissur	3,053	1.5	2.0	1.0	1.0	1.3
	Wayanad	2,149	1.2	2.0	1.0	1.0	1.2

Importance Factor			20%	20%	20%	40%	Integrated Hazard Zoning
State	State/District	Total Area	Wind Zoning	Seismic Zoning	Climate Zoning	Hill Zoning	
Tamil Nadu							
	Ariyalur	1,940	3.0	1.0	1.0	1.0	1.4
	Chennai	167	3.5	2.0	1.0	1.0	1.7
	Coimbatore	3,857	1.5	2.0	1.0	1.0	1.3
	Cuddalore	3,718	3.3	1.0	1.0	1.0	1.5
	Dharmapuri	4,502	1.4	1.5	1.0	1.0	1.2
	Dindigul	6,063	1.8	1.1	1.0	3.0	2.0
	Erode	6,008	2.2	1.2	1.0	1.0	1.3
	Kancheepuram	4,477	3.3	1.4	1.0	1.0	1.5
	Kanniyakumari	1,688	1.5	2.0	1.0	1.0	1.3
	Karur	2,908	3.0	1.0	1.0	1.0	1.4
	Krishnagiri	5,138	1.1	1.2	1.0	1.0	1.0
	Madurai	3,717	1.6	1.0	1.0	1.0	1.1
	Nagapattinam	2,567	3.0	1.0	1.0	1.0	1.4
	Namakkal	3,425	3.0	1.1	1.0	1.0	1.4
	Perambalur	1,747	3.0	1.0	1.0	1.0	1.4
	Pudukkottai	4,670	3.0	1.0	1.0	1.0	1.4
	Ramanathapuram	4,254	1.8	1.0	1.0	1.0	1.2
	Salem	5,246	2.6	1.3	1.0	1.0	1.4
	Sivaganga	4,102	2.4	1.0	1.0	1.0	1.3
	Thanjavur	3,408	3.0	1.0	1.0	1.0	1.4
	The Nilgiris	2,576	1.2	2.0	1.0	1.0	1.2
	Theni	2,875	1.5	1.2	1.0	1.0	1.1
	Thiruvallur	3,401	3.0	2.0	1.0	1.0	1.6
	Thiruvarur	2,117	3.0	1.0	1.0	1.0	1.4
	Thoothukkudi	4,636	1.5	1.0	1.0	1.0	1.1
	Tiruchirappalli	4,499	3.0	1.0	1.0	1.0	1.4
	Tirunelveli	6,819	1.5	1.4	1.0	1.0	1.2
	Tiruppur	5,860	2.4	1.7	1.0	1.0	1.4
	Tiruvannamalai	6,192	1.6	1.6	1.0	1.0	1.3
	Vellore	6,077	1.2	2.0	1.0	1.0	1.2
	Viluppuram	7,290	2.4	1.0	1.0	1.0	1.3
	Virudhunagar	4,253	1.5	1.0	1.0	1.0	1.1

3.5 Exposure Vulnerability Ranking

For estimating exposure and its vulnerability, detailed urban agglomerate classification maps generated from high-resolution satellite images have been used. With the help of remote sensing techniques applied on high-resolution satellite imageries, 10 types of urban agglomeration areas have been delineated (Figures 3-1 and 3-2). For major city areas, even more detailed urban agglomerate classification has been created with high-resolution data layers as shown in Figure 3-3. These include urban, semi-urban, building blocks, industrial and rural villages' built-up areas. District level census 2011 population has been distributed to each population agglomeration cluster. For exposure vulnerability, 4 different layers viz. population density, residential built-up areas, high-rise building block density, and industrial areas have been developed individually at district level. Table 3-4 shows district level geographical area, population, population density, residential built-up area, industrial area, and residential built-up area.

Table 3-4: District level geographical area, population, population density, residential built-up area, residential built-up area, and industrial area

State	District	Geographical Area (sq. km.)	Population 2011	Population Density (persons/sq. km.)	Res Built-Up Area Sq Km	Industrial Area Sq Km	Res Built-Up Area (In %)
Andhra Pradesh							
	Adilabad	16,114	2,737,738	169.90	32.37	35.31	0.20%
	Anantapur	19,182	4,083,315	212.87	39.53	43.04	0.21%
	Chittoor	15,013	4,170,468	277.79	38.32	41.75	0.26%
	East Godavari	10,840	5,151,549	475.24	36.69	39.94	0.34%
	Guntur	11,400	4,889,230	428.87	39.62	43.24	0.35%
	Hyderabad	192	4,010,238	20,924.27	5.91	6.39	3.08%
	Karimnagar	11,845	3,811,738	321.80	33.68	36.92	0.28%
	Khammam	15,968	2,798,214	175.24	42.47	-	0.27%
	Krishna	8,754	4,529,009	517.39	48.16	-	0.55%
	Kurnool	17,701	4,046,601	228.61	26.74	-	0.15%
	Mahbubnagar	18,471	4,042,191	218.84	22.33	-	0.12%
	Medak	9,726	3,031,877	311.74	30.42	33.12	0.31%
	Nalgonda	14,233	3,483,648	244.76	38.44	-	0.27%
	Nizamabad	7,971	2,552,073	320.18	18.92	-	0.24%
	Prakasam	17,617	3,392,764	192.59	27.95	-	0.16%
	Rangareddy	7,510	5,296,396	705.24	112.25	122.53	1.49%
	Sri Potti Sriramulu Nellore	13,213	2,966,082	224.49	23.06	25.74	0.17%
	Srikakulam	5,867	2,699,471	460.14	8.66	9.53	0.15%
	Visakhapatnam	11,604	4,288,113	369.53	36.14	39.18	0.31%
	Vizianagaram	6,169	2,342,868	379.80	7.80	8.39	0.13%
	Warangal	12,911	3,522,644	272.85	290.54	7.00	2.25%

State	District	Geographical Area (sq. km.)	Population 2011	Population Density (persons/sq. km.)	Res Built-Up Area Sq Km	Industrial Area Sq Km	Res Built-Up Area (In %)
	West Godavari	7,727	3,934,782	509.24	237.97	10.43	3.08%
	Y.S.R.	15,356	2,884,524	187.85	40.15	43.84	0.26%
Bihar							
	Araria	2,826	2,806,200	993.12	150.62	0.33	5.33%
	Arwal	521	699,563	1,343.16	16.61	0.01	3.19%
	Aurangabad	3,314	2,511,243	757.82	99.78	0.71	3.01%
	Banka	3,055	2,029,339	664.20	98.31	0.05	3.22%
	Begusarai	1,946	2,954,367	1,518.27	83.39	2.47	4.29%
	Bhagalpur	2,578	3,032,226	1,176.36	90.88	0.78	3.53%
	Bhojpur	2,431	2,720,155	1,118.83	89.13	0.50	3.67%
	Buxar	1,668	1,707,643	1,023.52	66.60	1.01	3.99%
	Darbhanga	2,524	3,921,971	1,554.09	98.57	0.80	3.91%
	Gaya	4,985	4,379,383	878.45	182.63	0.97	3.66%
	Gopalganj	2,044	2,558,037	1,251.62	123.98	0.30	6.07%
	Jamui	3,121	1,756,078	562.75	71.65	0.11	2.30%
	Jehanabad	1,060	1,124,176	1,060.89	49.26	0.40	4.65%
	Kaimur (Bhabua)	3,372	1,626,900	482.45	47.13	1.84	1.40%
	Katihar	3,070	3,068,149	999.55	112.79	0.31	3.67%
	Khagaria	1,504	1,657,599	1,102.23	55.26	0.01	3.67%
	Kishanganj	2,012	1,690,948	840.42	92.64	0.18	4.60%
	Lakhisarai	1,225	1,000,717	816.97	41.60	0.04	3.40%
	Madhepura	1,816	1,994,618	1,098.19	70.36	0.03	3.87%
	Madhubani	3,525	4,476,044	1,269.72	165.12	0.04	4.68%
	Munger	1,421	1,359,054	956.59	54.86	0.48	3.86%
	Muzaffarpur	3,191	4,778,610	1,497.46	181.37	1.87	5.68%
	Nalanda	2,378	2,872,523	1,207.92	90.99	0.72	3.83%
	Nawada	2,504	2,216,653	885.20	74.18	0.23	2.96%
	Pashchim Champaran	5,245	3,922,780	747.95	167.90	0.82	3.20%
	Patna	3,191	5,772,804	1,809.32	172.29	5.53	5.40%
	Purba Champaran	3,982	5,082,868	1,276.34	266.98	1.20	6.70%
	Purnia	3,245	3,273,127	1,008.76	153.10	0.10	4.72%
	Rohtas	3,850	2,962,593	769.45	118.87	2.16	3.09%
	Saharsa	1,677	1,897,102	1,130.94	54.84	0.09	3.27%

State	District	Geographical Area (sq. km.)	Population 2011	Population Density (persons/sq. km.)	Res Built-Up Area Sq Km	Industrial Area Sq Km	Res Built-Up Area (In %)
	Samastipur	2,701	4,254,782	1,575.26	169.97	0.12	6.29%
	Saran	2,686	3,943,098	1,467.96	123.02	0.71	4.58%
	Sheikhpura	668	634,927	950.84	17.44	0.13	2.61%
	Sheohar	444	656,916	1,480.71	41.70	0.15	9.40%
	Sitamarhi	2,199	3,419,622	1,555.04	119.43	0.32	5.43%
	Siwan	2,223	3,318,176	1,492.72	158.36	0.37	7.12%
	Supaul	2,437	2,228,397	914.30	96.49	0.09	3.96%
	Vaishali	2,030	3,495,249	1,722.04	107.86	0.70	5.31%
Kerala							
	Alappuzha	1,423	2,121,943	1,491.08	230.06	1.32	16.17%
	Ernakulam	3,067	3,279,860	1,069.39	273.50	6.12	8.92%
	Idukki	4,377	1,107,453	253.02	87.65	0.07	2.00%
	Kannur	2,979	2,525,637	847.77	243.68	0.91	8.18%
	Kasaragod	1,998	1,302,600	651.93	149.47	1.25	7.48%
	Kollam	2,495	2,629,703	1,053.91	275.24	1.46	11.03%
	Kottayam	2,216	1,979,384	893.34	173.51	0.85	7.83%
	Kozhikode	2,353	3,089,543	1,312.77	157.94	1.74	6.71%
	Malappuram	3,579	4,110,956	1,148.75	350.83	1.00	9.80%
	Palakkad	4,503	2,810,892	624.20	341.73	2.73	7.59%
	Pathanamthitta	2,662	1,195,537	449.12	138.76	1.23	5.21%
	Thiruvananthapuram	2,180	3,307,284	1,516.92	145.57	5.66	6.68%
	Thrissur	3,053	3,110,327	1,018.83	325.72	1.89	10.67%
	Wayanad	2,149	816,558	379.93	57.74	0.26	2.69%
Tamil Nadu							
	Ariyalur	1,940	752,481	387.95	33.64	2.45	1.73%
	Chennai	167	4,681,087	28,025.00	93.72	4.42	56.11%
	Coimbatore	3,857	3,472,578	900.43	182.35	24.37	4.73%
	Cuddalore	3,718	2,600,880	699.48	127.64	7.53	3.43%
	Dharmapuri	4,502	1,502,900	333.82	39.76	1.70	0.88%
	Dindigul	6,063	2,161,367	356.49	196.03	8.42	3.23%
	Erode	6,008	2,259,608	376.09	117.41	9.08	1.95%
	Kancheepuram	4,477	3,990,897	891.48	212.63	21.76	4.75%
	Kanniyakumari	1,688	1,863,174	1,103.51	113.12	0.42	6.70%
	Karur	2,908	1,076,588	370.21	71.98	4.25	2.48%

State	District	Geographical Area (sq. km.)	Population 2011	Population Density (persons/sq. km.)	Res Built-Up Area Sq Km	Industrial Area Sq Km	Res Built-Up Area (In %)
	Krishnagiri	5,138	1,883,731	366.63	61.78	12.23	1.20%
	Madurai	3,717	3,041,038	818.19	109.33	10.79	2.94%
	Nagapattinam	2,567	1,614,069	628.81	112.68	0.95	4.39%
	Namakkal	3,425	1,721,179	502.53	79.26	15.24	2.31%
	Perambalur	1,747	564,511	323.12	24.31	0.28	1.39%
	Pudukkottai	4,670	1,618,725	346.64	232.27	3.49	4.97%
	Ramanathapuram	4,254	1,337,560	314.46	103.34	0.83	2.43%
	Salem	5,246	3,480,008	663.39	113.90	18.23	2.17%
	Sivaganga	4,102	1,341,250	327.01	148.98	3.13	3.63%
	Thanjavur	3,408	2,402,781	704.98	245.74	1.73	7.21%
	The Nilgiris	2,576	735,071	285.39	34.30	0.67	1.33%
	Theni	2,875	1,243,684	432.62	57.12	2.75	1.99%
	Thiruvallur	3,401	3,725,697	1,095.45	168.85	23.10	4.96%
	Thiruvavur	2,117	1,268,094	599.07	125.81	0.47	5.94%
	Thoothukkudi	4,636	1,738,376	375.01	155.27	5.17	3.35%
	Tiruchirappalli	4,499	2,713,858	603.16	180.73	3.53	4.02%
	Tirunelveli	6,819	3,072,880	450.61	227.48	3.45	3.34%
	Tiruppur	5,860	2,471,222	421.74	174.60	21.28	2.98%
	Tiruvannamalai	6,192	2,468,965	398.73	105.21	1.54	1.70%
	Vellore	6,077	3,928,106	646.38	142.30	5.80	2.34%
	Viluppuram	7,290	3,463,284	475.11	183.51	3.35	2.52%
	Virudhunagar	4,253	1,943,309	456.89	123.38	9.68	2.90%

In order to assess the impact of each exposure vulnerability type, a vulnerability score/ranking has been assigned to each layer at its base unit. The vulnerability score represents the level of vulnerability (very high to negligible) of a specific type of exposure in response to the occurrences of small and medium fire incidents. Base unit for vulnerability ranking is the district boundary. The natural break in value distribution has been considered for defining the ranking class.

Based on Census 2011 population, district-level population densities have been computed. and grouped into five ranges based on the schema shown in Table 3-5. A ranking of 5 has been assigned to highly dense districts, having populations greater than 10,000 per sq km, and 1 to sparsely populated districts having less than 200 people per sq km area.

Table 3-5: Grouping schema for ranking of exposure and vulnerability layers

Population density	Ranking	Built-up area %	Ranking
>10,000	5	>35 %	5
1,000 to 10,000	4	14% to 35 %	4
500 to 1,000	3	2% to 14 %	3
200 to 500	2	1% to 2 %	2
<200	1	<1 %	1
Residential Built-up area sq km	Ranking	Industrial area sq km	Ranking
>190	5	>10	5
100 to 190	4	5 to 10	4
50 to 100	3	2 to 5	3
20 to 50	2	1 to 2	2
<20	1	< 1	1

As described earlier, various types of residential built-up areas have been delineated using high-resolution images. For assessing fire risk, both absolute built-up areas in sq km as well as built-up areas percent (ratio of built-up areas to the total area) are important parameters. Figure 3-8 illustrates an example of district level ranking of residential built-up area percent and corresponding residential built-up area in absolute terms (i.e. area in sq.km.).




Figure 3-8 : Example of comparison of district level rankings for residential built-up area percentages and absolute areas (in sq km). The example shows a comparison for all 35 districts of Maharashtra State

An example of this is shown in Figure 3-8 for Maharashtra. It can be seen that Pune district has the highest residential built-up area, while in terms of residential built-up area in percentage, Pune district comes at fifth rank (Figure 3-8).

District level values of residential built-up area in percent and in absolute terms (i.e. area in sq km.) have been grouped separately into five classes and assigned a ranking score of 1- 5 based on the schema shown in Table 3-5. Districts having > 35% residential built-up have been assigned 5th ranking, while districts having <1 % built-up area as whole have been assigned a rank of 1. Similarly, 5 ranking has been assigned to district wise residential built-up areas in sq km based on schema shown in Table 3-5. This schema has been prepared based on natural breaks of value distribution considering all 106 districts of the pilot study area. Because of its appropriateness, the schema has been used for ranking all the districts in the remaining 29 States also.

It is obvious that industrial areas in districts have much lower percentages than residential built-up areas. However, presence of industrial areas in a district has a significant influence in assessing fire risk. Hence, industrial areas in absolute terms (sq km) have been considered in risk ranking. In a similar fashion, district wise industrial areas have been grouped into five classes and vulnerability ranking has been assigned based on the schema described in Table 3-5. Districts having more than 10 sq km industrial plot area are ranked at 5, while districts having industrial area of less than 1 sq km are ranked at 1 (Table 3-5).

An example of district level total residential built-up areas in sq km and industrial areas for all 35 districts of Maharashtra have been plotted for direct comparison in Figure 3-9. Industrial as well residential built-up area is the highest in Pune district. In contrast, Ahmadnagar, has second ranking in terms of residential built-up area, but in terms of industrial area, Thane district holds second ranking (Figure 3-9).




Figure 3-9 : Example of comparison of district level rankings for residential built-up areas and industrial areas (in sq km). The example shows a comparison for all 35 districts of Maharashtra State

Integrated Risk Analysis

After developing ranking of individual units in terms of hazard and exposure vulnerability, GIS layers have been overlaid on top of each other and a spatial analysis has been performed for integration in GIS environment. For combining hazard and risk, Weighted Factor Analysis (WFA) in GIS environment has been performed. Weighted ranking scores have been used in the integration analysis and quantified risk distribution for all districts. Values of weighted factor depend upon the importance of a particular hazard/ vulnerability class in risk analysis. For example, temperate zone hazard value of a district has a much lower weight than the population density of a district.

For integration of hazards, equal weights have been assigned to wind, seismic, and climatic hazards, while double weights have been given to hill zoning (Table 3-5). This is because, in hilly terrain, wooden houses, and heating provisions in buildings increase the chances of fire-incidences, and thus have been given higher weightage.

Four layers of exposure/ vulnerability, such as population density, residential built-up area percentage, residential built-up area in sq km and Industrial area in sq km seem to have equal importance in the occurrence of the number of fire incidents in a district. Hence, equal weights have been assigned in integration of these layers (Table 3-6).

After obtaining integrated individual weighted score for hazard and exposure vulnerability, fire risk categories have been obtained in quantitative terms by further integration of hazard and exposure vulnerability. It is obvious that in the occurrence of the number of fire incidents in a given district, exposure vulnerability has more importance than the prevailing hazard. Hence, in quantified integration, double weights have been assigned to exposure vulnerability (Table 3-6).

Table 3-6: Weightage assigned in risk scoring schema for integration of hazard and exposure vulnerability into fire risk categories

Hazard		Weightage	
H1	Wind Zoning	W1	0.2
H2	Seismic Zoning	W2	0.2
H3	Climate zoning	W3	0.2
H4	Hill zoning	W4	0.4
Integrated Hazard		$H1*W1+H2*W2+H3*W3+H4*W4$	

Exposure/ Vulnerability Class		Weightage	
EV1	Population Density	W1	0.25
EV2	Residential built-up area %	W2	0.25
EV3	Residential built-up area in sq km	W3	0.25
EV4	Industrial area in sq km	W4	0.25
Integrated Exposure Vulnerability		$EV1*W1+EV2*W2+EV3*W3+EV4*W4$	

Fire Risk score = Integrated Hazard x 2 (Integrated Exposure Vulnerability)

The quantified numeric values of district risk scores are again grouped into four descriptive categories of district level risk ranking (very high, high, medium, and low) as depicted in Table 3-7.

Table 3-7: District risk rankings for four States of Phase III

State	District	Population Density Ranking	Res Built-up Area Sq km Ranking	Res Built-Up Area percentage Ranking	Industrial Area Sq km Ranking	Integrated Ranking	Overall District Risk Ranking
Andhra Pradesh							
	Adilabad	1	2	1	5	6	Medium
	Anantapur	2	2	1	5	6	Medium
	Chittoor	2	2	1	5	6	Medium
	East Godavari	2	2	1	5	7	Medium
	Guntur	2	2	1	5	6	Medium
	Hyderabad	5	1	3	4	8	High
	Karimnagar	2	2	1	5	7	Medium
	Khammam	1	2	1	1	3	Low
	Krishna	3	2	2	1	5	Low
	Kurnool	2	2	1	1	4	Low
	Mahbubnagar	2	2	1	1	4	Low
	Medak	2	2	1	5	7	Medium
	Nalgonda	2	2	1	1	4	Low
	Nizamabad	2	1	1	1	4	Low
	Prakasam	1	2	1	1	3	Low
	Rangareddy	3	4	2	5	9	Very High
	Sri Potti Sriramulu Nellore	2	2	1	5	7	Medium
	Srikakulam	2	1	1	4	5	Low
	Visakhapatnam	2	2	1	5	6	Medium
	Vizianagaram	2	1	1	4	5	Low
	Warangal	2	5	2	4	8	High
	West Godavari	3	5	3	5	9	Very High
	Y.S.R.	1	2	1	5	6	Medium
Bihar							
	Araria	3	4	3	1	8	High
	Arwal	4	1	3	1	7	Medium
	Aurangabad	3	4	3	1	7	Medium
	Banka	3	3	3	1	7	Medium
	Begusarai	4	3	3	3	9	Very High
	Bhagalpur	4	3	3	1	7	Medium
	Bhojpur	4	3	3	1	8	High
	Buxar	4	3	3	2	8	High
	Darbhanga	4	3	3	1	8	High
	Gaya	3	4	3	1	7	Medium
	Gopalganj	4	4	3	1	8	High
	Jamui	3	3	2	1	7	Medium

State	District	Population Density Ranking	Res Built-up Area Sq km Ranking	Res Built-Up Area percentage Ranking	Industrial Area Sq km Ranking	Integrated Ranking	Overall District Risk Ranking
	Jehanabad	4	3	3	1	8	High
	Kaimur (Bhabua)	2	2	2	2	6	Medium
	Katihar	4	4	3	1	8	High
	Khagaria	4	3	3	1	8	High
	Kishanganj	3	3	3	1	7	Medium
	Lakhisarai	3	2	3	1	7	Medium
	Madhepura	4	3	3	1	7	Medium
	Madhubani	4	4	3	1	8	High
	Munger	3	3	3	1	7	Medium
	Muzaffarpur	4	4	3	2	9	Very High
	Nalanda	4	3	3	1	8	High
	Nawada	3	3	3	1	7	Medium
	Pashchim Champaran	3	4	3	1	8	High
	Patna	4	4	3	4	10	Very High
	Purba Champaran	4	5	3	2	9	Very High
	Purnia	4	4	3	1	8	High
	Rohtas	3	4	3	3	9	Very High
	Saharsa	4	3	3	1	8	High
	Samastipur	4	4	3	1	8	High
	Saran	4	4	3	1	8	High
	Sheikhpura	3	1	3	1	6	Medium
	Sheohar	4	2	3	1	7	Medium
	Sitamarhi	4	4	3	1	8	High
	Siwan	4	4	3	1	8	High
	Supaul	3	3	3	1	7	Medium
	Vaishali	4	4	3	1	8	High
Kerala							
	Alappuzha	4	5	4	2	9	Very High
	Ernakulam	4	5	3	4	9	Very High
	Idukki	2	3	2	1	5	Low
	Kannur	3	5	3	1	7	Medium
	Kasaragod	3	4	3	2	7	Medium
	Kollam	4	5	3	2	8	High
	Kottayam	3	4	3	1	7	Medium
	Kozhikode	4	4	3	2	8	High
	Malappuram	4	5	3	1	8	High
	Palakkad	3	5	3	3	8	High
	Pathanamthitta	2	4	3	2	7	Medium

State	District	Population Density Ranking	Res Built-up Area Sq km Ranking	Res Built-Up Area percentage Ranking	Industrial Area Sq km Ranking	Integrated Ranking	Overall District Risk Ranking
	Thiruvananthapuram	4	4	3	4	9	Very High
	Thrissur	4	5	3	2	8	High
	Wayanad	2	3	3	1	6	Medium
Tamil Nadu							
	Ariyalur	2	2	2	3	6	Medium
	Chennai	5	3	5	4	10	Very High
	Coimbatore	3	4	3	5	9	Very High
	Cuddalore	3	4	3	4	8	High
	Dharmapuri	2	2	2	2	5	Low
	Dindigul	2	5	3	4	9	Very High
	Erode	2	4	2	4	7	Medium
	Kancheepuram	3	5	3	5	10	Very High
	Kanniyakumari	4	4	3	1	7	Medium
	Karur	2	3	2	4	7	Medium
	Krishnagiri	2	3	2	5	7	Medium
	Madurai	3	4	3	5	9	Very High
	Nagapattinam	3	4	3	1	7	Medium
	Namakkal	3	3	2	5	8	High
	Perambalur	2	2	2	1	5	Low
	Pudukkottai	2	5	3	3	8	High
	Ramanathapuram	2	4	2	1	6	Medium
	Salem	3	4	2	5	8	High
	Sivaganga	2	4	3	3	7	Medium
	Thanjavur	3	5	3	2	8	High
	The Nilgiris	2	2	2	1	5	Low
	Theni	2	3	2	3	6	Medium
	Thiruvallur	4	4	3	5	10	Very High
	Thiruvarur	3	4	3	1	7	Medium
	Thoothukkudi	2	4	3	4	8	High
	Tiruchirappalli	3	4	3	3	8	High
	Tirunelveli	2	5	3	3	8	High
	Tiruppur	2	4	3	5	8	High
	Tiruvannamalai	2	4	2	2	6	Medium
	Vellore	3	4	2	4	8	High
	Viluppuram	2	4	3	3	7	Medium
	Virudhunagar	2	4	3	4	8	High

4 Field Surveys of Fire Stations for Data Collection

At present, there is a lack of a comprehensive centralized database on the distribution of fire service infrastructure, and the stock of existing firefighting vehicles, manpower and specialized equipments, their types, and their quantities. Most of the information is either disaggregated or not updated. This information is required for undertaking the gap analysis, future planning, and improvement of institutional capacity, financial planning, and creating a roadmap for the next 10 years for revamping the fire services in the country. To have first-hand information on the distribution of the fire service stations across the country, trained human resources, infrastructure availability and their status, RMSI project team has carried out surveys of Fire Stations and collected data from Headquarters of all the States under the jurisdiction of DG, NDRF & CD (Fire) in the country. In addition to the survey of Fire Stations, the team has also collected the location (latitude, longitude) of Fire Stations using GPS. The geographical coordinate information is used for plotting all the Fire Station locations on the map to perform GIS based spatial analysis. This is required for the analysis of distribution of Fire Stations and gap analysis on fire-infrastructure, based on risk-category, response time, and population.

4.1 Field-Survey of individual Fire Station and collection of Headquarter Data

RMSI project team has designed a comprehensive “Fire Headquarter Data Collection Form” (*Annexure-1*) and individual “Fire Station Survey Form” (*Annexure-2*) to collect all the required information for each State/UT in the country.

The information includes but is not limited to:

- i. Location (latitude, longitude) and location description of the Fire Station
- ii. Name of fire-station in-charge and his contact details
- iii. Fire Vehicles type, numbers, their model, year of manufacture/induction at the Fire Station, and general condition of fire vehicles
- iv. Specialized firefighting equipment, their type, and quantity
- v. Road access and connectivity to vulnerable areas
- vi. Infrastructure facilities (accommodation) of fire-personnel and their distance from Fire Stations
- vii. Duty patterns
- viii. Staff details at different levels
- ix. Water availability etc.

The Fire Headquarter Data Collection Form and individual Fire Station Survey Form have been designed in such a way as to extract most of the common information including communication, human resources, specialized equipments, fire-statistics etc. applicable for the entire State, in a quantitative way, which might help the analysis at a later stage. In addition to infrastructure information, RMSI also attempted to collect information/indicators related to vulnerability and risk through indirect questions like:

- i. Year wise information on the number of events each unit had attended during the last 5 years and losses caused by fire events both in terms of assets and life.

- ii. Few questions on the general perception of the fire officer and in charge of the unit on various types of risks in the Fire Station jurisdiction.

Analysis on the information of events over time and the loss can provide an understanding of the vulnerability and risk as well as the susceptibility trend over the year. The fire officer would be the key person who faces actual needs on the ground as well as in using the infrastructure for the service.

During the field survey in the pilot study, the RMSI team members have interacted with Fire Station In-charges to gather the required information. In addition to discussions with the Fire Station in charge, other key department officials have been contacted to know their perception about the fire risks and the difficulties that fire department is facing. The project team is ensuring that the Headquarter Data Collection Forms and Individual Fire Station Survey Forms are comprehensive and contain all information required for this assignment.

The field data collected by the survey team have undergone through quality checks and the project team has created a database with all collected information. The database has been designed in such a way that the data can be used for spatial and non-spatial analysis. All the Fire Stations have a unique code as identifier.

4.2 Stakeholder Analysis

Apart from the quantitative data collection on the distribution of fire service infrastructure, stock of the existing equipments and their quality, the RMSI team also interacted with some of the key fire officials and senior members in DGCD, MHA and NDRF. The focus of such discussions was more on institutional aspects (issues in the service delivery and suggestions), capacity, and future requirements. As these interactions are mostly with senior personnel of fire department, the focus has been to derive a broader picture in terms of requirements, investment, and institutional capacity building. This information has been compiled and summarized under various heads, for instance, requirement, investment, institutional capacity building, etc. RMSI key experts have been analyzing the diverse opinion of various fire officials and are providing their recommendations.

Any significant issue that was observed during this process, in terms of issues in the process of the delivery/bottlenecks in smooth operation had been highlighted along with RMSI's suggested solution.

In case required, as a last stage of the stakeholder analysis, RMSI will hold discussions with officials of the DG NDRF & CD to present the summary of observations for discussion as a close-door meeting by inviting only some of the identified senior personnel. By presenting this perception report collected from various States in a concise manner, RMSI expects a brain-storming session to get some concrete recommendation, which will be in line with various policy matters of the department.

5 Development of Fire Decision Support System (FDSS)

This chapter discusses the modeling software solution named FDSS (Fire Decision Support System), being developed by RMSI as part of the deliverables. FDSS is a dynamic web-based application aimed at supporting decision makers take optimal decisions on complex tasks, such as resource prepositioning, gap analysis, prioritization, and resource optimization along with the day-to-day tasks. The most important aspect of FDSS is that it enables the apex fire management authority to provide the entire country's fire agencies information on a single platform.

5.1 Salient Features

Following is a brief description of the FDSS platform. The platform is built on a framework that is State of the art and is the most suitable solution for users' needs.

The salient features of the FDSS platform include:

- Web based application built using .NET Framework 3.5 utilizing the GIS capabilities of an open source GIS Platform.
- Multi-tier system architecture that follows the Object Oriented Programming model with the following objectives:
 - Loose coupling between the various tiers – presentation, business and data
 - Ease of development and deployment
- Ability to navigate, query and render the spatial data
- Exposure view, query and update capabilities that will help the user to keep the information in the system up-to-date
- Ability to view and query the outputs in a tabular format
- A powerful reporting engine that enables a set of pre-formatted reports that provide various views of the outputs from the model
- A thematic map generator that uses the underlying GIS platform to depict the outputs from the model as pre-designed thematic maps.

5.2 High Level Design

FDSS has a multi-tier architecture to allow for modularity and scalability. The architecture follows the Object Oriented Programming model. The various tiers of the system are as shown in Figure 5-1.




Figure 5-1 : Three-tier architecture

- **Presentation tier:** This user interface is responsible for gathering inputs from the user and passing on the same to the business layer for processing. The presentation layer ensures that the communications passing through are in the appropriate form for the recipient business objects in the business tier. In FDSS, the user interface constitutes this tier.
- **Business tier:** consists of the system business rules and computing logic as a set of business objects. This tier also interfaces with the data tier. The Mapping engine, Data Access engine, Reporting engine, and Analysis engine constitute this tier.
- **Database tier:** consists of the environment that allows persistence of user information – both lookup and computed data. Physical implementation of this layer can be files on the system or databases. In FDSS, relational database constitutes this tier and houses both spatial and non-spatial data.

Figure 5-2 shows the high-level design for the FDSS platform. The whole architecture is modular. The major modules are user Data Warehouse, Platform Components, and User Interface. The model components are stand-alone and are not dependent on the platform

components. Both perform their respective tasks working with the same data on the backend and are guided by the same user interface on the front end. The following sections discuss the various modules in detail and showcase how all the requirements has been delivered by the FDSS platform.




Figure 5-2 : High level design of FDSS

5.2.1 DATA WAREHOUSE

Data warehouse represents the Database tier. It stores all the input data to the model, system data, and the output results. The data can be categorized as spatial and non-spatial. All the spatial data resides either in the form of ESRI shape files and grids or Postgres based PostGIS database. Post GIS/ Postgres is an open source geo-spatial relational database system. All the non-spatial data is stored as tables in the Postgres database.

Spatial Data Layers: The spatial data layers stored in the data warehouse are:

- Fire station locations and inventory data at Fire Station level
- Land Use Land Cover classes by their use or occupancy
- Fire Risk Zone Map
- Population density map at district level
- Road and Rail Network

5.3 Platform Components

Platform components represent the Application Tier. These components focus on the application logic for all data access, mapping and reporting. These are generic components

that operate directly on the data warehouse and present the data in different views to the user.

Data Access Engine: Data Access Engine provides access to all non-spatial data that are stored in the Data Warehouse. This includes data viewing and editing capabilities. This allows for bulk building inventory updates and extraction of results so the outcome of the analysis can be reused for other applications.

Mapping Engine: Mapping engine provides all mapping capabilities to the application. The major component in mapping engine is the Map Viewer that loads the spatial data and displays the map and provides all basic map navigation functions like Zoom, Pan, Identify tool and calculate distance. This engine also provides spatial querying capabilities like buffer query and point in polygon query. In addition to this, the mapping engine also provides capabilities for defining symbology for various map layers including themes based on a range of values and unique values. All the layers are loaded with a predefined symbology. The mapping engine provides the ability to view the hazard, damage and loss on maps using predefined themes based on a range of values.

Reporting Engine: Reporting engine generates all the reports. FDSS provides a set of preformatted predefined reports that can be printed or exported into Excel format. This provides the ability to format the data into tables, generate summations, and create graphs. The following reports are generated at district and State levels by the reporting engine:

- Infrastructure Report
- Gap Analysis Report
- Status report for individual Fire Stations, district and State levels for and other reports required for decision making

The FDSS provides functionality to run GAP Analysis at two levels:

- State
- District

This system provides the option for running gap analysis for firefighting and rescue vehicles, specialized equipment, firefighting manpower, building infrastructure. User can also opt to get output based on all the analysis parameters available.

User Interface: User Interface (Figure 5-3) comprises of the Presentation tier. This is the part of the FDSS platform that the user interacts with. User Interface for FDSS can be categorized into two types:

- 1) System Administration Interface
- 2) Application Interface





Figure 5-3 : User Interface for Base Analysis in FDSS. The example shows the States covered in the Pilot Phase of the study

5.4 System Administration Interface

This is an individual stand alone component run at the server only. This desktop interface allows the administrator to manage users and update exposure, thereby providing security for other users and preventing unauthorized updation of the building exposure data. All the data updation and maintenance is done through the system administration interface. Figure 5-4 shows the system administration interface of the application.



The screenshot displays the 'Data Import Utility of Fire Stations' application window. A 'Fire Station General Information' dialog box is open, showing details for a fire station with ID 318 and name 'Kargl'. The form includes sections for Geography, General Information, Officer in charge Details, Administrative Details, and Survey information. A table at the bottom shows a list of fire stations with columns for FireStationId, Reference No., and Fire Station Name.

FireStationId	Reference No.	Fire Station Name
318	JK318	Kargl

Figure 5-4 : System administration interface

5.5 Application Interface

Data Management: Exposure management provides the ability to view and query the underlying default demographic and Fire Station inventory datasets.

Map Management: The Map management interface provides support for viewing the information on a map by utilizing the Mapping Engine component from the Application Logic tier. It offers the following functionalities:

- Displays the following layers by default as the application is loaded:
 - o Location of Fire Stations
 - o Administrative boundary maps
 - o Land use land cover map
 - o Road / Rail network
 - o Fire Risk Zone map

- Basic GIS tools like zoom, pan, zoom to selection, zoom to entire layer, location attribute information etc.
- Creates following maps based on analysis results:
 - o Gap Analysis Map – showing gaps in existing resource, equipments and fire tenders (Figure 5-4)
- Adds custom layers to the layer manager and performs visual overlays
- Views attributes information, queries and analyzes the spatial data layers
- Enables users to view thematic maps based on defined attribute values.

Analysis Management: The analysis management interface provides the ability to execute the analysis. It allows the user the following options:

- View the fire risk analysis for any district State
- Gap analysis at State and district levels

Results Management: This entails generating displays of results in pre-defined formats based on user selection. Following are the various types of result views that will be available in FDSS.

- Reports providing predefined content in predefined format. This utilizes the Reporting Engine Component to display various reports. Following is a list of various reports:
 - Fire Station Profile report
 - Gap Analysis report

5.5.1 TECHNOLOGY

The physical servers also represent the logical needs elaboration servers and the physical clients also represent the logical clients.




Figure 5-5 : FDSS - Systems Architecture

- The Frontend is web based, and registered users can view all kinds of maps and reports.
- Middleware: It is the Web server that hosts the web site and coordinates between the client and the backend servers for publishing maps and reports. Application Server serves as the main point of contact for the web server for all functionalities other than serving maps and GIS analyses. The application server is hosted in IIS 5.1 or higher and requires Dot net Framework 3.5.
- The backend consists of the following two components:
 - Geo server and Geo web cache: This server handles map publishing and all the GIS functionalities. For all GIS analyses, it relies on the Post GIS database server. Geo server and Geo web cache are published in Apache Tomcat Server.
 - Post GreSQL Database Server: This serves all the GIS and attributes data to both the application and map servers. In addition, it also takes care of all GIS analyses required for any functionality.

The technological framework for FDSS utilizes the following platforms:

Hardware Configuration

- Rack Server 2U having Intel Xeon (Quad Core) E5410 or higher processor support for dual multi core processor
- 16 GB DDR2-533 FB DIMM or higher ECC memory
- SVGA Video Controller with 16 MB RAM
- SAS Raid Controller having 128 MB buffer memory with battery backup and supporting RAID 0,1 and 5 Dual Gigabit Server Ethernet controller with teaming, load balancing and auto fail over feature
- 5X146GB SAS HS HDDD, IDE DVD ROM Drive with (N) hot swap Redunt Hot SEAP power supply

Software Configuration

- Operating System: Windows Server 2008
- Web Server: IIS 7.0
- Framework: .net Framework (3.5)



Supported Browser



- Internet Explorer 6.0 or higher
- Mozilla Firefox 3.0 or Higher

5.6 Advantages of Open Source Platform

The application software is built on open source GIS platform. The open source GIS platform has several advantages (Table 5-1) of production and development allowing users and developers not only to see the source code of software but also modify it and easily implement it in web applications.

Table 5-1: Advantages of Open Source Platform

Advantages	Open Source Platform	Proprietary Software Platform
Control and Audit 	Gives power to control software code and hence modification can be carried out to suit the requirements	Forces users to adhere to standards and flexibility provided in the software only. Modifications are based solely on vendor discretion
Low ownership Cost 	No license fees are required thereby reducing annual license fees cost to zero, zero cost of scale as open source doesn't require additional licenses as the installation grows	License fees are required
Quality and Excellence	It's available publicly. A large no. of reviewers analyze the code making it more secure, increasing the quality and	Not available publicly.

Advantages	Open Source Platform	Proprietary Software Platform
	excellence in design	
Flexibility & customization 	There is scope to customize the software toward end users' needs	Limited scope of customization

5.7 Identification of Gaps in Infrastructure, Up-gradation and Modernization Requirement

Gap identification is carried out in FDSS using the information captured as part of the field surveys and stakeholder interviews, distribution of Fire Stations and risk analysis. The gaps in infrastructure can be in terms of number of Fire Stations in both served and un-served areas, availability of fire vehicles, fire-personnel and building infrastructure in the operational Fire Stations,. Through the input of field survey work, risk categorization, and infrastructure requirement norms, gap analysis is performed in FDSS at the district and State level.

Gaps will primarily address the three areas:

5.7.1 INFRASTRUCTURE GAPS

This covers served/ un-served areas, unsuitable locations of Fire Stations, etc. This gap analysis is conducted by using suitably modified SFAC Norms, population density, existing Fire Station distribution and other infrastructural information obtained as part of the field surveys. In addition, the risk information has been used to reflect certain aspects of risk that affect the infrastructure. The outcomes of this analysis are information and maps that show the infrastructure deficiency at district and State levels.

5.7.2 EQUIPMENT GAPS

The objective of this analysis is to identify gaps in equipments existing at various Fire Stations against the population they serve, the hazards that the jurisdiction they serve is exposed to, trained man-power available, average response time to a fire call, etc. This will result in the identification of new types of equipments required, phasing out of old equipment and their replacement, and equipment effectiveness analysis.

5.7.3 CAPACITY GAPS

This would cover the shortage of firefighting personnel and additional training requirements for existing teams, etc. This analysis is conducted using infrastructure analysis information, equipment analysis information, population density, SFAC norms and risk information as the primary datasets, and average response time. The primary outcomes would include the gap in capacity in terms of number of additional firefighting personnel required, and the additional requirement of trainings on equipments, tools, technologies and emergency management approaches.

Similarly, district/State/ country level reports on up gradation and modernization requirements of existing Fire Stations including MIS, GIS, and communication systems will

be generated by comparison of availability of existing resources and up gradation and modernization requirements through gap analysis.

The outcomes of the above analyses has been integrated to the Fire Decision Support System (FDSS), so similar analyses at a later stage may also be performed by changing the underlying datasets as things change on the ground.

5.8 Preparation of detail cost estimates with Capital and O&M Investment Plan

Once gaps in terms of number of Fire Stations, fire-personnel, infrastructure (building, vehicles and equipments), up gradation and modernization requirements of existing Fire Stations including MIS, GIS, and communication systems are finalized, the investment and financial analysis is performed in FDSS. This involves reviewing the outcomes of the gap analysis, prioritizing them by district and estimating the cost of investment.

The investment costs is estimated separately for infrastructure development and improvements, capacity building, and equipment procurement and modernization. This is where the extensive experience of RMSI team in fire department operations, equipment procurement, and training needs assessment and planning has been applied. For more detailed information regarding the specification of firefighting and rescue vehicles and equipment, please refer to the Vehicle and Equipment Specification report submitted by RMSI.

The outcomes of this process are a detailed investment plan that shows year-by-year investments prioritized by district, gaps and associated benefits. The financial plan addresses investment for next 10-years in a year-by-year phased manner approach. The financial tool has been integrated to the FDSS, which helps in generating various reports related to detailed cost estimates with Capital and O&M Investment Plan for next 10 years, and to prioritize investments. This is based on the current cost estimate and technology. However, the tool have flexibility to change/modify the cost of various infrastructural elements in the tool and re-regenerate reports for prioritization of the investment plan.

5.9 Institutional Assessment and Capacity Building Plan

The National Fire Service College (NFSC), Nagpur and other State Fire Training Centers across the country are key institutions involved in improving the level of fire personnel knowledge and their overall capabilities to face the challenges of firefighting. The RMSI team surveyed NFSC Nagpur and Pilot State/UTs Fire Training Centers across the country and studied their programs to delineate their role and relationship for improvement in training facilities for fire personnel in the country.

Human resource bottlenecks at various levels of training fire officials (such as refresher's training, breathing training in smoke, industrial training, specialized training to handle high rise fires, etc.) to different cadre of officials, issue of language in training; physical fitness; duty patterns (8 hours and 12 hours versus 24 hours); availability of accommodation in fire-stations; pay-scale structures, and promotion progression etc. are studied in detail and recommendations will be made for their implementation.

There are many ways of discovering funding avenues, such as introduction of Fire Tax, training programs to private sectors, tapping MP Local Area Development (MPLAD) funds etc. These issues are important since fire personnel need to be dedicated and motivated all times. For similar reasons, improvements in governance structure are imperative. Lack of

fire-personnel is another challenge. For this, revamping training facilities in the country is another important aspect in any capacity building plan.

Computerization of fire and emergency services and strict audit by a central authority can be one mechanism to ensure a good finance mechanism for capital expenditures and operation and maintenance. Training of fire personnel in the use of computers is another aspect, which is very important from the implementation perspective.

It may be noted that RMSI team is aware of past studies on the subject such as the Recommendations by the SFAC and has kept these studies in mind while making recommendations for the Capacity Building Plan.

RMSI team has also prepared a detailed Roadmap for the Capacity Building Plan at country level for its implementation in next 10 years. For more detailed information, please refer to the National Level Training report as well as individual State/ UT report submitted by RMSI

6 International and National Norms

6.1 Literature Survey

Under this task, standards and practices that are being followed in various developed countries for fire safety norms, such as in USA -NFPA (1211, 1710, 1720), Japan, UK, and Germany, are being studied and compared.

As per literature survey and personnel communications with fire officials in different countries, international norms regarding response time (*defined as **en route time taken by the firefighting vehicle from the Fire Station to fire emergency scene, and turnout time is not included in it***) differs from country to country.

6.2 Response Time

The practices regarding response time of fire tenders/ambulances in different countries are as follows:

6.2.1 GERMANY

The response from Germany (27.10.2011) is as follows:

*"1. **Concerning the response time in Berlin.** On the basis of an agreement between CFO and the Ministry of Interior the options are:*

*Calls in Risk Areas class A (higher risks) - 15 fire-fighters must arrive in **max.15 minutes** at 90% of all calls and*

Calls in Risk Areas class B (lower risks) - 15 fire-fighters must arrive in max.15 minutes at 50% of all calls.

*The standard turn out time of a fire truck is **60 seconds for professionals**, as for **volunteers** the turn out time should not be higher **4 minutes**, otherwise the Control Centre will automatically send a professional fire truck.*

*Ambulance cars must be at the scene within **8 minutes** in 75% of all calls."*

2. Temperature problem - heating devices in the garage (close the doors) and additional a electrical wire is going to the motor section of the vehicle for saving working temperature of the trucks."

From the above, it may be inferred that in Germany, areas have been divided only into two Risk Categories (higher, lower) and **response time** in urban areas varies from **8 - 15 minutes**. As far as turnout time is concerned, it varies from 1 to 4 minutes.

6.2.2 JAPAN

Fire Service laws of Japan and its background:

1. The Japanese system of laws and regulations regarding fire service law (Hierarchy structure)
 - A. Law: Fire Service Act
 - B. Cabinet order: Order for Enforcement of the Fire Service Act
 - Specify the type of building fire protection
 - Technical standards for installation and maintenance of fire prevention equipment
 - C. Ministerial ordinance: Rule for Enforcement of the Fire Service Act
 - Details of technical standards for installation and maintenance of fire prevention equipment"
 - D. Municipal ordinances: Fire prevention ordinance"
2. Requirements for Fire prevention equipments

All Fire prevention equipments are necessary to have national certification in Japan (regulation not standard).
3. Background of Japanese fire service
 - Fire service in Japan consists of **one unit per municipality**.
 - Under the laws, fire prevention regulations are enacted by each of the municipalities.
 - Fire prevention regulations are slightly different for each individual municipality.

- **Japanese Regulation, the response time has not been determined.**

According to the Fire Service Law Enforcement Order (**not regulation**), the fire panel shall be installed where there are always people in Japan.

In large buildings, the fire panel has been installed in Guard Room. Security people are always monitoring the fire panel.

At the same time the alarm is sounded, Fire tenders will rush to the site for extinguishing the fire.

Time to reach the site, which varies depending on the building, assumed at **5 to 10 minutes. (not determined by law).**

2. Since, there are several Islands in Japan, is there any different Regulations for Islands?
Almost the same.

As you know, Japan is made up of three islands and many small islands. There has prefectures, among which are divided into municipalities regardless of islands."

From the above, it may be inferred that in Japan, each municipality has at least one Fire Station and response time varies from 5 to 10 minutes, depending upon the location of building.

6.2.3 USA

“There are three National Fire Protection Association (NFPA) standards that contain time requirements that influence the delivery of fire and emergency medical services. These are:

1. **NFPA 1221**, Standard for the Installation, Maintenance, and Use of Emergency Services Communications Systems;
2. **NFPA 1710**, Standard for the Organization and Deployment of Fire Suppression Operations, Emergency Medical Operations, and Special Operations to the Public by Career Fire Departments; and
3. **NFPA 1720**, Standard for the Organization and Deployment of Fire Suppression Operations, Emergency Medical Operations, and Special Operations to the Public by Volunteer Fire Departments.

NFPA 1710 contains time objectives that shall be established by career fire departments as follows:

- **Turnout time:** One minute (60 seconds) for turnout time
- **Fire response time:** Four minutes (240 seconds) or less for the arrival of the first arriving engine company at a fire suppression incident and/or eight minutes (480 seconds) or less for the deployment of a full first alarm assignment at a fire suppression incident
- **First responder or higher emergency medical response time:** Four minutes (240 seconds) or less for the arrival of a unit with first responder or higher-level capability at an emergency medical incident
- **Advanced life support response time:** Eight minutes (480 seconds) or less for the arrival of an advanced life support unit at an emergency medical incident, where the service is provided by the fire department

The standard States that the fire department shall establish a performance objective of not less than 90 percent for the achievement of each response time objective. NFPA 1710 does contain a time objective for dispatch time by requiring that "All communications facilities, equipment, staffing, and operating procedures shall comply with NFPA 1221." For the purposes of NFPA 1710, the following definitions apply:

- **Dispatch time:** The point of receipt of the emergency alarm at the public safety answering point to the point where sufficient information is known to the dispatcher and applicable units are notified of the emergency
- **Turnout time:** The time that begins when units acknowledge notification of the emergency to the beginning point of response time
- **Response time:** The time that begins when units are en route to the emergency incident and ends when units arrive at the scene

NFPA 1720 contains a time objective for dispatch time by requiring that "All communications facilities, equipment, staffing, and operating procedures shall comply with NFPA 1221, Standard for the Installation, Maintenance, and Use of Emergency Services Communications Systems." NFPA 1720 contains no time requirements for turnout and response times.

NFPA 1221 requires that 95 percent of alarms shall be answered within 15 seconds, 99 percent of alarms shall be answered in 40 seconds, and the dispatch of the emergency

response agency shall be completed within 60 seconds 95 percent of the time. The time lines for dispatching are taken from NFPA 1221:

- After the receipt of a call for assistance, the fire department will respond with the first unit to that location within three minutes.
- After receipt of a call for assistance, the fire department will respond with a unit to that location, within four minutes, to 90 percent of area served.

After receipt of a call for a medical emergency, the fire department will respond with an engine company to that location within four minutes and an ambulance within six minutes.”

From the above, it may be inferred that in USA, response time varies from **(3 - 4 minutes) to 8 minutes**.

6.2.4 UK

The London Fire Brigade (LFB) is run by the London Fire and Emergency Planning Authority as part of a group of organizations operating under the ‘umbrella’ of the Greater London Authority. It is the third largest firefighting organization in the world, with **111 Fire Stations** (plus 1 River Thames-based station) from which it operates across the 1,587 sq km of Greater London, with its resident population of some 7.4 million. This increases by a further 500,000 each day during working hours.

In the year 2005/06 the London Fire Brigade answered some 268,000 emergency calls and attended nearly 156,000 incidents. On an average, the first fire engine arrived at an incident **within 8 minutes on 92 per cent of occasions**, meeting the Brigade’s target, and **within 5 minutes on nearly 65 per cent of occasions**. When required, a second fire engine was on scene within ten minutes on 93 per cent of occasions, exceeding the target. (Hooper, Nov-Dec, 2006; http://www.cadcorp.com/pdf/PA-firebrigade_ukv4i5.pdf).

Another recent review of “Fire and Rescue Service response times” ([Fire Research Series 1/2009](#)) concludes that response times have increased due to traffic conditions, which was similar to the finding of the London Fire and Emergency Planning Authority thematic report, which concluded that it now **takes 50 seconds longer for a 1st appliance to arrive on average and one minute longer for a second appliance**.

From the above, it may be inferred that in UK, response time varies from **5 to 8 minutes**.

6.2.5 INDIA

“Standing Fire and Advisory Council (SFAC) reviewed the norms in various countries, and as given in the RFP, has laid down norms for the Fire and Emergency Services throughout the country based on:-

- *Response time, fire risk, and population*
- *Depending on risk category A, B, and C the recommended response time for first fire tender is 3, 5, and 7 minutes, respectively*
- *One Fire Station per 10 sq. km in urban areas and one Fire Station per 50 sq. km in rural areas*
- *One Rescue Tender per 3 – 10 Lakhs population*
- *In rural areas, the recommended response time is 20 minutes*

From the above, it can be inferred that SFAC norms are based on the idealized conditions of the western world and would be too demanding, thus requiring some modifications.

To see the practicability of SFAC norms, RMSI did several simulations through *network analysis* taking different average vehicle speeds for Delhi State. These different speed simulations were presented on Nov. 02, 2011 to DFS officials and on Nov 03, 2011 to Fire Advisor and Deputy Fire Advisor at DG, NDRF, MHA. After discussions with both DFS and MHA officials, the average fire vehicle speeds on main roads has been taken as 40 km/hr and minor roads as 20 km/ hr. While, for congested areas, such as Sadar Bazar, Delhi, the average fire vehicle speed on main roads has been taken as 20 km/hr and for minor roads as 10 km/hr, respectively. RMSI choose Delhi, because it has a high density of Fire Stations in comparison to the rest of the States/UTs.

Taking SFAC norms as a guideline, RMSI analyzed the requirements of Fire Stations in Delhi, keeping a response time of 3 minutes for very high-risk category, 5 minutes for high category and taking response time in rural area as 20 minutes. *It may be noted that areas served by other agencies, such as the Airport and Military Cantonment have been excluded from the gap analysis, so that there is no duplicity of Fire Stations in those areas. Additionally, areas covered by forests, rivers, sparsely inhabited (small pockets of a few houses, say in a river channel) etc. have also not been considered in the gap analysis.* To make a distinction, the Fire Stations in rural areas are designated as **Fire Stations/Fire Posts**.

Thus, taking the vehicle speeds discussed earlier, and response time as per SFAC norms, Delhi requires additional **120** Fire Stations in urban areas and **10** rural Fire Stations/posts in rural areas (Table 6-1).

Table 6-1: Number of operational and additional Fire Stations and fire posts required in Delhi

Urban				Rural			
Operational Stations	Fire	Additional Stations	Fire	Operational Station/ fire post	Fire	Additional Stations/ fire posts	Fire
51		120		1		10	

As per SFAC norms, one Fire Station is required per 10 sq. km in urban areas and per 50 sq. km in rural areas. This seems to be based on average area per station over a large area/State.

From the above analysis, the average area per Fire Station in urban areas in Delhi comes to 4.7 sq km, while in rural area; it comes to 62.5 sq km. This analysis also shows that the average Fire Station coverage area in urban areas is too low when compared to the norms specified by SFAC, which is 10 sq km in urban area. Moreover, population covered in such a small area of less than 5 sq km is sometimes very low to justify opening of a new Fire Station, thus contradicting the area based norm of SFAC. Moreover, additional required number of Fire Stations will be too high and it may not be possible to set-up so many Fire Stations in Delhi, where land availability in urban areas is scarce.

Thus, keeping in view the above analyses, RMSI reanalyzed the requirements of Fire Stations in Delhi, by modifying the response time of 5 - 7 minutes for various risk categories and keeping the response time in rural area as 20 minutes. Accordingly, the proposed requirement of additional number of Fire Stations in urban and rural areas is shown in Table 6-2. In terms of average area and population served by the revised response time, the average area served comes to 8.38 sq km (close to 10 sq km) in urban areas serving an average population of 1, 61,289.

Table 6-2: Revised number of operational and additional Fire Stations and fire posts required in Delhi

Urban		Rural		Total
Operational Fire Stations	Additional Fire Stations	Operational Fire Station/ fire post	Additional Fire Stations/ fire posts	
51	46	1	9	107

As discussed in section 6.2.4, Greater London Authority operates 112 Fire Stations in an area of 1,587 sq km of Greater London, which is equivalent to on an average one Fire Station per 14.2 sq km. A comparison of the proposed 107 Fire Stations serving an area of 1483 sq km Delhi shows that in Delhi there will be one Fire Station on an average area of 13.9 sq km, which is almost equal to the average area per Fire Station in Greater London.

Thus, keeping in view the above analyses, RMSI recommend to modify the SFAC norms (*response time and area based*) to *response time based* norms for positioning a Fire Station, as response area will vary from place to place depending upon the road network:

Depending upon the risk category, the recommended response time for first fire tender is 5 - 7 minutes in urban areas and 20 minutes in rural areas.

Annex-1: Fire Headquarter Data Collection Form

This questionnaire is prepared in consultation with Directorate General NDRF & CD for collecting basic information all fire infrastructure in the country as part of the project "Fire-Risk and Hazard analysis in the Country" with an objective to Prepare Capital Investment and Institutional Strengthening Plan for Accelerated Development of Fire Services in the Country. All information collection through this questionnaire will be kept confidential and will only be used for the preparation of the report and other deliverables of the project. Directorate General NDRF/ CD has entrusted RMSI Private Limited to carry out this assignment and State Officials are requested to provide required authentic information which is very important for preparation of this report and future development plans of the department.

A. Fire Headquarters General Information

HQ Ref #.....

Location Details

Fire Headquarters/Zone/District Office ----- State -----

Address

Office Phone numbers (with STD code):..... FaxWeb site (if any).....

Name & Designation of the Head of Department:

Name & Designation of the nominated person by the dept. for providing data:

Mobile number Email (s):.....

Area under Jurisdiction

Zonal Office (name and street address)	Num of districts covered	Census 2011 Population (to be filled by RMSI)	Num of Fire stations (Operational)	Num of Fire stations (under Construction)	Num of Fire stations proposed for future expansion

Surveyed by: _____ Date: _____

(Signature of the official provided the information)

Area under Jurisdiction in each Zonal Office (provide jurisdiction map for each individual Fire Station)

Name of Zonal office

S.N.	Name of Fire stations	Name of district	Under direct Jurisdiction control of ¹	Population (to be filled by RMSI)	Num of Fire stations (Operational)	Num of Fire stations (under Construction)	Num of Fire stations proposed for future expansion	Any additional Information

Name of Zonal office

S.N.	Name of Fire stations	Name of district	Under direct Jurisdiction control of ¹	Population (to be filled by RMSI)	Num of Fire stations (Operational)	Num of Fire stations (under Construction)	Num of Fire stations proposed for future expansion	Any additional Information

Name of Zonal office

¹ State Government Fire Department Police Department Municipal Corporation Others specify

S.N.	Name of Fire stations	Name of district	Under direct Jurisdiction control of ¹	Population (to be filled by RMSI)	Num of Fire stations (Operational)	Num of Fire stations (under Construction)	Num of Fire stations proposed for future expansion	Any additional Information

Please add additional sheets if required

C. Details of Proposed Fire Station

S.N.	Name of the Site for Proposed Fire Station	District	Status of Work in Progress, (e.g. approval awaited, plan cleared, land acquired/ allocated, % of construction completed)	Remarks

Please attach additional sheets if required

D. Human Resources and Staff Welfare (Please attach additional sheets for each zonal, divisional, and sub-div. Fire Stations)

Organization Structure and Human resources (Operational Staff including higher level officers)

By State/ zonal Level

Zone Name

Level	Designation	Pay-scale	Duty Pattern	Number of sanctioned posts	Total Number of Filled posts	Total No of Vacant posts	Remark, if any
11	Director General / Asst. Director General						
10	Director / Deputy Director						
9	Divisional Officer (D.O.)/ Fire Prevention Officer						
8	Station Officer (St. O)						
7	Sub Officer (S.O)						
6	Fire Engine Operator cum Driver (FEOD)/ Leading Fire Operator (LFO)						
5	Fire Operator (FO)						
4	Cleaner/ Sweeper						
3	Other Officers (Chief Mobilizing Officer/ Mobilizing Officer/ Asst. Mobilizing Officer)						

2	Other Officers (Mechanical Superintendent/ Foreman)						
1	Other Staffs (Mechanic/ Mechanic-Helper)						
Any Other							

Please attach additional sheets if required for each Fire zonal region/ division human resources (broad categories of designations are mentioned below for reference)

Level 10: Director General/ Director; **Level 9:** CFO/ CO; **Level 8:** Deputy CFO/Joint Director; **Level 7:** AD/Deputy Controller/Deputy Director/DO; **Level 6:** ADO/ Inspector/EO/Fire Supervisor; **Level 5:** DFO/ADFO/AFO/Fire In-charge; **Level 4:** St.O/Sub Inspector/Station In-charge/Asst O./AEO; **Level 3:** S O/Assistant Sub Inspector/ASO/Sub-Fire Officer/; **Level 2 :** LFM/ Mechanic Driver/Head Constable/Store Superintendent; **Level 1 :** FM/ FM Driver/Radio Technician/ SGFM/ Driver/ Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; **Level 0:** Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Cleaner, Tindal.

Recruitment Rules for entry level in organization chart (Please provide copy of State recruitment rules in detail)

Level	Designations	Essential qualification as per recruitment rule	Preferential	Training / Experience	Departmental policy if any	Reservation
8						
7						
6						
5						
4						
3	FEOD					

2	Leading Fire Operator				
1	Fire Operator				
Any Other					

Staff Welfare:

Please list the Staff welfare measures being followed in the State:

Ration money: Rs.....

Sports facilities:

TV for common room:

Cash rewards and recognition: Rs.....

Incentives, through benevolent fund: Rs.....

Insurance: Rs.....

Other schemes etc.....

Measures to Improve Staff Efficiency

S. no	Type of Drill	Frequency (Daily/Weekly, Bi-Monthly, Quarterly)	Remarks
1.	Squad Drill	Daily	
2.	Pump/ Hose Drill - Dry	Weekly	
3.	Pump/ Hose Drill - Wet	Bimonthly	
4.	Ladder/ Rescue Drill	Monthly	
5.	Rope Rescue Drill	others	
6.			
7.			

E. Training Details

Name of State Training Centre and address:

.....

Number of Faculty/Trainers with Designation:

.....

.....

S. N.	Name of Training Courses	Duration (months)	Maximum capacity	Number of personnel Trained annually	Year
1					
2					
3					
4					

Training obtained by fire-staff annually (sub-officer course and above)

Year	Type of Training Obtained/ name of training course	Within State Training Centre	At NFSC, Nagpur	Other State Training Centre (mention City, State)	Foreign country	Total Number of personnel Trained
2011						
2010						
2009						
2008						

2007						
2006						

Please provide yearly break-up for the last 5 years

Training Centre Infrastructure for basic training and sub-officer course: Provide details of facilities at the training centre, short comings etc.

.....

.....

.....

.....

F. Inventory of Equipments

Division Wise Fire Vehicles

Fire Station Name -----

Division/ Station Name	Number of Deployment of fire fighting units											
	water tender	Water Browser	Foam Tender	Dry Chemical Powder Tender	Emergency Tender/Rescue Tender/ Rescue Responder	Motor Pump	Motor Cycle	BA Van	Hose Tender	Aerial Ladder Platform	Hazmat Van	Others

Please provide separate list for working, non-working and under procurement

Additional Equipments

Fire Station / District/ Division Name -----

Division/ Station Name	Gas Cutters	Bolt Cutters	B.A. Sets with B.A. Comp	Circular Saw with Diamond Blade(Electric)	Electric Hammer	Chain Saw- Concrete	Chain Saw- Wood	Pneumatic Lifting bags	Hydraulic Spreader and Cutters/ Cobmi-tool	Rescue Boats

Any other not covered in above list

.....

.....

.....

Please provide separate list for each division/district

G. Communication between HQ and Zonal/district office

Details of Control rooms

Centralized Control Room for the entire State: Yes / No, if yes please provide location and street address:

S.No	Name of Control Room for the Division/district	Size in terms of number of Emergency Fire Telephone (EFT) lines	Command and Control		Remark
			Manual	Computerized	
1					
2					
3					
4					

State Communication centre is connected with Zonal/District office through: Internet/Intranet/Wireless/Telephone lines

State Communication centre is connected with individual Fire Station through: Internet/Intranet/Wireless/Telephone lines

Frequency of Fire Report Transmission:

From Individual Fire Station to District/Zonal Hq: Instantaneous, daily, weekly, bi-weekly/monthly

From Individual Fire Station to State Hq: Instantaneous, daily, weekly, bi-weekly/monthly

From Individual District/Zonal Hq to District/Zone Hq: Instantaneous, daily, weekly, bi-weekly/monthly

Does State have a communication policy?, if yes, please provide a copy of the report:

Does State have any approved plans to improve communication?, if yes, please provide a copy of the plan:

H. Financial Details

Name of Zone

(If information provided zone wise)

Budget for year

Plan			Non-Plan		
Capital (Rs)	Revenue (Rs)		Capital (Rs)	Revenue (Rs)	
	Equipment			Equipment	
	Maintenance			Maintenance	
	POL			POL	

Please repeat if information is available for each zone/ State more than one year

I. Fire and other Incidences Summary (last 5 years)

Please provide information for each Fire Station, and District/division and Headquarter Level summary

Name of Station

Number of Fire and other Incidence (P= Public and FS= Fire Service)

Year	Total Calls (A+B+C+D)	Total Fire Incidence (A)	Occupancy wise break up of fire incidence				Total Rescue incidence (B)	Break up of Rescue incidence				Special service calls(C)	False/ malicious calls (D)	Total injured		Num of Deaths	
			Residential	Industrial	Institutional/ commercial	Others		Road Accidents	Building collapse	Animal	Others			P	FS	P	FS
2010-11																	
2009-10																	
2008-09																	
2007-06																	
2006-07																	

Severity of fire incidences at each Fire Station, and District/division and Headquarter Level summary

Year	Total no of Small Fire Incidence	Total no of Medium Fire Incidence	Total no of Serious Fire Incidence	Brief description of Major Fire Incidence
2010-11				
2009-10				
2008-09				
2007-06				
2006-07				

(Attach additional sheets for each region/ and addition year)

Please provide definition of fire types

.....

Severity of events: Small fire – estimated loss of Rs. 10 lakh, Medium – Rs. 10 to 50 lakh, Serious - >Rs. 50 lakh, any fire where there is human death to be consider as Serious fire. (As per the compendium, even there is casualties, it is considered as serious, but the causality severity not mentioned)

J. Public Awareness Programmes

Public Awareness Programmes organized in last One Year

Name of Zonal/district Office

Total no. of programs in the year including Fire Safety Week (a + b + c)	Total no. of persons attended (d + e + f)	No of Programs Organized			No of Persons attended			Brief description of the programmes
		Govt./ PSU (a)	Pvt. Locations (b)	Schools (c)	Govt./ PSU (d)	Pvt. Locations (e)	Schools (f)	

K. Suggestions/views of the department for improvement of fire and emergency service in the State

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.

L. Contact person Details for Communication at RMSI (On behalf of DGCD, Fire Project Cell):

Postal Address:

Mr Sushil Gupta
General Manager,
Risk Modeling and Insurance,
A-7, RMSI, Sector-16, NOIDA
PIN 201301 (U.P.) INDIA

Mobile- +91 9818798715
Phone (Office): +91 0120 2511102/ 2512101 ext 2612
(Office): +91 120 4040512 (direct)
Fax (Office): +91 0120 2511109/ 2510963
email<Sushil.Gupta@rmsi.com>
<sushilgupta74@yahoo.com>
www.rmsi.com

Annex-2: Fire Station Survey Form

This questionnaire is prepared in consultation with Directorate General NDRF & CD for collecting basic information all fire infrastructure in the country as part of the project "Fire-Risk and Hazard analysis in the Country" with an objective to Prepare Capital Investment and Institutional Strengthening Plan for Accelerated Development of Fire and Emergency Services in the Country. All information collection through this questionnaire will be kept confidential and will only be used for the preparation of the report and other deliverables of the project. Directorate General NDRF has entrusted RMSI Private Limited to carry out this assignment and State Officials and Official in-charge of Fire Station are requested to provide required authentic information which is very important for preparation of this report and future development plans of the department.

SW FS Ref #.....

A. Fire Station General Information

State	District	City/ Town	Block / Tehsil	Municipality	Latitude , Longitude (to be filled by RMSI)(DDM format)	ID

Fire Station Name

Address of the Fire Station (with landmark)

Station Phone number(s) with STD code: 1) 2)..... 3).....

Fax No: Emergency No:

 Fire Station Type based on served area: Urban ☐ Rural ☐

Name of officer in-charge Designation

Mobile number (officer in-charge) :

Fire station is under the administration of (put tick mark in the box)

 State Government ☐ Municipal Corporation ☐ Police Department ☐ Others specify.....

The Fire Station falls under the jurisdiction of (Division/Zone/Municipality) -.....

Name of Administrative District/Divisional/Zonal Fire Officer- Mobile.....

Address/location of District/Divisional/Zonal HQ-

Number of total Fire Stations fall under above jurisdiction/ administration-

Surveyed by: Date:

 (Signature of Witness from Fire Department)
 Name & Designation

B. Fire Station Infrastructure Details

Does Fire station has its own building: ☐ Yes in good condition, ☐ Yes, but condition is not good & need new building.

☐ No permanent building

If Fire Station is temporarily operational from borrowed/ rented building of(Private, Municipality, Police, any other)

Please mentioned the status : Land acquired -...Yes/ No... and building under construction -.....Yes/ No....

How many bay station should be in new Fire Station building

If permanent building - Fire station belongs to State Fire Department / State Government / Municipal Corporation / Police fire Service/ any other

Provide building details

Number of Floors	Number of Rooms	Approx Plot Area (SQM)	Approx Built-up Area (SQM)
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Whole Fire Station Building Structure Type : Pacca - Reinforced concrete (RCC) frame structure ☐ Pacca -Masonry with RCC Roof ☐ Pacca Masonry walls with flexible Roof ☐ Kachha masonry walls with Tin Roof ☐ Kaccha Tin shade ☐ Temp Porta- cabins ☐ Kaccha wooden structure with tin Roof ☐ Others Kaccha type specify

Mixed (kachha and pacca) ☐ (in case different parts of Fire Stations has different structure types)

If whole station building is not a permanent (Pacca) building structure and need new partial building, please specify the details of partial components that needs to be build

Vehicle bays (with num of bays) Fire station office building ☐ Barracks ☐ Staff quarters ☐

Age of building structure/ year of construction- (write year in the blank space and tick in the box below)

Less than 5yrs ☐ 5-10 yrs ☐ 10-20yrs ☐ More than 20 yrs ☐

Number of Bays/Garages for the Fire Vehicles - , How many fire vehicle parked within Bay/ Garage

Structure of Bay/ Garrage- Pacca- RCC/Masonry ☐ Kaccha Tin Shade ☐ Open ☐ any other kaccha

Availability of Staff Quarters - Yes ☐ No ☐ If Yes, mention numbers.....

Availability of Barracks - Yes ☐ No ☐, If Yes, mention numbers and total capacity..... ,.....

Availability of T.V. in Barracks - Yes ☐ No ☐ Any other entertainment indoor/ outdoor.....

Provision of Mess/ Canteen facilities in Fire Station- Yes ☐ No ☐

Availability of Watch room /Control Room- Yes ☐ No ☐ If yes, is it computerized - Yes ☐ No ☐

Is Watch room /Control room online/ internet connected with zonal/ headquarter Yes ☐ No ☐

Availability of drill/ parade ground - Yes ☐ No ☐ Availability of hose drying/ drill tower - Yes ☐ No ☐

Power Supply in the Fire Station Watch Room/ Control Room -

Electricity: Uninterrupted 24 Hrs ☐ Interrupted supply ☐ Availability of standby generator ☐ Inverter for control room ☐

Does the Fire Station maintain ambulance unit ? Yes ☐ No ☐

C. Communication Systems

1. Between Public and Fire control room/ watch room

i. Landline Telephone: Yes ☐ No ☐ , If 'Yes', mention number of land line phone in operation.....

ii. Emergency phone number- 101 or,.....Connection Type : Direct ☐ Indirect ☐ Not Available ☐

2. Hotline between Important agencies and Fire control room

Oil industries/ storage ☐ Airport ☐ PCR ☐ Banks ☐ District Magistrate Office ☐

Others specify.....

3. Automatic Fire Alarm between High Rise Buildings and Fire Station: Yes ☐ No ☐ If yes, num. of buildings

If with any other agency, specify:

Availability of GPS on Fire Engines and other vehicles - Yes ☐ No ☐ , If Yes, mention number of vehicles:

4. Between Fire Station Control Room and Fire Vehicles

Static Wireless Set in watch room Yes ☐ No ☐ If 'Yes', mention number of operational phones

Number of Mobile wireless sets: Number of Walky-Talky: Number of Satellite Phones:

5. Type of Frequency used- HF ☐ VHF ☐ UHF ☐

D. Water Supply Details for Fire Fighting Purpose

Whether 24 hours water available in fire vehicles? Yes ☐ No ☐

Water sources used by Fire Vehicles within Fire station

Direct supply... ☐ .. b) Overhead tank ☐ c) Pumping from underground tank ... ☐

d) Pumping by Tube well ☐ .. e) any other

Any storage of water within Fire Station for fire vehicles- Yes ☐ No ☐

Water sources regularly used by Fire Vehicles outside Fire station (also mention distance in km from Fire Station)

City over-head tank with coupling arrangements ☐ River ☐ Stream ☐ Well ☐ Pond ☐ Lake ☐

Other location / static fire hydrant available in the vicinity - Yes ☐ No ☐ , If 'Yes', provide number and distance (km)

Overall, is there any scarcity of water for fire vehicles- Yes ☐ No ☐

E. Human Resources

Permanent Staff Details- :

S. no.	Designation	Total Number of Permanent Working Staff	Duty pattern/ Shifts (hrs)	Vacant, sanctioned posts but	Numbers of temporary/ contract persons (if any)
1.	Senior Fire Officers		24 hrs		
2.	Station Officer (St.O)/(FSO)				
3.	Sub Officer (S.O)/FSSO				
4.	Leading Fire Men (LFM)				
5.	Driver				

S. no.	Designation	Total Number of Permanent Working Staff	Duty pattern/ Shifts (hrs)	Vacant, sanctioned posts but	Numbers of temporary/ contract persons (if any)
6.	Fire Man (FM)				
7.	Sweeper				
8.	Cook				
9.	Any other				
10.	Any other				

Total Permanent Staff in the Fire Station Details of Temporary staff/ Contract persons (if any).....

Level 10: Director General/ Director; **Level 9:** CFO/ CO; **Level 8:** Deputy CFO/Joint Director; **Level 7:** AD/Deputy Controller/Deputy Director/DO; **Level 6:** ADO/ Inspector/EO/Fire Supervisor; **Level 5:** DFO/ADFO/AFO/Fire In-charge; **Level 4:** St.O/Sub Inspector/Station In-charge/AST O./AEO; **Level 3:** S O/Assistant Sub Inspector/ASO/Sub-Fire Officer; **Level 2 :** LFM/ Mechanic Driver/Head Constable/Store Superintendent; **Level 1 :** FM/ FM Driver/Radio Technician/ SGFM/ Driver/ Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; **Level 0:** Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Tindal.

Mode to maintain Physical Fitness

S. no	Type of Drill	Yes/No	S. no	Type of Drill	Yes/No
8.	P.T./ Parade	Daily/.....	4.	Vehicle maintenance	Weekly/Monthly/Quarterly/.....
9.	Fire Drill	Daily/Weekly.....	5.	Any other
10.	Games	Daily/			

F. Fire Risk Covered in the Area under Jurisdiction

Jurisdiction of Fire Station (in approx sq km)(collect current jurisdiction map from the Fire Station)

Fire Risk	If Yes, Brief description of its Name, Type, Risks involved	Dist. From FS (km)	No. of Units
Old city Area/ congested areas			
Jhuggi -Jhopdi (Thatched House Clusters)			
Industrial Area (also mention whether small/medium/large scale)			
Industrial Area (any other)			
High-Rise Buildings (>15m height)			
Major Scrap yards (Iron/Wood etc)			
Oil Mills/Storage/Processing Units			
Refineries			
Underground Gas pipe lines			
LPG Bottling Plant			
Water –Treatment Plant (chlorine cylinders)			
Bulk Fuel Storage Area/ Petrol Pump			
Major Hazardous (MAH) units			
Explosive manufacturing/stores			

Fire Risk	If Yes, Brief description of its Name, Type, Risks involved	Dist. From FS (km)	No. of Units
Port/ dockyard area			
Railway Station			
Airport Area			
Wild Forest-Area			
Vicinity to Coast			
Army Ammunition Storage			
Cross-Border Shelling			
Any other			
Any other			

Availability of water for Fire Fighting in High-Rise Building as per National Building Code (NBC) - All ☐ Few ☐ No ☐

Applicability of NBC/ local laws in District/ State for fire safety of High-Rise building - All ☐ Few ☐ No ☐

Applicability of NBC/ local laws for fire safety in industrial and other buildings- All ☐ Few ☐ No ☐

G. Status of Fire Fighting Vehicles (attach separate sheet if number of vehicle are more than space provided below)

(Total number of Fire Fighting Vehicles at station)

SI No	Fire Vehicle Type	Fire Dept. Vehicle Number	Vehicle Registration Number	Make	Year of Fabrication (age)	Size/ water capacity (ltr)	Pumping capacity/ size (LPM)	Comm. System mounted on vehicle	If not in running condition (off road)
	Water Tender (WT) 1							Wireless GPS /	Minor/ Major/Condemned
	Water Tender (WT) 2							Wireless GPS /	Minor/ Major/Condemned
	Water Tender (WT) 3							Wireless GPS /	Minor/ Major/Condemned
	Water Bowser (WB) 1							Wireless GPS /	Minor/ Major/Condemned
	Water Bowser (WB) 2							Wireless GPS /	Minor/ Major/Condemned
	Foam Tender (FT)							Wireless GPS /	Minor/ Major/Condemned
	DCP Tender					kg		Wireless GPS /	Minor/ Major/Condemned
	Multi-purpose Tender							Wireless GPS /	Minor/ Major/Condemned
	Hose Tender (HT)							Wireless GPS /	Minor/ Major/Condemned
	Rescue / emergency tender/ responder							Wireless GPS /	Minor/ Major/Condemned
	Advanced Rescue Tender (with inst. to handle hazardous materials)							Wireless GPS /	Minor/ Major/Condemned

SI No	Fire Vehicle Type	Fire Dept. Vehicle Number	Vehicle Registration Number	Make	Year of Fabrication (age)	Size/ water capacity (ltr)	Pumping capacity/ size (LPM)	Comm. System mounted on vehicle	If not in running condition (off road)
	Aerial Ladder Platform (ALP)							Wireless GPS /	Minor/ Major/Condemned
	Turn Table Ladder (TTL)							Wireless GPS /	Minor/ Major/Condemned
	Hazmat Van							Wireless GPS /	Minor/ Major/Condemned
	B.A. Van							Wireless GPS /	Minor/ Major/Condemned
	Quick Response Tender (QRT)							Wireless GPS /	Minor/ Major/Condemned
	Motor Cycle Mist 1							Wireless GPS /	Minor/ Major/Condemned
	Motor Cycle Mist 2							Wireless GPS /	Minor/ Major/Condemned
	Rescue Boat							Wireless GPS /	Minor/ Major/Condemned
	Fire Boat							Wireless GPS /	Minor/ Major/Condemned
	High Pressure Light Van							Wireless GPS /	Minor/ Major/Condemned
	Any Other							Wireless GPS /	Minor/ Major/Condemned

Details of Vehicles- other than Fire Fighting/ Official Use

SI No	Fire Vehicle Type	Vehicle Registration Number	Make	If allotted to individual	Comm. System mounted on vehicle	If not in running condition (off road)
	Ambulance				Wireless / GPS	Minor/ Major/Condemned
	Motor cycle (office use)				Wireless / GPS	Minor/ Major/Condemned
	Motor cycle (office use)				Wireless / GPS	Minor/ Major/Condemned
	Jeep/ Gypsy (office use)				Wireless / GPS	Minor/ Major/Condemned
	Jeep/ Gypsy (office use)				Wireless / GPS	Minor/ Major/Condemned
	Bus/ Mini Bus				Wireless / GPS	Minor/ Major/Condemned
	Other Transport Vehicle				Wireless / GPS	Minor/ Major/Condemned
	Any other				Wireless / GPS	Minor/ Major/Condemned

H. Specialized Equipment provided (mention total quantity for all equipment including vehicle and storage)

Equipment	Number/ Quantity	Equipment	Number/ Quantity
Self rescue units ropes/slugs (ft)		Ladders (extension + hook)	
Foam compound (ltr.)		Hand controlled nozzle/ branches	
Foam making branches (tool)		Fog/ Mist Branch	
Breathing Apparatus (B.A.) Sets		B.A. Compressor	
Personal Protection Suits (multi-layer suits etc)		Combi Tool	
Personal Protection Equipment (PPE)		Jumping cushion / sheets	

Equipment	Number/ Quantity	Equipment	Number/ Quantity
(protection suit with BA sets etc)			
Chemical Suit		Dry Chemical Powder (DCP) Extinguisher	
Lock cutter		First-Aid Box	
Hydraulic Rescue Tool (spreader, cutter, rams)		Portable Pump	
Electric powered hammer/ floor breaker		Submersible Pumps	
Electric chain saw for wood		Pneumatic Lifting Bag (capacity -Ton)	
Electric powered concrete cutter saw		Thermal Imaging Camera	
Electric chain saw for concrete		Life Locator Equipment	
Petrol Powered Concrete Cutter Saw		Chemical Leakage/Gas Detection Kit	
Petrol Chain Saw for Concrete		Radio-active Leakage Detection Kit	
Petrol Chain Saw for Wood		Curtain Spray Nozzle	
Hydraulic Chain Saw for Wood		Escape Chutes (length m)	
Long Branch		Search Light	
Short Branch		Generator Set	
Diffuser		Robots if any	
Lifebuoy		Fire-Curtain	
Life Jacket		Floating Pump	
Diving Suit (Wet / Dry)		Smoke Exhauster/ PPV	

Equipment	Number/ Quantity	Equipment	Number/ Quantity
Fire Beater		Any Other...	
Inflatable Lighting Tower		Any Other...	

I. Other Dress Accessories

Normal Dangri	Individual issue / Group use	
Helmets (steel/leather/fiber)	Individual issue / Group use	
Gum Boots	Individual issue / Group use	
Fire retardant Dangri	Individual issue / Group use	
Any Other		

Any other incentives for staff such as ration money, insurance etc

Ration money – Yes ☐ No ☐ Amount (Rs)

Insurance - Yes ☐ No ☐ Amount (Rs)

J. Suggestions/views of fire-official for improvement of fire and emergency service at the station

- 1).....
.....
.....
- 2).....
.....
.....
- 3)
.....
.....

K. Other Fire Station (nearby) not belonging to Fire Service Department

Airport / Defence Installations / Power Plant (all type) / Oil Refineries / Private Agency / Other Industries etc.

a) Name/Agency-..... cooperation with the above Fire Station
(in large fire only/ all small & big fires/ no cooperation)

Details of any mutual-aid scheme /

b) Name/Agency-..... cooperation with the above Fire Station
(in large fire only/ all small & big fires/ no cooperation)

Details of any mutual-aid scheme /

c) Name/Agency-..... cooperation with the above Fire Station
(in large fire only/ all small & big fires/ no cooperation)

Details of any mutual-aid scheme /

L. Fire Calls and other Incidence Statistics (last 3-5 years) **Name of Fire Station**
Monthly number of fire calls and other special service calls (use additional sheet to pen down the Fire Statistics for last 5 years)

Month-Year	Total Calls (A+B+C+D)	Total Fire Incidence calls (A)	Occupancy wise break up of fire incidence (if any)				Total Rescue incidence (B)	Break up of Rescue incidence (if any)				Special service calls (C)	False/malicious calls (D)	Total injured		Total Death
			Residential	Industrial	Institutional/commercial	Others		Road Accidents	Building collapse	Animal	Others			Minor	Major	
12-Jul																
12-Jun																
12-May																
12-Apr																
12-Mar																
12-Feb																
12-Jan																
11-Dec																
11-Nov																
11-Oct																
11-Sep																
11-Aug																
11-Jul																
11-Jun																
11-May																
11-Apr																
11-Mar																
11-Feb																
11-Jan																
10-Dec																
10-Nov																
10-Oct																
10-Sep																

Fire-Risk and Hazard Analysis in the Country



10-Aug																
10-Jul																
10-Jun																
10-May																
10-Apr																
10-Mar																
10-Feb																
10-Jan																
9-Dec																
9-Nov																
9-Oct																
9-Sep																
9-Aug																
9-Jul																
9-Jun																
9-May																
9-Apr																
9-Mar																
9-Feb																
9-Jan																
8-Dec																
8-Nov																
8-Oct																
8-Sep																
8-Aug																

Please send Fire call statistics to :

Mr. Sushil Gupta (General Manager), Risk Modeling & Insurance,
A-7, RMSI, Sector 16, Noida 201301, Fax: 0120 2511109
Mobile: 08826100332, phone: 0120 4040512(direct)
Sushil.Gupta@rmsi.com

PART - B

7 Delhi State

This page has been left intentionally blank.

8 Rajasthan State

This page has been left intentionally blank.

9 Maharashtra State

This page has been left intentionally blank.

10 Jammu and Kashmir State

This page has been left intentionally blank.

11 Puducherry UT

This page has been left intentionally blank.

12 Andaman & Nicobar Islands UT

This page has been left intentionally blank.

13 Chandigarh UT

This page has been left intentionally blank.

14 Haryana State

This page has been left intentionally blank.

15 Himachal Pradesh State

This page has been left intentionally blank.

16 Punjab State

This page has been left intentionally blank.

17 Uttarakhand State

This page has been left intentionally blank.

18 Uttar Pradesh State

This page has been left intentionally blank.

19 Dadra and Nagar Haveli UT

This page has been left intentionally blank.

20 Daman and Diu UT

This page has been left intentionally blank.

21 Goa State

This page has been left intentionally blank.

22 Gujarat State

This page has been left intentionally blank.

23 Karnataka State

This page has been left intentionally blank.

24 Madhya Pradesh State

This page has been left intentionally blank.

25 Andhra Pradesh State

This page has been left intentionally blank.

26 Bihar State

This page has been left intentionally blank.

27 Kerala

27.1 Introduction

Kerala lies along the coastline, to the extreme south west of the Indian peninsula, flanked by the Arabian Sea on the west and the mountains of the Western Ghats on the east. The whole Kerala State covers an area of 38,863 km² and share its boundary with the States Karnataka in the north and northeast and with Tamil Nadu in the east and south. The State was formed on 1st November 1956 under the States Reorganization Act. Thiruvananthapuram (Trivandrum) is the capital of the State and Kochi (Cochin) and Kozhikode (Calicut) are among the important cities in the State.

Geographically Kerala is a wedge between the Lakshadweep Sea and the Western Ghats. It is located between latitude 8°18' and 12°48' North and longitude 74°52' and 77°22' East. Kerala State is known for its long coastline, which stretches in length about 590 km and in width, varies from 11 to 121 km. The State can be subdivided into three distinct sub-regions based on topography: the eastern highland, the central midland, and the western lowlands.

The eastern region is mostly having mountainous terrain and deep-cut valleys. Kerala's western coastal belt is relatively flat and crisscrossed by several canals and lakes. Kerala has a wet and maritime tropical climate influenced by the seasonal heavy rains of the southwest summer monsoon and northeast winter monsoon.

Kerala has 14 districts, which serve as the administrative regions, are further subdivided into 63 Talukas. The State owns 978 Gram Panchayat and 60 Municipalities, serving a total population of 33,387,677 as per Census 2011. It is one of the States having highest literacy rate and about 40% of the total population living in urban areas (Table 27-1).

The Kerala Fire and Rescue Services (FRS) Department came into existence by the enactment of Kerala Fire Force Act 1962. The Department is currently running a total of 100 operational Fire Stations with strength of 2,427 fire personnel at all levels. The State is equipped with firefighting vehicles and specialized equipment serving current population. The State is also having the Fire Service Training School located at Kochi to train fire personnel as well as one upcoming State-of-the-art training school at Viyyoor, Thrissur to cater the gap of trained fire personnel in the State. On an average, the 100 operational Fire Stations serve a population of more than 3.3 Lakhs per Fire Station in Kerala. (Figure 27-2 and Table 27-2).




Figure 27-1: District map of Kerala

Table 27-1: Kerala Demography as per Census 2011

Kerala State	
Districts	14
Revenue Divisions	21
Taluks	63
Revenue Villages	1,453
District Panchayat	14
Block Panchayat	152
Gram Panchayat	978
Municipalities	60
Population	
Total Persons	33,387,677
Males	16,021,290
Females	17,366,387
Rural	17,455,506
Urban	15,932,171
% of Urban Population	47.72 %
Sex Ratio (female per 1,000 male)	1084

Table 27-2 provides the district wise details, i.e., number of operational Fire Stations, geographical, population as per Census 2011, and average estimated population served by each Fire Station in Kerala. On an average, each Fire Station in Kerala State is serving more than 3.3 Lakhs population.




Figure 27-2: Locations of operational urban Fire Stations in Kerala




Figure 27-3: Locations of operational rural Fire Stations in Kerala

Table 27-2: Summary of district level operational Fire Stations in Kerala

District	Area Sq km	Total Population (Census 2011)	Population Density	Number of Operational Fire stations	Average population per Fire Station
Alappuzha	1,414	2,121,943	1,501	5	424,389
Ernakulam	2,950	3,279,860	1,112	15	218,657
Idukki	4,476	1,107,453	247	4	276,863
Kannur	2,966	2,525,637	852	9	280,626
Kasargod	1,992	1,302,600	654	5	260,520
Kollam	2,491	2,629,703	1,056	9	292,189
Kottayam	2,208	1,979,384	896	7	282,769
Kozhikode	2,344	3,089,543	1,318	8	386,193
Malappuram	3,550	4,110,956	1,158	5	822,191
Palakkad	4,480	2,810,892	627	7	401,556
Pathanamthitta	2,637	1,195,537	453	4	298,884
Thiruvananthapuram	2,192	3,307,284	1,509	11	300,662
Thrissur	3,032	3,110,327	1,026	8	388,791
Wayanad	2,131	816,558	383	3	272,186
Total	38,863	33,387,677	859	100	333,877

27.2 Field Surveys of Fire Stations for Data Collection

To have first-hand information on the distribution of the fire service stations across the country, infrastructure availability and their status, firefighting manpower etc., RMSI project team has carried out detailed surveys of Fire Stations and collected data through individual “Fire Station Survey Form” and Fire Headquarter Data Collection Form” as shown in Annexure 1 & 2. The collected information for each Fire Station is following categories:

1. Fire station general information
2. Fire station infrastructure details
3. Communication systems
4. Water supply details for firefighting purpose
5. Human resources
6. Fire risk covered in the area under jurisdiction
7. Status of firefighting vehicles
8. Specialized equipments provided (Specify whether kept in vehicle or in stores)
9. Other accessories
10. Fire calls and other fire incidence statistics (last 3-5 years)

Besides the collection of field survey data, RMSI team has also collected the location coordinates (latitude, longitude) of Fire Stations using Geo Positioning System (GPS). The geographical coordinate information is used for plotting all the Fire Station locations in the map to perform GIS based spatial analyses. This is also used in the analysis of distribution

of new proposed Fire Stations and gap analysis on fire-infrastructure, based on risk-category, response time, and population criteria.

27.3 Infrastructure Gap Analysis

27.3.1 FIRE STATION LOCATION GAP ANALYSIS

As discussed in section 6.2.5, response time of 5-7 minutes in urban area and 20 minutes in rural area has been considered. With network analysis, ideal jurisdiction areas have been delineated for all operating Fire Stations. In delineation of ideal jurisdiction areas, built-up areas such as various types of residential areas and industrial areas with estimated population has also been considered. After delineation of ideal jurisdiction area, un-served gaps in urban agglomeration have been identified. These un-served gaps are shown to be filled by new proposed urban Fire Stations. Table 27-3 shows district level summary of number of operational and new proposed Fire Stations with population covered within their ideal jurisdiction area.

Rural areas of Kerala State are similarly covered with new rural Fire Stations. Locations of rural Fire Stations are demarcated to the nearest relatively bigger village having population of more than 5,000 -10,000 or major roads intersection. District level numbers of new rural Fire Stations are given in Table 27-3. Figures 27-2 to 27-20 depict representative detailed maps showing delineated ideal jurisdiction areas for operational and new proposed urban Fire Stations and location of new proposed rural Fire Station in the State.

Detailed list of delineated operational, new urban and rural Fire Stations/fire post in Kerala State are given in Tables 27-38 and 27-39.

Table 27-3: District level number of operational and new Fire Stations in the Kerala State

District	Num of operational Fire Stations	Ideally served population under operational Fire Stations	Num of new urban Fire Stations	Ideally served population under new urban Fire Stations	Num of new rural Fire Stations	Total Fire Stations
Alappuzha	5	748,472	3	673,893	3	11
Ernakulam	15	2,115,453	9	1,139,365	1	25
Idukki	4	776,911	0	0	2	6
Kannur	9	735,350	7	1,275,359	9	25
Kasargod	5	448,610	3	294,838	7	15
Kollam	9	1,375,967	4	512,873	6	19
Kottayam	7	1,144,173	3	417,611	2	12
Kozhikode	8	1,527,272	8	1,583,972	1	17
Malappuram	5	415,331	8	1,188,720	10	23
Palakkad	7	1,227,594	1	207,239	6	14
Pathanamthitta	4	225,769	0	0	5	9
Thiruvananthapuram	11	867,344	5	1,065,680	8	24
Thrissur	8	919,924	5	1,067,232	8	21
Wayanad	3	380,383	1	42,136	3	7
Total	100	12,908,553	57	9,468,918	71	228




Figure 27-4: Fire stations gap analysis for Alappuzha and Kottayam rural areas





Figure 27-5: Fire stations gap analysis for Alappuzha urban areas







Figure 27-7: Fire stations gap analysis for Kannur and Kasargod rural areas







Figure 27-9: Fire stations gap analysis for Kollam and Thiruvananthapuram areas






Figure 27-11: Fire stations gap analysis for Kottayam and Pathanamthitta areas




Figure 27-12: Fire stations gap analysis for Kottayam urban areas





Figure 27-13: Fire stations gap analysis for Kozhikode rural areas






Figure 27-15: Fire stations gap analysis for Malappuram and Palakkad rural areas




Figure 27-16: Fire stations gap analysis for Malappuram urban areas





Figure 27-17: Fire stations gap analysis for Thiruvananthapuram rural areas






Figure 27-19: Fire stations gap analysis for Thrissur rural areas




Figure 27-20: Fire stations gap analysis for Thrissur urban areas

27.3.2 FIREFIGHTING AND RESCUE VEHICLES AND EQUIPMENT GAP

For firefighting and rescue vehicles and specialized equipment gap analysis at the operational Fire Stations and the additional Fire Stations in urban and rural areas, the following criteria have been followed, which have been basically taken from SFAC norms and minor changes have been made with expert opinion, for optimization of resources.

1. **Pumping Unit:** For counting of existing pumping units at various Fire Stations, equipments such as Fire Tender, Water Bowser, Water Mist Mini Fire Tender, Foam Tender, Crash Fire Tender, Fire Engine, Jumbo Tanker, and Multi-purpose Tender have been counted as one pumping unit. The SFAC criteria with some modifications have been proposed for estimating the requirement of pumping units. Accordingly, one pumping unit per 50,000 populations (subject to minimum one) up to 3 Lakhs population has been considered. For population of more than 3 Lakhs, one additional pumping unit per Lakhs of population has been considered. For example, if the population is 3,50,000 or more but less than 4,50,000, there should be 7 pumping units. At Fire Stations, where pumping unit requirements are coming to 2 or more units, half the units will be Water Tender and half the units will be Water Bowser, for example, for 2 pumping unit requirement, one will be Water Tender and one Water Bowser, however, for 3 pumping unit requirement, 2 will be Water Tender and 1 will be Water Bowser. *However, in hilly States, the criteria have been further relaxed.*

Note: we have considered pumping unit as a complete unit with water carrying capacity pumping unit, however, trailer fire pump with towing vehicle or a jeep fire engine, QRT with mist unit, or motor cycle with mist set have not been considered as a pumping unit. QRT with mist unit or motor cycle with mist set has been considered as a unit to cut response time in congested areas in urban areas.

2. **Foam Tender:** For those Fire Stations, in whose jurisdiction small industrial area also lie, one Water Tender should be replaced with Foam Tender.
3. **DCP Tender:** Minimum one per district or one for 8-10 Fire Stations. Fire stations, having a large industrial plot area (in their ideal jurisdiction) of above 1.0 - 3.0 sq km, should have additionally one DCP tender. For industrial areas more than 3.0 - 6.0 sq km, there should be 2 DCP Tenders and so on.
4. **Advanced Rescue Tender:** One per district (minimum) up to 10 Lakhs population, and one additional unit for every 10 Lakhs urban population.
5. **Hydraulic Platform/ALP/TTL:** One per district depending upon the presence of high-rise buildings (height more than 15 m). Additional unit is to be provided for districts having a large number of such building blocks, i.e., Central Business Districts. It may be noted that Hydraulic Platform/ALP/TTL is not a replacement for in-built systems in high-rise buildings. Moreover, equipment is heavy and maneuvering on roads becomes difficult, where there are overhead electrical lines.
6. **HAZMAT Van:** Hazmat van is used rarely and is a very costly equipment requiring highly trained manpower. Hence, to optimize on resources and manpower, HAZMAT van is not recommended for future procurement in the State. However, for that purpose, an Advanced Rescue Responder is proposed (at Sr. No 4), which will have equipment to handle hazardous material release.
7. **Crash Fire Tender:** Crash Fire Tender is not recommended for the State Fire and Emergency Service. Instead, for Fire Stations in the funnel area on either side of the airport, one WT should be replaced with Foam Tender depending upon the State policy.

8. **BA Van, Light Van and Control Van:** One each per district. However, to optimize on resources and manpower, we are proposing a BA Van- cum-Light Van – cum-Control Van.
9. **Hose Tender:** One per district (minimum) or one for 8-10 Fire Stations.
10. **Trailer Pump:** Though Trailer Pumps are prescribed in SFAC norms, it is not recommended for future use, as this needs an additional towing vehicle. In place of this, procurement of Portable Pumps are recommended, which will be part of a Fire Tender (**Specialized Equipment at Sl. No. 12**).
11. **QRT:** One each at Fire Stations serving a population density (total population in the FS jurisdiction/area of jurisdiction, in sq km) above 30,000 persons/sq km in metro and big cities, above 15,000 persons/sq km in other cities, or in congested areas based on field-survey.

Note: The criteria of population density has been relaxed for hilly State from 15,000 person/sq km (in plains) to 5,000 person/sq km in the Fire Station jurisdiction

12. **Motorcycle with 2-water mist sets:** One each at Fire Stations serving higher population density or in congested areas with each QRT.
13. **Fire Boat:** One each at selected Fire Stations, in whose jurisdiction some inhabited areas exist near water bodies, such as lake, major river, sea, where firefighting can be better performed, through watercourse.
14. **Ambulance:** It is seen that Ambulance services are also with some of the State fire services and in few other States this is looked after by the Ministry of Health department of the States e.g., Rajasthan State has a modern fleet of Ambulances (108), well equipped with GPS, medical equipments and staff under National Rural Health Mission (Rajasthan), CATS (Centralized Accident Trauma Service, Ministry of Health) in case of Delhi State.

It is observed during visit to the Fire Stations by the RMSI team that wherever the Ambulance are available with fire services, they neither have the Paramedic staff, nor adequate life support/normal equipments, and cannot be considered as an efficient system. It is therefore felt that either ambulance service should be run by Health Department through various hospitals / health centers or provide fully trained staff to fire services with properly equipped Ambulances. Accordingly, cost of the ambulance is not included in the gap analysis of the present study. However, the ambulance cost may be added, in case, it is decided in a particular State that Ambulance service should be part of fire services.

15. **Educational Van:** One per district and one additional unit for every 30 Lakhs district population.

At rural Fire Station/ fire post, if the estimated pumping unit is two, then one water tender with a QRT on pickup truck having 500 - 600 liters of water mist capacity along with a motor cycle with two water mist backpacks will be provided. This will help in quick response, as majority of rural villages inside roads are small in width and congested. This will also help in optimization of resources. For rural Fire Stations/ fire posts where less than 10,000 persons are residing within its jurisdiction (in plain areas), QRT and motor cycle with two water mist backpacks has only been recommended.

It may be noted that if a fire is responded to immediately, it may not flare-up into large fire; hence, QRT and Motorcycle are considered as a quick responder and not as full-fledged fire units. In case of large fires, nearby Fire Station(s) will provide support with Water Tenders and Water Bowsers.

For reserve requirement, RMSI estimated reserve requirement of 20% at district level, and these will be distributed to individual Fire Stations by the concerned fire officials. This will help in optimizing the additional requirements of minimum one reserve at each Fire Station.

Specialized Equipment:

Specialized equipment for Fire Stations in urban areas shall be provided as per the following criteria:

- 1. Hydraulic Rescue Tool:** One for each Fire Station depending upon the seismic Zone IV and V, or Fire Station having urban population more than 1.5 Lakhs in its ideal jurisdiction including Hydraulic Cutter, Hydraulic Spreader, Hydraulic Pump, Power Wedge, and Hydraulic Rescue Ram depending upon the seismic Zone IV and V or, minimum one per district.
- 2. Combi-Tool:** One Combi-Tool set shall be provided with each fire-fighting vehicle.
- 3. B.A. Set with BA Compressor:** Four B. A. Sets per firefighting vehicle with minimum one compressor per Fire Station
- 4. First Aid Box:** One for each firefighting vehicle (minimum two at each Fire Station) with regular replacement of expired medicines
- 5. Thermal Imaging Camera:** One for each Fire Station depending upon the seismic Zone IV and V, or Fire Station having urban population more than 1.5 Lakhs in its ideal jurisdiction or, minimum one per district
- 6. Personal Protection Equipment (PPE):** One Set for each pumping unit or a minimum of two for each Fire Station
- 7. Hydraulic Chain Saw/Cutter for Wood:** One for each Fire Station
- 8. Electric/Petrol Chain Saw/Cutter for Wood:** One for each Fire Station
- 9. Electric/Petrol Chain Saw/Cutter for Concrete:** One for each Fire Station
- 10. Hand Held Gas Detector:** One piece per Vehicle
- 11. Victim Location Device (Acoustic):** One for each Fire Station depending upon the seismic Zone IV and V, or Fire Station having urban population more than 1.5 Lakhs in its ideal jurisdiction or, minimum one per district
- 12. Portable Pump:** One for each firefighting unit
- 13. Floating Pump:** One for each Fire Boat
- 14. Smoke Exhauster/PPV:** One per Fire Stations located in urban areas (minimum one per district)
- 15. Pneumatic Lifting Bags:** One for each Fire Station depending upon the seismic Zone IV and V, or Fire Station having urban population more than 1.5 Lakhs in its ideal jurisdiction or, minimum one per district
- 16. Diving Suit (Dry Type):** Two for each Fire Boat depending upon the Fire Stations located in extreme climatic condition where wet type of diving suit cannot be used
- 17. Diving Suit (Wet Type):** Two for each Fire Boat for Fire Stations located in normal climatic condition
- 18. Inflatable Lighting Tower:** One per Fire Station
- 19. High Capacity LED Torch Light:** One piece per vehicle

Note: Other smaller equipments such as ropes, Fireman Axe, Small Hammer, different Branches/Nozzles, Foam Compound has not been mentioned separately, as these are standard items for any Fire Station/post.

For rural Fire Station/fire post, following specialized equipment has been recommended:

1. **B.A. Set with BA Compressor:** Two B. A. set per firefighting vehicle with one compressor per Fire Station/post
2. **Personal Protection Equipment (PPE):** One set per firefighting vehicle
3. **Electric/Petrol Chain Saw/Cutter for Wood:** One per Fire Station/post
4. **Hydraulic Chain Saw/Cutter for Wood:** One per Fire Station/post
5. **Portable Pump:** One for each firefighting unit
6. **Inflatable Lighting Tower:** One per Fire Station
7. **High Capacity LED Torch Light:** One piece per firefighting vehicle
8. **First Aid Box:** One per firefighting vehicle

For reserve requirement, RMSI estimated reserve requirement of 20% at district level, and these will be distributed to individual Fire Stations by the concerned fire officials. . The replacement of condemned / major repair (off road) vehicles as well as instruments from operating Fire Stations can be accounted as reserve and these will be distributed to individual Fire Stations by the concerned fire officials. This will help in optimizing the additional requirements of minimum one reserve at each Fire Station.

Communication Equipment:

For better coordination between Fire Station and firefighting staff, communication plays an important role. Hence, there is a need that each fire vehicle and Fire Station is equipped with a communication device. Accordingly, following communication equipments for urban Fire Station are recommended:

1. **Static Wireless Set (VHF):** One set at each Fire Station
2. **Mobile Wireless Set (VHF):** One per vehicle
3. **Walky-Talky:** One per vehicle
4. **Megaphone:** One set per Fire Station/Post

Additionally, at each rural fire post, each QRT should be equipped with 1 mobile wireless set and 1 walky-talky.

Detailed district level list of currently operational firefighting vehicles available with Fire Service (As on July 2012), vehicle gap in operational Fire Stations for ideal Jurisdiction area, additional vehicle required for new urban and rural Fire Stations and total vehicle gap for existing and new Urban Fire stations are shown in Table 27-4 to 27-7. Similarly, gap analysis for specialized fire equipment is shown in Tables 27-8 to 27-15.

Table 27-4: List of operational firefighting vehicles available with Kerala FRS (As on July 2012)

District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Browsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Alappuzha	5	748,472	12	0	0	3	0	0	0	0	0	0	1	0	5	0	21
Ernakulam	15	2,115,453	44	0	0	3	0	0	0	0	0	0	1	1	6	0	55
Idukki	4	776,911	10	0	0	0	0	0	0	0	0	0	0	0	3	0	13
Kannur	9	735,350	21	0	0	2	0	0	0	0	0	0	1	0	4	0	28
Kasargod	5	448,610	11	0	0	0	0	0	0	0	0	1	1	1	2	0	16
Kollam	9	1,375,967	23	0	0	1	0	0	0	0	0	0	1	0	4	0	29
Kottayam	7	1,144,173	24	0	0	1	0	0	0	0	0	0	1	0	5	0	31
Kozhikode	8	1,527,272	19	0	0	2	0	0	0	0	0	0	1	0	5	0	27
Malappuram	5	415,331	13	0	0	1	0	0	0	0	0	0	1	0	3	0	18
Palakkad	7	1,227,594	21	0	0	2	0	0	0	0	0	0	1	0	7	0	31
Pathanamthitta	4	225,769	13	0	0	1	0	0	0	0	0	0	1	0	1	0	16
Thiruvananthapuram	11	867,344	30	0	0	1	0	0	0	0	0	0	1	0	7	0	39
Thrissur	8	919,924	21	0	0	2	0	0	0	0	0	0	1	0	4	0	28
Wayanad	3	380,383	8	0	0	1	0	0	0	0	0	0	0	0	2	0	11
Total	100	12,908,553	270	0	0	20	0	0	0	0	0	1	12	2	58	0	363

Table 27-5: Vehicle gap in operational Fire Stations for their ideal jurisdiction area

District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Bowzers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Alappuzha	5	748,472	-1	7	1	-2	0	1	1	1	0	1	0	0	0	1	10
Ernakulam	15	2,115,453	-6	10	5	-1	1	1	2	1	0	7	6	0	0	2	28
Idukki	4	776,911	1	5	0	1	0	1	1	1	0	3	3	0	0	1	17
Kannur	9	735,350	-5	4	0	0	1	1	2	1	0	6	5	0	0	1	16
Kasargod	5	448,610	-2	0	2	1	0	1	1	1	0	2	2	0	0	1	9
Kollam	9	1,375,967	-2	7	2	0	0	1	1	1	0	5	4	0	0	1	20
Kottayam	7	1,144,173	-3	4	2	0	0	1	1	1	0	3	2	0	0	1	12
Kozhikode	8	1,527,272	3	8	3	-1	1	1	1	1	0	6	5	0	0	1	29
Malappuram	5	415,331	-5	1	1	0	1	1	1	1	0	1	0	0	0	1	3
Palakkad	7	1,227,594	-2	3	2	-1	1	1	1	1	0	6	5	0	0	1	18
Pathanamthitta	4	225,769	-6	0	0	0	0	1	1	1	0	1	0	0	0	1	-1
Thiruvananthapuram	11	867,344	-10	0	0	1	1	1	2	1	0	4	3	0	0	1	4
Thrissur	8	919,924	-4	3	1	0	1	1	2	1	0	3	2	0	0	1	11
Wayanad	3	380,383	0	1	0	0	0	1	1	1	0	1	1	0	0	1	7
Total	100	12,908,553	-42	53	19	-2	7	14	18	14	0	49	38	0	0	15	183

Table 27-6: Total vehicle gap in operational and new urban Fire Stations under their ideal jurisdiction areas

District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Browsers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Alappuzha	8	1,422,365	7	13	3	-2	0	1	1	1	0	1	0	0	0	1	26
Ernakulam	24	3,254,818	8	17	10	0	2	2	3	1	0	8	7	0	0	2	60
Idukki	4	776,911	1	5	0	1	0	1	1	1	0	3	3	0	0	1	17
Kannur	16	2,010,709	11	16	2	0	1	1	3	1	0	9	8	0	0	2	54
Kasargod	8	743,448	2	2	3	1	0	1	2	1	0	2	2	0	0	1	17
Kollam	13	1,888,840	4	11	4	0	0	1	2	1	0	5	4	0	0	1	33
Kottayam	10	1,561,784	3	8	2	0	0	1	1	1	0	3	2	0	0	1	22
Kozhikode	16	3,111,244	19	22	10	0	1	1	2	1	0	7	6	0	0	1	70
Malappuram	13	1,604,051	9	9	7	0	1	1	2	1	0	3	2	0	0	1	36
Palakkad	8	1,434,833	0	5	3	-1	1	1	1	1	0	6	5	0	0	1	23
Pathanamthitta	4	225,769	-6	0	0	0	0	1	1	1	0	1	0	0	0	1	-1
Thiruvananthapuram	16	1,933,024	1	8	5	1	1	1	3	1	0	4	3	0	0	2	30
Thrissur	13	1,987,156	9	12	4	0	1	1	2	1	0	3	2	0	0	1	36
Wayanad	4	422,519	1	1	0	0	0	1	1	1	0	1	1	0	0	1	8
Total	157	22,377,471	69	129	53	0	8	15	25	14	0	56	45	0	0	17	431

Table 27-7: Additional vehicle required for new rural Fire Stations under their ideal jurisdiction areas

District	Fire Stations	Ideally Served Population Estimates	Water Tenders	Water Bowzers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	Hazmat Vans	QRT	Motor Cycle Mists	Fire Boats	Ambulances	Education Vans	Total Vehicle
Alappuzha	3	683,686	7	5	1	0	0	0	0	0	0	3	3	0	0	0	19
Ernakulam	1	158,600	1	1	1	0	0	0	0	0	0	1	1	0	0	0	5
Idukki	2	294,999	3	2	1	0	0	0	0	0	0	2	2	0	0	0	10
Kannur	9	484,932	9	0	1	0	0	0	0	0	0	9	9	0	0	0	28
Kasargod	7	594,098	8	1	0	0	0	0	0	0	0	7	7	0	0	0	23
Kollam	6	856,844	7	4	4	0	0	0	0	0	0	6	6	0	0	0	27
Kottayam	2	368,508	3	3	1	0	0	0	0	0	0	2	2	0	0	0	11
Kozhikode	1	43,768	1	0	0	0	0	0	0	0	0	1	1	0	0	0	3
Malappuram	10	2,314,264	21	16	9	0	0	0	0	0	0	10	10	0	0	0	66
Palakkad	6	1,472,611	14	12	4	0	0	0	0	0	0	6	6	0	0	0	42
Pathanamthitta	5	957,845	10	7	4	0	0	0	0	0	0	5	5	0	0	0	31
Thiruvananthapuram	8	1,156,102	10	6	4	0	0	0	0	0	0	8	8	0	0	0	36
Thrissur	8	1,197,684	10	5	4	0	0	0	0	0	0	8	8	0	0	0	35
Wayanad	3	426,265	5	3	1	0	0	0	0	0	0	3	3	0	0	0	15
Total	71	11,010,206	109	65	35	0	0	0	0	0	0	71	71	0	0	0	351

Table 27-8: List of specialized equipment available with Kerala FRS Services (As on July, 2012)

District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Alappuzha	5	748,472	0	3	9	0	0	0	0	7	1	3	0	0	4	2
Ernakulam	15	2,115,453	14	10	37	1	1	0	2	22	0	16	0	9	19	4
Idukki	4	776,911	7	3	9	0	0	0	0	6	0	2	0	4	2	2
Kannur	9	735,350	6	4	29	1	0	0	0	15	0	13	0	2	8	5
Kasargod	5	448,610	0	3	14	1	0	0	0	6	0	8	0	1	4	4
Kollam	9	1,375,967	0	3	17	0	0	0	0	9	0	1	0	0	3	3
Kottayam	7	1,144,173	0	7	11	0	0	0	0	9	0	2	0	0	5	2
Kozhikode	8	1,527,272	4	8	24	0	0	0	0	11	0	12	0	2	7	5
Malappuram	5	415,331	4	3	11	1	0	0	0	8	0	8	0	1	6	1
Palakkad	7	1,227,594	6	4	18	0	0	0	0	10	0	9	0	1	8	3
Pathanamthitta	4	225,769	0	3	8	0	0	0	0	6	0	1	0	0	5	2
Thiruvananthapuram	11	867,344	0	4	23	1	0	0	0	17	1	3	0	0	9	0
Thrissur	8	919,924	8	4	20	0	0	0	0	10	0	10	0	2	9	2
Wayanad	3	380,383	0	3	7	0	0	0	0	5	0	6	0	1	4	2
Total	100	12,908,553	49	62	237	5	1	0	2	141	2	94	0	23	93	37

Table 27-9: List of specialized equipment available with Kerala FRS (As on July, 2012) (continued..)

District	Fire Stations	Ideally Served Population Estimates	Diving Suits (Dry Type)	Diving Suits (Wet Type)	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED torch	Rescue Boat	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Alappuzha	5	748,472	0	0	0	0	0	0	2	0	0	0	0	31
Ernakulam	15	2,115,453	3	1	7	1	4	4	0	1	4	0	0	160
Idukki	4	776,911	0	1	10	0	0	1	0	0	0	0	0	47
Kannur	9	735,350	0	0	6	2	2	4	0	0	0	0	0	97
Kasargod	5	448,610	0	0	5	0	0	1	0	0	0	0	0	47
Kollam	9	1,375,967	0	0	0	0	0	4	0	0	0	0	0	40
Kottayam	7	1,144,173	0	0	0	0	0	2	0	0	0	0	0	38
Kozhikode	8	1,527,272	0	0	6	1	3	2	0	0	0	0	0	85
Malappuram	5	415,331	0	1	6	0	0	2	0	0	0	0	0	52
Palakkad	7	1,227,594	0	0	5	0	1	1	0	0	0	0	0	66
Pathanamthitta	4	225,769	0	0	0	0	0	2	0	0	0	0	0	27
Thiruvananthapuram	11	867,344	0	1	0	0	5	9	0	0	0	0	0	73
Thrissur	8	919,924	0	0	5	1	1	1	0	0	0	0	0	73
Wayanad	3	380,383	0	2	4	1	0	0	0	0	0	0	0	35
Total	100	12,908,553	3	6	54	6	16	33	2	1	4	0	0	871

Table 27-10: Specialized equipment gap in operational Fire Stations for ideal jurisdiction area

District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Alappuzha	5	748,472	4	21	85	6	26	2	6	-1	5	23	25	2	16	0
Ernakulam	15	2,115,453	-2	45	234	17	71	6	11	-4	18	56	56	-3	41	0
Idukki	4	776,911	-6	-1	75	5	23	0	1	-1	5	21	2	-4	17	0
Kannur	9	735,350	-2	15	81	10	32	1	5	-4	11	19	20	-1	18	0
Kasargod	5	448,610	4	7	46	5	17	1	4	0	6	9	11	0	10	0
Kollam	9	1,375,967	5	22	139	11	44	2	7	2	11	43	26	2	32	0
Kottayam	7	1,144,173	2	11	126	8	38	2	6	-1	8	36	19	2	25	0
Kozhikode	8	1,527,272	1	24	149	10	47	4	5	-1	10	35	34	2	32	0
Malappuram	5	415,331	-3	10	39	5	16	1	6	-2	6	8	14	0	5	0
Palakkad	7	1,227,594	-4	3	112	8	36	1	2	-2	8	27	8	0	22	0
Pathanamthitta	4	225,769	2	7	28	5	11	1	5	-1	5	10	11	1	3	0
Thiruvananthapuram	11	867,344	5	15	83	12	32	1	10	-4	12	29	20	1	15	0
Thrissur	8	919,924	-4	19	88	10	30	1	7	0	10	20	24	-1	15	0
Wayanad	3	380,383	2	2	39	4	12	1	2	-1	4	6	6	0	6	0
Total	100	12,908,553	4	200	1324	116	435	24	77	-20	119	342	276	1	257	0

Table 27-11: Specialized equipment gap in operational Fire Stations for ideal jurisdiction area (continued..)

District	Fire Stations	Ideally Served Population Estimates	Diving Suits (Dry Type)	Diving Suits (Wet Type)	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED torch	Rescue Boat	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Alappuzha	5	748,472	0	0	6	6	2	25	0	6	30	32	6	333
Ernakulam	15	2,115,453	0	0	11	12	2	69	0	17	79	83	18	837
Idukki	4	776,911	0	0	-5	1	0	23	0	5	29	29	5	224
Kannur	9	735,350	0	0	5	3	-1	28	0	11	41	42	11	345
Kasargod	5	448,610	0	0	1	4	1	17	0	6	23	23	6	201
Kollam	9	1,375,967	0	0	11	7	2	39	0	11	48	50	11	525
Kottayam	7	1,144,173	0	0	8	6	2	35	0	8	42	44	8	435
Kozhikode	8	1,527,272	0	0	4	4	1	46	0	10	54	54	10	535
Malappuram	5	415,331	0	0	0	6	1	12	0	6	20	24	6	180
Palakkad	7	1,227,594	0	0	3	2	0	36	0	8	43	43	8	364
Pathanamthitta	4	225,769	0	0	5	5	1	9	0	5	16	17	5	151
Thiruvananthapuram	11	867,344	0	0	13	10	-4	21	0	13	38	42	13	377
Thrissur	8	919,924	0	0	5	6	0	29	0	10	38	40	10	357
Wayanad	3	380,383	0	0	0	1	1	13	0	4	18	18	4	142
Total	100	12,908,553	0	0	67	73	8	402	0	120	519	541	121	5,006

Table 27-12: Total gap in specialized equipments for operational and new urban Fire Stations

District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters/ Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Alappuzha	8	1,422,365	8	40	162	10	45	6	10	3	9	42	44	6	32	0
Ernakulam	24	3,254,818	4	77	361	28	107	10	22	7	29	92	90	1	68	0
Idukki	4	776,911	-6	-1	75	5	23	0	1	-1	5	21	2	-4	17	0
Kannur	16	2,010,709	3	55	232	18	75	5	13	4	19	62	60	3	51	0
Kasargod	8	743,448	6	15	80	9	26	1	8	4	10	18	19	0	17	0
Kollam	13	1,888,840	9	36	197	16	59	3	12	7	16	58	40	3	44	0
Kottayam	10	1,561,784	6	23	174	12	51	3	10	3	12	49	31	3	35	0
Kozhikode	16	3,111,244	9	70	329	20	93	8	15	9	20	81	80	6	70	0
Malappuram	13	1,604,051	2	46	178	15	54	3	16	8	16	46	50	2	35	0
Palakkad	8	1,434,833	-3	9	136	9	42	2	3	-1	9	33	14	1	27	0
Pathanamthitta	4	225,769	2	7	28	5	11	1	5	-1	5	10	11	1	3	0
Thiruvananthapuram	16	1,933,024	11	44	198	18	61	5	16	2	18	58	49	5	39	0
Thrissur	13	1,987,156	1	49	208	16	61	6	13	6	16	51	54	4	40	0
Wayanad	4	422,519	2	3	44	5	14	1	3	0	5	8	7	0	7	0
Total	157	22,377,471	54	473	2402	186	722	54	147	50	189	629	551	31	485	0

Table 27-13: Total gap in specialized equipments for operational and new urban Fire Stations (Continued....)

District	Fire Stations	Ideally Served Population Estimates	Diving Suits (Dry Type)	Diving Suits (Wet Type)	Inflatable Lighting Towers	Smoke Exhausters	Pneumatic lifting bags	High Capacity LED torch	Rescue Boat	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Alappuzha	8	1,422,365	0	0	10	10	6	44	0	10	49	51	10	607
Ernakulam	24	3,254,818	0	0	22	23	6	103	0	28	116	123	29	1346
Idukki	4	776,911	0	0	-5	1	0	23	0	5	29	29	5	224
Kannur	16	2,010,709	0	0	13	11	3	68	0	19	83	87	19	903
Kasargod	8	743,448	0	0	5	8	1	25	0	10	33	33	10	338
Kollam	13	1,888,840	0	0	16	12	3	53	0	16	64	66	16	746
Kottayam	10	1,561,784	0	0	12	10	3	47	0	12	54	57	12	619
Kozhikode	16	3,111,244	0	0	14	14	5	92	0	20	102	103	20	1180
Malappuram	13	1,604,051	0	0	10	16	3	48	0	16	57	63	16	700
Palakkad	8	1,434,833	0	0	4	3	1	42	0	9	49	49	9	447
Pathanamthitta	4	225,769	0	0	5	5	1	9	0	5	16	17	5	151
Thiruvananthapuram	16	1,933,024	0	0	19	16	0	50	0	19	69	73	19	789
Thrissur	13	1,987,156	0	0	11	12	5	59	0	16	68	71	16	783
Wayanad	4	422,519	0	0	1	2	1	14	0	5	19	20	5	166
Total	157	22,377,471	0	0	137	143	38	677	0	190	808	842	191	8999

Table 27-14: Additional specialized equipment required for new rural Fire Stations

District	Fire Stations	Ideally Served Population Estimates	Hydraulic Rescue Tools	Combi Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws /Cutters / Hammers for Concrete	Electric Chain Saws /Cutters / Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Alappuzha	3	683,686	0	0	70	4	19	0	0	4	4	19	0	0	16	0
Ernakulam	1	158,600	0	0	17	1	5	0	0	1	1	5	0	0	4	0
Idukki	2	294,999	0	0	34	2	10	0	0	2	2	10	0	0	8	0
Kannur	9	484,932	0	0	70	11	23	0	0	11	11	23	0	0	19	0
Kasargod	7	594,098	0	0	60	8	19	0	0	8	8	19	0	0	16	0
Kollam	6	856,844	0	0	86	7	25	0	0	7	7	25	0	0	21	0
Kottayam	2	368,508	0	0	38	2	11	0	0	2	2	11	0	0	9	0
Kozhikode	1	43,768	0	0	7	1	2	0	0	1	1	2	0	0	2	0
Malappuram	10	2,314,264	0	0	245	12	67	0	0	12	12	67	0	0	56	0
Palakkad	6	1,472,611	0	0	158	7	43	0	0	7	7	43	0	0	36	0
Pathanamthitta	5	957,845	0	0	113	6	31	0	0	6	6	31	0	0	26	0
Thiruvananthapuram	8	1,156,102	0	0	115	10	34	0	0	10	10	34	0	0	28	0
Thrissur	8	1,197,684	0	0	110	10	32	0	0	10	10	32	0	0	27	0
Wayanad	3	426,265	0	0	50	4	14	0	0	4	4	14	0	0	12	0
Total	71	11,010,206	0	0	1173	85	335	0	0	85	85	335	0	0	280	0

Table 27-15: Additional specialized equipment required for new rural Fire Stations (continued...)

District	Fire Stations	Ideally Served Population Estimates	Diving Suits (Dry Type)	Diving Suits (Wet Type)	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED torch	Rescue Boat	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Alappuzha	3	683,686	0	0	4	0	0	19	0	4	19	19	4	205
Ernakulam	1	158,600	0	0	1	0	0	5	0	1	5	5	1	52
Idukki	2	294,999	0	0	2	0	0	10	0	2	10	10	2	104
Kannur	9	484,932	0	0	11	0	0	23	0	11	23	23	11	270
Kasargod	7	594,098	0	0	8	0	0	19	0	8	19	19	8	219
Kollam	6	856,844	0	0	7	0	0	25	0	7	25	25	7	274
Kottayam	2	368,508	0	0	2	0	0	11	0	2	11	11	2	114
Kozhikode	1	43,768	0	0	1	0	0	2	0	1	2	2	1	25
Malappuram	10	2,314,264	0	0	12	0	0	67	0	12	67	67	12	708
Palakkad	6	1,472,611	0	0	7	0	0	43	0	7	43	43	7	451
Pathanamthitta	5	957,845	0	0	6	0	0	31	0	6	31	31	6	330
Thiruvananthapuram	8	1,156,102	0	0	10	0	0	34	0	10	34	34	10	373
Thrissur	8	1,197,684	0	0	10	0	0	32	0	10	32	32	10	357
Wayanad	3	426,265	0	0	4	0	0	14	0	4	14	14	4	156
Total	71	11,010,206	0	0	85	0	0	335	0	85	335	335	85	3,638

27.3.3 FIRE MANPOWER GAP

SFAC guidelines have suggested manpower, including reserve for duty off, training, leave for Station Officer, Sub-Officer (75%) and Leading Firemen and lower staff (25%). This has been further estimated for two shifts for Leading Firemen and lower staff, while the current duty pattern for them is practically 24 hours (Table 27.16).

Table 27-16: Manpower requirement for Station officer and lower staffs for Kerala considering two shifts duty pattern

Sr No	Size of Station (Pumping Unit)	Station Officer	Sub-Officer*	Leading Firemen (L.F.)	Additional LFM	Total LFM	Drivers/ Operators	Fire men	Additional FM per FS (FAD, HID, DISP, WRO)	Total Fire men	Total
1	One	0	1.75	2.5	1.25	3.75	5	15	10	25	35.50
2	Two	1.75	1.75	5	1.25	6.25	7.5	30	10	40	57.25
3	Three	1.75	3.5	7.5	1.25	8.75	10	45	10	55	79.00
4	Four	3.5	3.5	10	1.25	11.25	15	60	10	70	103.25
5	Five	3.5	5.25	12.5	1.25	13.75	17.5	75	10	85	125.00
6	Six	3.5	7	15	1.25	16.25	22.5	90	10	100	149.25
7	Seven	5.25	7	17.5	1.25	18.75	25	105	10	115	171.00

*: Where extent of fire risk may justify Sub-Officers may be replaced with Station Officers

However, Delhi Administrative Reform Department (ARD), Govt. of India has studied the fire manpower requirement, and optimized it further for two-shift duty pattern (Table 27-17). From Tables 27-16 and 27-17, it is quite clear that The Administrative Reform Department (ARD, Delhi), has already optimized the fire manpower requirement in comparison of what has been suggested in SFAC norms. It may be noted that total number of staff is coming in decimal places, as calculations are on pumping units including reserve staff, which has been rounded off in the fire manpower gap analysis at district and State levels (Table 27-17).

Table 27-17: Manpower requirement for Station officer and lower staffs as per ARD, Delhi (2-shifts)

Sr No	Fire Station (Pumping Unit)	Station Officer	Sub-Officer	LFM	Firemen-cum-Driver-cum-Operator	Total Staff
1	One	0.00	2.50	2.50	15.63	20.60
2	Two	1.25	2.50	2.50	31.25	37.50
3	Three	1.25	3.75	7.50	46.88	59.40
4	Four	2.50	4.69	9.38	60.00	76.60
5	Five	2.50	5.63	11.25	73.13	92.50
6	Six	3.75	6.56	13.13	87.19	110.60
7	Seven	3.75	7.50	15.00	101.25	127.50

Thus for optimization on resources, following manpower criteria have been suggested for manpower gap analysis. Accordingly, total firefighting manpower gap in both urban and rural

Fire Stations in Kerala State has been estimated, which comes to 15,292 (Table 27-20 to 27-21) against the present strength of 2,427 (Table 27-18).

In addition to firefighting staffs, there is an urgent need of senior level fire officers for making a well coordinated State level hierarchy and fire prevention wing for inspection, awareness generation and training, so that recurrence of the fire incidences, such as Advance Medical Research Institute (AMRI), Kolkata, in terms of their magnitude and frequency can be reduced. Accordingly, to support DGP-cum-Commandant General in Kerala Fire and Rescue Services, additional officers at the levels of Director (Technical), Additional Director (Technical), Deputy Director (Technical), Chief Fire Officers (CFO), Dy Chief Fire Officers (Dy-CFO), Divisional Fire Officers (DFO), and Assistant Divisional Fire Officer (ADFO) have been recommended. To meet the ideal requirement of officials, following numbers of total officials have been proposed (including existing officials), which may be recruited in a phased manner approach:

- Director (Technical) : 1
- Additional Director (Technical) : 1
- Deputy Director (Technical) : 2
- CFO : 5
- Dy. CFO : 10(Two per CFO)
- DFO : 28
- ADFO : 53

It may be noted that we recommend hiring of Cleaners/Sweepers on contract basis. For computation in financial analysis, we have assumed a fixed salary of Rs 7,000/pm, and without any reserve over that.

Accordingly, existing fire manpower and gap analysis for all the districts in Kerala State have been carried out and are shown Tables 27-19 to 27-21.

Table 27-18: List of manpower available for operational Fire Stations in Kerala FRS (As on July, 2012)

District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Alappuzha	5	0	0	0	0	1	0	4	7	33	118	5	168
Ernakulam	15	0	0	0	0	1	0	14	18	75	239	11	358
Idukki	4	0	0	0	0	0	1	1	3	17	50	3	75
Kannur	9	0	0	0	0	0	0	6	10	35	120	9	180
Kasargod	5	0	0	0	0	0	0	2	3	16	66	4	91
Kollam	9	0	0	0	0	0	0	9	10	40	215	9	283
Kottayam	7	0	0	0	0	0	1	7	9	37	94	7	155
Kozhikode	8	0	0	0	0	1	1	5	7	46	133	8	201
Malappuram	5	0	0	0	0	0	1	5	4	23	58	7	98
Palakkad	7	0	0	0	0	1	1	7	8	32	76	7	132
Pathanamthitta	4	0	0	0	0	0	1	4	4	20	55	4	88
Thiruvananthapuram	11	3	0	0	0	1	1	14	13	64	290	8	394
Thrissur	8	0	0	0	0	0	1	8	10	35	88	5	147
Wayanad	3	0	0	0	0	0	0	3	3	11	37	3	57
Total	100	3	0	0	0	5	8	89	109	484	1639	90	2,427

Level 10: Director General/Director/ Additional Director/Deputy Director; **Level 9:** CFO/CO; **Level 8:** Deputy CFO; **Level 7:** Deputy Controller; **Level 6:** DFO/DO/EO/Fire Supervisor; **Level 5:** ADO/ADFO/AFO/Fire In-charge; **Level 4:** St.O/Sub Inspector/Station In-charge/Ast O./AEO; **Level 3:** S O/Assistant Sub Inspector/ASO/Sub-Fire Officer; **Level 2:** LFM/ Mechanic Driver/Head Constable/Store Superintendent; **Level 1:** FM/ FM Driver/Radio Technician/ SGFM/ Driver/ Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; **Level 0:** Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Cleaner, Tindal.

Table 27-19: Manpower gap in operational Fire Stations for ideal jurisdiction area

District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Alappuzha	5	0	0	1	0	1	2	8	22	36	347	0	417
Ernakulam	15	1	1	1	0	1	2	23	52	71	868	4	1024
Idukki	4	0	0	0	0	2	1	10	20	35	317	1	386
Kannur	9	0	0	1	0	2	2	8	28	37	387	0	465
Kasargod	5	0	0	0	0	2	2	7	16	17	177	1	222
Kollam	9	0	0	1	0	2	2	10	32	46	391	0	484
Kottayam	7	0	1	1	0	2	1	10	30	43	448	0	536
Kozhikode	8	0	1	1	0	1	1	16	37	54	577	0	688
Malappuram	5	0	0	1	0	2	1	2	18	22	251	-2	295
Palakkad	7	0	1	1	0	1	1	9	26	40	430	0	509
Pathanamthitta	4	0	0	0	0	2	1	1	12	7	124	0	147
Thiruvananthapuram	11	0	1	1	0	1	2	-1	27	5	195	3	234
Thrissur	8	0	0	1	0	2	1	8	26	34	430	3	505
Wayanad	3	0	0	0	0	2	2	4	13	18	169	0	208
Total	100	1	5	10	0	23	21	115	359	465	5,111	10	6,120

Level 10: Director General/Director/ Additional Director/Deputy Director; **Level 9:** CFO/CO; **Level 8:** Deputy CFO; **Level 7:** Deputy Controller; **Level 6:** DFO/DO/EO/Fire Supervisor; **Level 5:** ADO/ADFO/AFO/Fire In-charge; **Level 4:** St.O/Sub Inspector/Station In-charge/Ast O./AEO; **Level 3:** S O/Assistant Sub Inspector/ASO/Sub-Fire Officer; **Level 2:** LFM/ Mechanic Driver/Head Constable/Store Superintendent; **Level 1:** FM/ FM Driver/Radio Technician/ SGFM/ Driver/ Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; **Level 0:** Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Cleaner, Tindal.

Table 27-20: Total staff gap for operational and new urban Fire Stations

District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Alappuzha	8	0	0	1	0	1	4	17	40	72	581	3	719
Ernakulam	24	1	1	1	0	1	4	38	91	144	1368	13	1662
Idukki	4	0	0	0	0	2	1	10	20	35	317	1	386
Kannur	16	0	0	1	0	2	4	24	67	132	1038	7	1275
Kasargod	8	0	0	0	0	2	4	11	27	36	299	4	383
Kollam	13	0	0	1	0	2	4	16	48	73	586	4	734
Kottayam	10	0	1	1	0	2	3	15	42	63	596	3	726
Kozhikode	16	0	1	1	0	1	3	36	82	160	1285	8	1577
Malappuram	13	0	0	1	0	2	3	18	53	94	806	6	983
Palakkad	8	0	1	1	0	1	3	11	32	51	503	1	604
Pathanamthitta	4	0	0	0	0	2	1	1	12	7	124	0	147
Thiruvananthapuram	16	0	1	1	0	1	4	14	55	65	631	8	780
Thrissur	13	0	0	1	0	2	3	23	55	97	851	8	1040
Wayanad	4	0	0	0	0	2	4	4	15	20	185	1	231
Total	157	1	5	10	0	23	45	238	639	1049	9170	67	11,247

Level 10: Director General/Director/ Additional Director/Deputy Director; **Level 9:** CFO/CO; **Level 8:** Deputy CFO; **Level 7:** Deputy Controller; **Level 6:** DFO/DO/EO/Fire Supervisor; **Level 5:** ADO/ADFO/AFO/Fire In-charge; **Level 4:** St.O/Sub Inspector/Station In-charge/Ast O./AEO; **Level 3:** S O/Assistant Sub Inspector/ASO/Sub-Fire Officer; **Level 2:** LFM/ Mechanic Driver/Head Constable/Store Superintendent; **Level 1:** FM/ FM Driver/Radio Technician/ SGFM/ Driver/ Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; **Level 0:** Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Cleaner, Tindal.

Table 27-21: Additional staff required for new rural Fire Stations

District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Alappuzha	3	0	0	0	0	0	0	6	15	30	193	3	247
Ernakulam	1	0	0	0	0	0	0	1	4	7	47	1	60
Idukki	2	0	0	0	0	0	0	2	8	14	89	2	115
Kannur	9	0	0	0	0	0	0	1	22	22	156	9	210
Kasargod	7	0	0	0	0	0	0	1	19	22	141	7	190
Kollam	6	0	0	0	0	0	0	6	21	37	232	6	302
Kottayam	2	0	0	0	0	0	0	4	8	17	107	2	138
Kozhikode	1	0	0	0	0	0	0	0	2	2	16	1	21
Malappuram	10	0	0	0	0	0	0	25	52	99	677	10	863
Palakkad	6	0	0	0	0	0	0	15	34	67	442	6	564
Pathanamthitta	5	0	0	0	0	0	0	11	25	44	309	5	394
Thiruvananthapuram	8	0	0	0	0	0	0	7	29	47	302	8	393
Thrissur	8	0	0	0	0	0	0	7	28	46	289	8	378
Wayanad	3	0	0	0	0	0	0	4	12	20	132	3	171
Total	71	0	0	0	0	0	0	90	279	474	3,132	71	4,046

Level 10: Director General/Director/ Additional Director/Deputy Director; **Level 9:** CFO/CO; **Level 8:** Deputy CFO; **Level 7:** Deputy Controller; **Level 6:** DFO/DO/EO/Fire Supervisor; **Level 5:** ADO/ADFO/AFO/Fire In-charge; **Level 4:** St.O/Sub Inspector/Station In-charge/Ast O./AEO; **Level 3:** S O/Assistant Sub Inspector/ASO/Sub-Fire Officer; **Level 2:** LFM/ Mechanic Driver/Head Constable/Store Superintendent; **Level 1:** FM/ FM Driver/Radio Technician/ SGFM/ Driver/ Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; **Level 0:** Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Cleaner, Tindal.

27.3.4 FIRE STATION BUILDING INFRASTRUCTURE GAP

Depending upon the number of pumping units, no of bays in a Fire Station has been estimated. However, in order to consider future growth in population, a minimum two bay Fire Station has been proposed, even at a Fire Station having requirement of one pumping unit. Accordingly, gaps in operational Fire Stations, new urban and rural Fire Stations have been given in Table 27-22.

Table 27-22: Fire station building required for gap in operational, new urban and new rural Fire Stations (no. of bays)

District	Fire Stations	Bay1	Bay2	Bay3	Bay4	Bay5	Bay6	Bay7	Bay More Than 7
Alappuzha	11	0	0	1	1	2	-1	1	2
Ernakulam	25	4	1	2	0	-2	1	2	3
Idukki	6	1	1	0	-1	3	0	0	1
Kannur	25	14	1	0	0	0	0	0	4
Kasargod	15	7	0	3	1	-1	1	0	0
Kollam	19	4	0	5	0	1	0	0	1
Kottayam	12	1	1	0	1	0	0	2	1
Kozhikode	17	2	0	5	0	-1	0	1	4
Malappuram	23	3	6	0	2	4	0	1	3
Palakkad	14	0	0	0	1	3	0	2	1
Pathanamthitta	9	1	1	0	1	0	0	2	0
Thiruvananthapuram	24	6	2	3	0	2	0	2	1
Thrissur	21	7	-1	2	2	2	2	0	1
Wayanad	7	3	0	0	0	0	0	2	0
Total	228	53	12	21	8	13	3	15	22

27.4 Investment and Financial Analysis

27.4.1 CAPITAL COST

Building Infrastructure Cost:

Table 27-23 provides details of the Fire Station building infrastructure cost analysis in Kerala State. The ideal requirement of land for a Fire Station is 2 ½ acres, however, a 2 bay Fire Station may be constructed in one acre land. It may be noted that land cost will vary from time to time and place to place; hence it has not been added in cost estimates. The civil construction cost estimation involves cost of Fire Station building including stores, offices, residential quarters, static water tanks, which will vary in size depending upon the number of bays (garage) in a Fire Station. Accordingly, total cost estimates for one, two, three, five, and seven bay Fire Stations (based on the P.W. D. norms) is about 150 Lakhs, 300 Lakhs, 450 Lakhs, 700 Lakhs, 950 Lakhs. To start with, rural-Fire Stations/ fire posts may be stationed in government buildings like schools/ hospitals or a Panchayat-Ghar.

Thus, total estimated capital cost for the Fire Stations building development for gap in operational and all the proposed and new urban and rural Fire Stations is **Rs. 723.25 Crores** (Table 27-23).

Firefighting and Rescue Vehicles and Specialized Equipment Cost:

The costs of different firefighting vehicles and specialized equipments including communication sets (static and mobile VHF sets) have been taken as approximate rates quoted by fire equipment suppliers. Accordingly, capital cost for firefighting vehicles and equipments for all the districts in Kerala has been estimated (Tables 27-24 to 27-29).

Table 27-23: Cost (in Lakhs Rupees) of Fire Station building (no. of bays) required for gap in operational, new urban and new rural Fire Stations

District	Fire Stations	Bay1	Bay2	Bay3	Bay4	Bay5	Bay6	Bay7	Bay More Than 7
Alappuzha	11	0.00	0.00	450.00	575.00	1,400.00	-825.00	950.00	1,900.00
Ernakulam	25	600.00	300.00	900.00	0.00	-1,400.00	825.00	1,900.00	2,850.00
Idukki	6	150.00	300.00	0.00	-575.00	2,100.00	0.00	0.00	950.00
Kannur	25	2,100.00	300.00	0.00	0.00	0.00	0.00	0.00	3,800.00
Kasargod	15	1,050.00	0.00	1,350.00	575.00	-700.00	825.00	0.00	0.00
Kollam	19	600.00	0.00	2,250.00	0.00	700.00	0.00	0.00	950.00
Kottayam	12	150.00	300.00	0.00	575.00	0.00	0.00	1,900.00	950.00
Kozhikode	17	300.00	0.00	2,250.00	0.00	-700.00	0.00	950.00	3,800.00
Malappuram	23	450.00	1,800.00	0.00	1,150.00	2,800.00	0.00	950.00	2,850.00
Palakkad	14	0.00	0.00	0.00	575.00	2,100.00	0.00	1,900.00	950.00
Pathanamthitta	9	150.00	300.00	0.00	575.00	0.00	0.00	1,900.00	0.00
Thiruvananthapuram	24	900.00	600.00	1,350.00	0.00	1,400.00	0.00	1,900.00	950.00
Thrissur	21	1,050.00	-300.00	900.00	1,150.00	1,400.00	1,650.00	0.00	950.00
Wayanad	7	450.00	0.00	0.00	0.00	0.00	0.00	1,900.00	0.00
Total	228	7,950.00	3,600.00	9,450.00	4,600.00	9,100.00	2,475.00	14,250.00	20,900.00

Table 27-24: Cost estimates (in Lakhs Rupees) for gap in firefighting vehicles for operational and new urban Fire Stations

District	Fire Stations	Water Tenders	Water Bowzers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	QRT	Motor Cycle Mists	Education Vans	Total Vehicle Cost
Alappuzha	8	245.00	390.00	120.00	-1,000.0	0.00	35.00	30.00	30.00	9.00	0.00	20.00	-121.00
Ernakulam	24	280.00	510.00	400.00	0.00	1,000.0	70.00	90.00	30.00	72.00	47.25	40.00	2,539.25
Idukki	4	35.00	150.00	0.00	500.00	0.00	35.00	30.00	30.00	27.00	20.25	20.00	847.25
Kannur	16	385.00	480.00	80.00	0.00	500.00	35.00	90.00	30.00	81.00	54.00	40.00	1,775.00
Kasargod	8	70.00	60.00	120.00	500.00	0.00	35.00	60.00	30.00	18.00	13.50	20.00	926.50
Kollam	13	140.00	330.00	160.00	0.00	0.00	35.00	60.00	30.00	45.00	27.00	20.00	847.00
Kottayam	10	105.00	240.00	80.00	0.00	0.00	35.00	30.00	30.00	27.00	13.50	20.00	580.50
Kozhikode	16	665.00	660.00	400.00	0.00	500.00	35.00	60.00	30.00	63.00	40.50	20.00	2,473.50
Malappuram	13	315.00	270.00	280.00	0.00	500.00	35.00	60.00	30.00	27.00	13.50	20.00	1,550.50
Palakkad	8	0.00	150.00	120.00	-500.00	500.00	35.00	30.00	30.00	54.00	33.75	20.00	472.75
Pathanamthitta	4	-210.00	0.00	0.00	0.00	0.00	35.00	30.00	30.00	9.00	0.00	20.00	-86.00
Thiruvananthapuram	16	35.00	240.00	200.00	500.00	500.00	35.00	90.00	30.00	36.00	20.25	40.00	1,726.25
Thrissur	13	315.00	360.00	160.00	0.00	500.00	35.00	60.00	30.00	27.00	13.50	20.00	1,520.50
Wayanad	4	35.00	30.00	0.00	0.00	0.00	35.00	30.00	30.00	9.00	6.75	20.00	195.75
Total	157	2,415.00	3,870.00	2,120.00	0.00	4,000.0	525.00	750.0	420.0	504.0	303.7	340.0	15,247.7

Table 27-25: Cost estimates (in Lakhs Rupees) for gap in firefighting vehicles for new rural Fire Stations

District	Fire Stations	Water Tenders	Water Bowzers	Foam Tenders	Advanced Rescue Responders	Sky Lifts / TTL	DCP Tenders	Hose Tenders	BA Vans	QRT	Motor Cycle Mists	Education Vans	Total Vehicle Cost
Alappuzha	3	245.00	150.00	40.00	0.00	0.00	0.00	0.00	0.00	27.00	20.25	0.00	482.25
Ernakulam	1	35.00	30.00	40.00	0.00	0.00	0.00	0.00	0.00	9.00	6.75	0.00	120.75
Idukki	2	105.00	60.00	40.00	0.00	0.00	0.00	0.00	0.00	18.00	13.50	0.00	236.50
Kannur	9	315.00	0.00	40.00	0.00	0.00	0.00	0.00	0.00	81.00	60.75	0.00	496.75
Kasargod	7	280.00	30.00	0.00	0.00	0.00	0.00	0.00	0.00	63.00	47.25	0.00	420.25
Kollam	6	245.00	120.00	160.00	0.00	0.00	0.00	0.00	0.00	54.00	40.50	0.00	619.50
Kottayam	2	105.00	90.00	40.00	0.00	0.00	0.00	0.00	0.00	18.00	13.50	0.00	266.50
Kozhikode	1	35.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.00	6.75	0.00	50.75
Malappuram	10	735.00	480.00	360.00	0.00	0.00	0.00	0.00	0.00	90.00	67.50	0.00	1,732.50
Palakkad	6	490.00	360.00	160.00	0.00	0.00	0.00	0.00	0.00	54.00	40.50	0.00	1,104.50
Pathanamthitta	5	350.00	210.00	160.00	0.00	0.00	0.00	0.00	0.00	45.00	33.75	0.00	798.75
Thiruvananthapuram	8	350.00	180.00	160.00	0.00	0.00	0.00	0.00	0.00	72.00	54.00	0.00	816.00
Thrissur	8	350.00	150.00	160.00	0.00	0.00	0.00	0.00	0.00	72.00	54.00	0.00	786.00
Wayanad	3	175.00	90.00	40.00	0.00	0.00	0.00	0.00	0.00	27.00	20.25	0.00	352.25
Total	71	3,815.00	1,950.00	1,400.00	0.00	0.00	0.00	0.00	0.00	639.0	479.2	0.00	8,283.25

Table 27-26: Cost estimate (in Lakhs Rupees) for gap in specialized equipment for operational and new urban Fire Stations

District	Fire Stations	Hydraulic Rescue Tools	Combi Tools	B.A. Sets	BA Compressors	First-Aid Boxes	Thermal Imaging Cameras	Electric Chain Saws / Cutters / Hammers for Concrete	Electric Chain Saws / Cutters / Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Hand Held Gas Detector Kits	Life Locator Equipment	Portable Pumps	Floating Pumps
Alappuzha	8	120.00	100.00	64.80	15.00	4.50	60.00	8.00	1.50	2.70	105.00	13.20	39.00	64.00	0.00
Ernakulam	24	60.00	192.50	144.40	42.00	10.70	100.00	17.60	3.50	8.70	230.00	27.00	6.50	136.00	0.00
Idukki	4	-90.00	-2.50	30.00	7.50	2.30	0.00	0.80	-0.50	1.50	52.50	0.60	-26.00	34.00	0.00
Kannur	16	45.00	137.50	92.80	27.00	7.50	50.00	10.40	2.00	5.70	155.00	18.00	19.50	102.00	0.00
Kasargod	8	90.00	37.50	32.00	13.50	2.60	10.00	6.40	2.00	3.00	45.00	5.70	0.00	34.00	0.00
Kollam	13	135.00	90.00	78.80	24.00	5.90	30.00	9.60	3.50	4.80	145.00	12.00	19.50	88.00	0.00
Kottayam	10	90.00	57.50	69.60	18.00	5.10	30.00	8.00	1.50	3.60	122.50	9.30	19.50	70.00	0.00
Kozhikode	16	135.00	175.00	131.60	30.00	9.30	80.00	12.00	4.50	6.00	202.50	24.00	39.00	140.00	0.00
Malappuram	13	30.00	115.00	71.20	22.50	5.40	30.00	12.80	4.00	4.80	115.00	15.00	13.00	70.00	0.00
Palakkad	8	-45.00	22.50	54.40	13.50	4.20	20.00	2.40	-0.50	2.70	82.50	4.20	6.50	54.00	0.00
Pathanamthitta	4	30.00	17.50	11.20	7.50	1.10	10.00	4.00	-0.50	1.50	25.00	3.30	6.50	6.00	0.00
Thiruvananthapuram	16	165.00	110.00	79.20	27.00	6.10	50.00	12.80	1.00	5.40	145.00	14.70	32.50	78.00	0.00
Thrissur	13	15.00	122.50	83.20	24.00	6.10	60.00	10.40	3.00	4.80	127.50	16.20	26.00	80.00	0.00
Wayanad	4	30.00	7.50	17.60	7.50	1.40	10.00	2.40	0.00	1.50	20.00	2.10	0.00	14.00	0.00
Total	157	810.00	1182.50	960.80	279.00	72.20	540.00	117.60	25.00	56.70	1572.50	165.30	201.50	970.00	0.00

Table 27-27: Cost estimate (in Lakhs Rupees) for gap in firefighting specialized equipment for operational and new urban Fire Stations (contd...)

District	Fire Stations	Diving Suits (Dry Type)	Diving Suits (Wet Type)	Inflatable Lighting Towers	Smoke Exhausters / PPV	Pneumatic lifting bags	High Capacity LED Torches	Rescue Boats	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Alappuzha	8.00	0.00	0.00	21.00	10.00	30.00	17.60	0.00	2.70	8.33	6.12	3.00	696.45
Ernakulam	24.00	0.00	0.00	46.20	23.00	30.00	41.20	0.00	7.56	19.72	14.76	8.70	1170.04
Idukki	4.00	0.00	0.00	-10.50	1.00	0.00	9.20	0.00	1.35	4.93	3.48	1.50	21.16
Kannur	16.00	0.00	0.00	27.30	11.00	15.00	27.20	0.00	5.13	14.11	10.44	5.70	788.28
Kasargod	8.00	0.00	0.00	10.50	8.00	5.00	10.00	0.00	2.70	5.61	3.96	3.00	330.47
Kollam	13.00	0.00	0.00	33.60	12.00	15.00	21.20	0.00	4.32	10.88	7.92	4.80	755.82
Kottayam	10.00	0.00	0.00	25.20	10.00	15.00	18.80	0.00	3.24	9.18	6.84	3.60	596.46
Kozhikode	16.00	0.00	0.00	29.40	14.00	25.00	36.80	0.00	5.40	17.34	12.36	6.00	1135.20
Malappuram	13.00	0.00	0.00	21.00	16.00	15.00	19.20	0.00	4.32	9.69	7.56	4.80	606.27
Palakkad	8.00	0.00	0.00	8.40	3.00	5.00	16.80	0.00	2.43	8.33	5.88	2.70	273.94
Pathanamthitta	4.00	0.00	0.00	10.50	5.00	5.00	3.60	0.00	1.35	2.72	2.04	1.50	154.81
Thiruvananthapuram	16.00	0.00	0.00	39.90	16.00	0.00	20.00	0.00	5.13	11.73	8.76	5.70	833.92
Thrissur	13.00	0.00	0.00	23.10	12.00	25.00	23.60	0.00	4.32	11.56	8.52	4.80	691.60
Wayanad	4.00	0.00	0.00	2.10	2.00	5.00	5.60	0.00	1.35	3.23	2.40	1.50	137.18
Total	157.00	0.00	0.00	287.70	143.00	190.00	270.80	0.00	51.30	137.36	101.04	57.30	8191.60

Table 27-28: Cost estimate (in Lakhs Rupees) for gap in specialized fire equipment for new rural Fire Stations

District	Fire Stations	B.A. Sets	BA Compressors	First-Aid Boxes	Electric Chain Saws / Cutters / Hammers for Wood	Hydraulic / Manual Chain Saws / Cutters for Wood	Personal Protection Equipment	Portable Pumps	Floating Pumps
Alappuzha	3	28.00	6.00	1.90	2.00	1.20	47.50	32.00	0.00
Ernakulam	1	6.80	1.50	0.50	0.50	0.30	12.50	8.00	0.00
Idukki	2	13.60	3.00	1.00	1.00	0.60	25.00	16.00	0.00
Kannur	9	28.00	16.50	2.30	5.50	3.30	57.50	38.00	0.00
Kasargod	7	24.00	12.00	1.90	4.00	2.40	47.50	32.00	0.00
Kollam	6	34.40	10.50	2.50	3.50	2.10	62.50	42.00	0.00
Kottayam	2	15.20	3.00	1.10	1.00	0.60	27.50	18.00	0.00
Kozhikode	1	2.80	1.50	0.20	0.50	0.30	5.00	4.00	0.00
Malappuram	10	98.00	18.00	6.70	6.00	3.60	167.50	112.00	0.00
Palakkad	6	63.20	10.50	4.30	3.50	2.10	107.50	72.00	0.00
Pathanamthitta	5	45.20	9.00	3.10	3.00	1.80	77.50	52.00	0.00
Thiruvananthapuram	8	46.00	15.00	3.40	5.00	3.00	85.00	56.00	0.00
Thrissur	8	44.00	15.00	3.20	5.00	3.00	80.00	54.00	0.00
Wayanad	3	20.00	6.00	1.40	2.00	1.20	35.00	24.00	0.00
Total	71	469.20	127.50	33.50	42.50	25.50	837.50	560.00	0.00

Table 27-29: Cost estimate (in Lakhs Rupees) for gap in specialized fire equipment for new rural Fire Stations (continued...)

District	Fire Stations	Inflatable Lighting Towers	High Capacity LED Torches	Static Wireless Sets	Mobile Wireless Sets	Walky Talky	Mega Phones	Total
Alappuzha	3	8.40	7.60	1.08	3.23	2.28	1.20	142.39
Ernakulam	1	2.10	2.00	0.27	0.85	0.60	0.30	36.22
Idukki	2	4.20	4.00	0.54	1.70	1.20	0.60	72.44
Kannur	9	23.10	9.20	2.97	3.91	2.76	3.30	196.34
Kasargod	7	16.80	7.60	2.16	3.23	2.28	2.40	158.27
Kollam	6	14.70	10.00	1.89	4.25	3.00	2.10	193.44
Kottayam	2	4.20	4.40	0.54	1.87	1.32	0.60	79.33
Kozhikode	1	2.10	0.80	0.27	0.34	0.24	0.30	18.35
Malappuram	10	25.20	26.80	3.24	11.39	8.04	3.60	490.07
Palakkad	6	14.70	17.20	1.89	7.31	5.16	2.10	311.46
Pathanamthitta	5	12.60	12.40	1.62	5.27	3.72	1.80	229.01
Thiruvananthapuram	8	21.00	13.60	2.70	5.78	4.08	3.00	263.56
Thrissur	8	21.00	12.80	2.70	5.44	3.84	3.00	252.98
Wayanad	3	8.40	5.60	1.08	2.38	1.68	1.20	109.94
Total	71	178.50	134.00	22.95	56.95	40.20	25.50	2,553.80

27.4.2 RECURRING COST

Manpower Cost

The manpower cost estimation per year has been carried out by considering pay-scale structure for different level of employees. Accordingly, cost estimates for manpower requirement at various levels by district is shown in Table 27-30 and Table 27-31. The total estimated annual manpower cost for existing and proposed staffs will be about **Rs. 377.6 Crores** after filling gap in operational and new urban Fire Stations and about **Rs. 134.3 Crores** for new rural Fire Stations (Table 27-30 and Table 27-31).

Table 27-30: Annual cost estimates (in Lakhs Rupees) for manpower for Kerala after filling up the gap in operational and new urban Fire Stations

District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Alappuzha	8	0.00	0.00	8.61	0.00	6.40	22.88	85.85	172.00	238.32	1,882.44	2.52	2,419.02
Ernakulam	24	14.76	13.75	8.61	0.00	6.40	22.88	191.90	391.30	476.64	4,432.32	10.92	5,569.48
Idukki	4	0.00	0.00	0.00	0.00	12.80	5.72	50.50	86.00	115.85	1,027.08	0.84	1,298.79
Kannur	16	0.00	0.00	8.61	0.00	12.80	22.88	121.20	288.10	436.92	3,363.12	5.88	4,259.51
Kasargod	8	0.00	0.00	0.00	0.00	12.80	22.88	55.55	116.10	119.16	968.76	3.36	1,298.61
Kollam	13	0.00	0.00	8.61	0.00	12.80	22.88	80.80	206.40	241.63	1,898.64	3.36	2,475.12
Kottayam	10	0.00	13.75	8.61	0.00	12.80	17.16	75.75	180.60	208.53	1,931.04	2.52	2,450.76
Kozhikode	16	0.00	13.75	8.61	0.00	6.40	17.16	181.80	352.60	529.60	4,163.40	6.72	5,280.04
Malappuram	13	0.00	0.00	8.61	0.00	12.80	17.16	90.90	227.90	311.14	2,611.44	5.04	3,284.99
Palakkad	8	0.00	13.75	8.61	0.00	6.40	17.16	55.55	137.60	168.81	1,629.72	0.84	2,038.44
Pathanamthitta	4	0.00	0.00	0.00	0.00	12.80	5.72	5.05	51.60	23.17	401.76	0.00	500.10
Thiruvananthapuram	16	0.00	13.75	8.61	0.00	6.40	22.88	70.70	236.50	215.15	2,044.44	6.72	2,625.15
Thrissur	13	0.00	0.00	8.61	0.00	12.80	17.16	116.15	236.50	321.07	2,757.24	6.72	3,476.25
Wayanad	4	0.00	0.00	0.00	0.00	12.80	22.88	20.20	64.50	66.20	599.40	0.84	786.82
Total	157	14.76	68.75	86.10	0.00	147.20	257.40	1,201.90	2,747.70	3,472.19	29,710.80	56.28	37,763.08

Level 10: Director General/Director/ Additional Director/Deputy Director; **Level 9:** CFO/CO; **Level 8:** Deputy CFO; **Level 7:** Deputy Controller; **Level 6:** DFO/DO/EO/Fire Supervisor; **Level 5:** ADO/ADFO/AFO/Fire In-charge; **Level 4:** St.O/Sub Inspector/Station In-charge/Asst O./AEO; **Level 3:** S O/Assistant Sub Inspector/ASO/Sub-Fire Officer; **Level 2 :** LFM/ Mechanic Driver/Head Constable/Store Superintendent; **Level 1 :** FM/ FM Driver/Radio Technician/ SGFM/ Driver/ Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; **Level 0:** Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Tindal.

Table 27-31: Cost estimate (in Lakhs Rupees) manpower in Kerala for new rural Fire Stations

District	Fire Stations	Level 10	Level 9	Level 8	Level 7	Level 6	Level 5	Level 4	Level 3	Level 2	Level 1	Level 0	Total Staff
Alappuzha	3	0.00	0.00	0.00	0.00	0.00	0.00	30.30	64.50	99.30	625.32	2.52	821.94
Ernakulam	1	0.00	0.00	0.00	0.00	0.00	0.00	5.05	17.20	23.17	152.28	0.84	198.54
Idukki	2	0.00	0.00	0.00	0.00	0.00	0.00	10.10	34.40	46.34	288.36	1.68	380.88
Kannur	9	0.00	0.00	0.00	0.00	0.00	0.00	5.05	94.60	72.82	505.44	7.56	685.47
Kasargod	7	0.00	0.00	0.00	0.00	0.00	0.00	5.05	81.70	72.82	456.84	5.88	622.29
Kollam	6	0.00	0.00	0.00	0.00	0.00	0.00	30.30	90.30	122.47	751.68	5.04	999.79
Kottayam	2	0.00	0.00	0.00	0.00	0.00	0.00	20.20	34.40	56.27	346.68	1.68	459.23
Kozhikode	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.60	6.62	51.84	0.84	67.90
Malappuram	10	0.00	0.00	0.00	0.00	0.00	0.00	126.25	223.60	327.69	2,193.48	8.40	2,879.42
Palakkad	6	0.00	0.00	0.00	0.00	0.00	0.00	75.75	146.20	221.77	1,432.08	5.04	1,880.84
Pathanamthitta	5	0.00	0.00	0.00	0.00	0.00	0.00	55.55	107.50	145.64	1,001.16	4.20	1,314.05
Thiruvananthapuram	8	0.00	0.00	0.00	0.00	0.00	0.00	35.35	124.70	155.57	978.48	6.72	1,300.82
Thrissur	8	0.00	0.00	0.00	0.00	0.00	0.00	35.35	120.40	152.26	936.36	6.72	1,251.09
Wayanad	3	0.00	0.00	0.00	0.00	0.00	0.00	20.20	51.60	66.20	427.68	2.52	568.20
Total	71	0.00	0.00	0.00	0.00	0.00	0.00	454.50	1,199.70	1,568.94	10,147.68	59.64	13,430.46

Level 10: Director General/Director/ Additional Director/Deputy Director; **Level 9:** CFO/CO; **Level 8:** Deputy CFO; **Level 7:** Deputy Controller; **Level 6:** DFO/DO/EO/Fire Supervisor; **Level 5:** ADO/ADFO/AFO/Fire In-charge; **Level 4:** St.O/Sub Inspector/Station In-charge/Asst O./AEO; **Level 3:** S O/Assistant Sub Inspector/ASO/Sub-Fire Officer; **Level 2 :** LFM/ Mechanic Driver/Head Constable/Store Superintendent; **Level 1 :** FM/ FM Driver/Radio Technician/ SGFM/ Driver/ Police Constable/ Wireless Technician/ Radio Technician/ Asst FM/ Sanitary Inspector, FO/FO Driver/Driver Operator/Driver/Ambulance Driver/ Clerk; **Level 0:** Cleaner, Fire Coolie, Supporting Staff, Attendant, Labourer, Peon, Security Guard, Tindal.

Annual Vehicle Maintenance & Repairs, and PDL Cost

For Gap analysis, vehicle maintenance, repairs and Petrol, Diesel & Lubricant (PDL) costs have been estimated based on average current expenditure to total vehicles cost (Table 27-32). The total estimated cost on vehicle maintenance & repairs, and PDL will be about **Rs. 14.86 Crores** per year for filling the gap in operational and urban areas in Kerala. The annual specialized equipment, building maintenance, office expanses, and training expanses will be about **Rs. 8.08 Crores, 18.26 Crores, 28.84 Crores and Rs. 5.04 Crores**, respectively.

Table 27-32: Annual recurring cost estimates (in Lakhs Rupees) for petrol, diesel, and lubricants after filling the gap in operational and new urban Fire Stations

District	Num of Fire Stations	Annual Vehicle Maintenance	Annual PDL Cost	Annual Equipment Maintenance	Annual Building Maintenance	Office Expenses	Training Expenses
Alappuzha	8	44.54	33.40	59.11	114.50	187.20	32.69
Ernakulam	24	135.86	101.90	130.14	268.00	425.62	74.31
Idukki	4	29.45	22.09	16.05	53.00	97.22	16.98
Kannur	16	85.36	64.02	80.13	152.50	305.24	53.30
Kasargod	8	32.69	24.52	31.80	86.00	100.28	17.51
Kollam	13	52.77	39.58	63.02	147.00	214.21	37.40
Kottayam	10	47.45	35.59	51.25	126.00	186.70	32.60
Kozhikode	16	100.69	75.51	105.74	205.00	374.06	65.31
Malappuram	13	61.01	45.76	59.09	122.00	226.99	39.63
Palakkad	8	54.83	41.12	36.00	114.00	156.14	27.26
Pathanamthitta	4	21.26	15.94	14.70	53.00	49.83	8.70
Thiruvananthapuram	16	80.47	60.35	73.56	179.50	249.88	43.63
Thrissur	13	79.25	59.44	72.76	158.50	250.14	43.68
Wayanad	4	23.90	17.92	15.59	47.50	61.34	10.71
Total	157	849.55	637.16	808.94	1,826.50	2,884.85	503.70

Table 27-33: State level summary of Capital Expenditure required for filling the gap (in Crores Rupees)

Capital Expenditure				
Operational Type	Fire Station Building Infrastructure	Vehicle Cost	Equipment Cost	Total Capital Cost
Operational Fire Stations	489.00	201.50	19.20	709.70
Gap in Operational Fire Stations	125.50	58.28	37.29	221.07
New Urban Fire Stations	298.75	94.20	44.63	437.58
Total Gap in New Urban and Operational Fire Stations	424.25	152.48	81.92	658.64
New Rural Fire Stations	299.00	82.83	25.54	407.37
Total Gap in New Urban ,New Rural and Operational Fire Stations	723.25	235.31	107.45	1,066.01

Table 27-34: State level summary of Recurring Expenditure required for filling the gap (in Crores Rupees)

Recurring Expenditure								
Operational Type	Annual Staff Salary	Annual Vehicle Maintenance	Annual Maintenance Contract (Specialized Equipment)	Annual Petrol diesel and Lubricant Cost	Annual Building maintenance	Annual Office Expenses	Annual Training Expenses	Total Recurring Expenditure
Operational Fire Stations	80.28	4.84	1.54	3.63	9.78	5.06	0.88	106.00
Gap in Operational Fire Stations	206.69	1.40	2.98	1.05	2.51	13.02	2.27	229.92
New Urban Fire Stations	170.95	2.26	3.57	1.70	5.98	10.77	1.88	197.10
Total Gap in New Urban and Operational Fire Stations	377.63	3.66	6.55	2.74	8.49	23.79	4.15	427.02
New Rural Fire Stations	134.30	1.99	2.04	1.49	5.98	8.46	1.48	155.75
Total Gap in New Urban ,New Rural and Operational Fire Stations	511.94	5.65	8.60	4.24	14.47	32.25	5.63	582.76

27.5 Detailed Financial Investment Plan

All the above detailed capital and recurring expenses have been taken into consideration, while finalizing the detailed Investment Plan for next 10 years for Kerala State (Table 27-35 and Table 27-36).

Table 27-35: State level 10 year investment plan for Kerala FRS for filling gap in operational and new urban Fire Stations (in Crores Rupees)

Year	Capital Expenditure		Recurring Expenditure					Total
	Building Infrastructure	Vehicle and Equipment	Annual Vehicle Maintenance & PDL AMC	Annual Staff Salary	Annual Office Expenses	Annual Training Office Expenses	Annual Bldg. Maintenance	
First Year	84.85	47.78	12.71	183.63	11.57	2.02	11.04	353.60
Second Year	94.18	50.17	16.66	321.40	20.25	3.31	12.41	518.40
Third Year	52.27	30.61	19.75	402.86	25.38	3.89	13.76	548.53
Fourth Year	58.02	32.14	23.23	499.24	31.45	4.53	15.13	663.73
Fifth Year	64.41	16.87	26.11	586.04	36.92	4.98	15.90	751.23
Sixth Year	71.49	17.72	29.31	686.49	43.25	5.47	16.69	870.41
Seventh Year	79.35	18.60	32.85	802.61	50.56	5.99	17.49	1,007.46
Eighth Year	88.08	19.53	36.76	936.72	59.01	6.56	18.30	1,164.97
Ninth Year	0.00	20.51	41.10	1,091.45	68.76	7.16	19.13	1,248.11
Tenth Year	0.00	21.54	45.89	1,269.83	80.00	7.81	19.98	1,445.04
Total	592.66	275.49	284.38	6,780.26	427.16	51.73	159.81	8,571.48

Table 27-36: State level 10 year investment plan for Kerala FRS for filling gap in operational, new urban and new rural Fire Stations (in Crores Rupees)

Year	Capital Expenditure		Recurring Expenditure					Total
	Building Infrastructure	Vehicle and Equipment	Annual Vehicle Maintenance & PDL AMC	Annual Staff Salary	Annual Office Expenses	Annual Training Office Expenses	Annual Bldg. Maintenance	
First Year	144.65	47.78	12.71	183.63	11.57	2.02	11.04	413.40
Second Year	160.56	50.17	16.66	321.40	20.25	3.31	12.41	584.78
Third Year	89.11	54.51	21.04	436.55	27.50	4.22	14.98	647.91
Fourth Year	98.91	57.23	26.01	574.71	36.21	5.21	17.59	815.87
Fifth Year	109.80	30.05	29.87	691.71	43.58	5.88	19.01	929.88
Sixth Year	121.88	31.55	34.18	828.51	52.20	6.60	20.46	1,095.36
Seventh Year	135.28	33.13	38.98	988.18	62.26	7.38	21.93	1,287.12
Eighth Year	150.16	34.78	44.33	1,174.24	73.98	8.22	23.43	1,509.15
Ninth Year	0.00	36.52	50.30	1,390.73	87.62	9.13	24.96	1,599.25
Tenth Year	0.00	38.35	56.93	1,642.26	103.46	10.11	26.52	1,877.62
Total	1,010.34	414.07	331.02	8,231.91	518.61	62.08	192.31	10,760.35

27.6 Prioritization of new Fire Stations/Fire Posts

For prioritization of new Fire Stations/fire posts, the RMSI team has strictly followed risk categorization and estimated population density in the jurisdiction of new Fire Station/fire post as criteria. Accordingly, the priority for establishing new urban Fire Stations and rural Fire Stations/posts has been given in Tables 27-38 and 27-39, respectively.

However, It may be noted that actual implementation of priority depends upon a number of factors such as land availability, land possession, tackling any encroachment on available land, getting construction clearances from various authorities for implementation of construction work. Hence, Kerala FRS may change the priority of a new Fire Station/fire post depending upon the local situation and requirements.

27.7 Avenues of Fund Generation

Kerala State can generate new avenues for funds from the followings:

- Introduction of Fire Tax (1% of existing property tax)
- Introduction of Fire Cess, which can be collected for auditing and inspecting various occupancies for adoption of Fire Safety Measures besides training public manpower for use of first aid firefighting equipment
- Training programs at different levels and duration to private sector employee on chargeable basis
- Capitation fees can be charged for scrutiny of building plans
- Clearance of building plans from fire safety point of view
- Sale of condemned fire appliances, equipment, uniform articles and general store items
- Fee on deployment of members of Fire Service along-with necessary equipment and appliances beyond the jurisdiction of the State Fire Services
- Standby charges on deployment of members of Fire Service along-with equipment and appliances in the area for stand by for a specific duration can be charged except the visits of Government authorities, or in public interest, if demanded by the district administration
- Training Charges from the external trainees sponsored by private industries for short and long duration courses.

27.8 Capacity Building and Training Facilities

The State has framed Recruitment Rules (RR) for each level, and these are being adhered to for filling the vacant position.

Presently, Kerala FRS has a State training centre operational at Viyyoor in Thrissur district that provides basic training for fireman up to sub-officers (ASTO) level. It has also a well-established Fire Service Training School at Fort Kochi. In 2011, the State fire and rescue services conducted training for firefighting personnel - Fireman (200 persons), Leading Fireman (50 persons) and ASTO (74 persons) courses. A few senior level officials got training at NFSC Nagpur, however, overall State fire rescue service lacks some gaps in trained manpower. In 2011, 6 officers attended Station Officer Training Course at NFSC, Nagpur on behalf from Kerala Fire and Rescue Services.

Training courses attended by fire personnel of Kerala Fire and Rescue Services

Sl No.	Name of Training Course	Training Institute Name	Duration	No. of Participants from Fire and Rescue Services	Training Year
1	STO Course	NFSC, Nagpur	-	6	2011
2	ASTO (Sub-Officer) Course	Thrissur, Kerala	4 Months	74	2011
3	LFM Course	Thrissur, Kerala	2 Months	50	2011
4	FM Course	Thrissur, Kerala	12 Months	200	2011

The roles of firefighter cannot be performed until and unless sufficient training is being imparted to the fire service personnel. The types of training and duration depend upon the type of entry to the fire service department or change of responsibility on promotion. Broadly, there are two entry levels in fire services in India; 1) Fireman level and 2) Middle level (Sub Officer/ Asst. Station Officer). Immediately after joining the Fire Services, it is mandatory that every fire personnel needs to undergo professional training.

In order to further strengthen the Kerala Fire and Rescue Services, the gap in training has been estimated for various levels of fire personnel. The Fire Station survey and gap analysis reveal that there are some gaps in training need for existing staff. The previous section (section 27.3.3.) details about gap in manpower for operational Fire Stations and need of additional fire personnel for new urban and new rural Fire Stations. As per the guidelines of SFAC, immediately after recruitment, fire personnel should undertake professional trainings. Moreover, there should be refresher-training courses at an interval of 3 to 5 years for every fire personnel. The following sections detail about the estimation of training need at different levels (fireman, leading fireman, station officer, sub-officer etc.).

27.8.1 BASIC TRAINING FOR FIREMAN

The basic training course should provide practical experience of firefighting to meet the challenge in firefighting operations. Fire personnel should also be trained for operation and maintenance of firefighting vehicles and equipments.

Estimated number of fire personnel who require basic training for fireman in operational Fire Stations (after filling the gap of manpower), and additional new recruitment for new urban and new rural Fire Stations is shown in Table 27-37. Additional requirement of Refresher Training Course for fireman after every 3-5 years of service is also shown the Table 27-37. Some of the special training for handling specialized equipment such as Breathing Apparatus, Global-positioning System etc should also be part of the Refresher course. As a whole, Kerala FRS would require to train 12,794 fire personnel in basic and 7,790 fire personnel in refresher training in next 10 years. Therefore, State training centre should have adequate capacity and infrastructure for meeting such training requirement.

Table 27-37: Estimated training requirements for fire personnel in Kerala Fire Services

Basic Training for Fireman		
	Number of Fire Personnel in Operational Fire Stations	5,603
	Number of Fire Personnel in New Urban Fire Stations	4,059
	Number of Fire Personnel in New Rural Fire Stations	3,132
	Total Number of Fire Personnel for Training	12,794
Refresher Training for Fireman		
	Total Number of Fire Personnel	7,790
Leading Fireman Training Course		
	Number of Fire Personnel in Operational Fire Stations	610
	Number of Fire Personnel in New Urban Fire Stations	584
	Number of Fire Personnel in New Rural Fire Stations	474
	Total Number of Fire Personnel for Training	1,668
Other specialized Training Course		
	Total Number of Fire Personnel for Training	1,194
Junior Officer Training Course		
	Number of Fire Personnel in Operational Fire Stations	533
	Number of Fire Personnel in New Urban Fire Stations	403
	Number of Fire Personnel in New Rural Fire Stations	369
	Total Number of Fire Personnel for Training	1,305
Divisional Officer Training Course		
	Number of Fire Personnel in Operational Fire Stations	63
	Number of Fire Personnel in New Urban Fire Stations	24
	Number of Fire Personnel in New Rural Fire Stations	0
	Total Number of Fire Personnel for Training	87
Fire Prevention Course		
	Total Number of Fire Personnel for Training	96

27.8.2 TRAINING COURSE FOR LEADING FIREMAN

While promotion from fireman to leading fireman category, fire personnel should undertake training course designed for leading fireman. This training will provide both theoretical and practical training required for effective deployment of fire vehicles and fire equipment as well.

Estimated number of fire personnel who require training for leading fireman in operational Fire Stations (after filling the gap of manpower), and additional new recruitment for new urban and new rural Fire Stations is shown in Table 27-37. In total, Kerala FRS would need to train at least 1,194 leading fireman for specialized courses in next 10 years.

27.8.3 OTHER SPECIALIZED TRAINING COURSES

Besides regular normal training course for leading fireman, every leading fireman should also undergo at least one special training for multi-tasking performance in due course of time. In many cases, the fire services need to face new challenges and play an important role in other emergencies. Therefore, fire personnel must be well trained to perform in all possible situations. Some of the other specialized trainings courses are mentioned below:

- Breathing Apparatus
- Collapsed structure – Search & Rescue
- Advanced Search & Rescue
- Flood Rescue
- Chemical Disaster
- Flood / Cyclone Disaster Response
- Earthquake Disaster Response
- Emergency Response to Rail Accidents
- Hazardous Material Emergency

The syllabi for above courses are already provided in SFAC guidelines. Number of leading fireman need to attend specialized course is also shown in Table 27-38.

27.8.4 JUNIOR OFFICER TRAINING COURSE

While promotion from leading fireman to sub-officer/ station officer fire personnel should undertake a Junior Officer training course. This course should provide an understanding of Fire Station administration, fire safety management and leadership as to be able to command a Fire Station and command a fire crew in case of an emergency. Upon successful completion of the training, fire officers should be able to identify components of an effective fire service organization and planning requirement. The officials will be responsible for implementation of fire safety and prevention programs at their assigned Fire Station.

Estimated number of fire officers who need to participate in Junior Officer training course in operational Fire Stations (after filling the gap of manpower), and additional new recruitment for new urban and new rural Fire Stations is shown in Table 27-37. After filling gap in operational Fire Stations, new urban and rural Fire Stations, Kerala FRS Service would require to train 1,305 junior officers in next 10 years.

27.8.5 DIVISIONAL FIRE OFFICER TRAINING COURSE

On promotion to divisional officer, every fire officer should undertake a Divisional Fire Officer (DFO) training course. This course should provide with theory, principles and practices in terms of Fire Station management, facilities, fire inspection as well as effective guidelines to command fire crew and control at an incident site. This course should be designed to promote them for their roles as senior fire officers. Upon successful completion of training, officers should be able to identify components of an effective fire service organization and implementation of fire prevention and fire safety programs at their assigned area of jurisdiction.

Estimated number of fire officers who require Divisional Officer training course in operational and new Fire Stations (after filling the gap of manpower) is shown in Table 27-38. About 87 fire officers in Kerala FRS Service who would require this training in next 10 years.

27.8.6 FIRE PREVENTION TRAINING COURSE

In addition to firefighting staff, the State FRS are running a dedicated fire prevention wing for inspection, awareness generation, and training for schools, hospitals, high-rise buildings, shopping malls, govt. offices, public buildings etc. Though fire services in the State are creating public awareness programs for schools, hospitals, Govt. offices, etc. however, it is not up to the desired level due to significant lack of trained manpower. For that purpose sufficient manpower at senior officer levels have been recommended to have an effective State *"Fire Prevention Wing"*. The fire prevention wing should have trained officials for fire inspection, awareness and training, so that fire incidences similar to that of AMRI, Kolkata should not occur in the State. The State should have a dedicated *"Education Van"* in each district for the purpose. The van should be well equipped with short video films as produced by MHA, distribution of pamphlets on "DO"s and "DON'T"s generated by MHA, and live demonstration of how to use "portable extinguishers" and handle small fires. Accordingly, the State would require to train about 218 fire officials in fire prevention course

27.8.7 AWARENESS GENERATION PROGRAMS

Besides attending regular fire and other rescue calls, the State fire and rescue services should also work on awareness generation programs, and it should conduct regular awareness programs in schools, residential areas, NCC camps, oil and gas plants, Govt. offices etc. Currently, numbers of awareness programs conducted so far by Kerala FRS Service are not up to the satisfactory level and here is a need to have a dedicated Fire Prevention Wing throughout the State. For large scale public awareness generation, each district is being recommended with an Education Van equipped with short video films as produced by MHA, distribution of pamphlets on "DO"s and "DON'T"s to prevent fire event generated by MHA, live- demonstrations of how to use "portable extinguishers" and how to handle small kitchen fires.

27.9 Limitations of the Study

1. In fire hazard and risk analysis, fire-load of specific industry has not been taken into consideration. However, weightage has been given to the size of industrial area in the fire hazard and risk analysis of the base unit (district level). An attempt has been made even in the present assignment to go further down at lower levels. Providing special weightage to type of industry will require building level survey including estimation of fire-load for each industry, which is out of scope of present assignment.
2. Currently, Census 2011 has published only district level demographic data (the Tehsil/ Block level data is still unavailable), which has been used for further estimation and analysis purpose.
3. Floating population in cities has not been considered for distribution over the land use (built-up area); this may be attempted in future detailed studies.
4. Non-availability of a uniform level of fire statistics of all the fire events in the past 5 years.
5. Designation, rank structure and administrative control are very heterogeneous from State to State, which in the present State creates ambiguity while brining in at National level. For example, Director Position pay scale in one State may not be equal to that of Chief Fire Officer in another State. For the purpose of present assignment, we have divided the rank/designation structure into 11 levels (level 0 to level 10). For this, a system needs to be put in place through having a uniform administrative structure at national level to State level. This may require development and implementation of National Fire Act, which MHA is trying to develop in near future.
6. The firefighting infrastructure of forest department, privately owned companies/ organizations, military cantonment and airbases, nuclear power plants, nuclear research reactors, heavy water plants, mines, ports, airports, oil exploration and oil refineries are out of scope of present study. However, RMSI is trying to get information about the fire-fighting infrastructure for these, and will include whatever information will be available, as there are limitations due to security concerns. This is more so, as result of this study may be made available in public domain with their spatial location. Studying fire infrastructure in above areas will require special MOU's with MHA and controlling agencies, and may be attempted in future studies to have a complete coverage of the country.

27.10 Recommendations for Kerala State Fire Services

1. At present, the State has Fire Force Act 1962, which need thorough revision and updation to meet provisions of National Building Code (NBC, 2005) in order to strict implementation of fire code in building design and construction. National Building Code (NBC) should be strictly adhered to in high-rise buildings, schools, colleges, shopping malls, cinema halls, hospitals, industrial units, institutions and public and private buildings.
2. The Kerala FRS lacks in firefighting manpower and there are large number of vacancies at all levels in the State in operational Fire Stations, which need to be filled up at the earliest.
3. Instead of having firemen, driver, and operator separately, the State should recruit fireman-cum-driver-cum-operator. This will help in optimizing the huge manpower requirements. Since, these may not be readily available, the State should train the new recruit in a systematic manner, and encourage all existing staff, specially, fireman and leading fireman to obtain heavy vehicle driving license. The State may offer some incentive towards this, as this will help in optimization of resources.
4. Based on prioritization of Fire Stations, State Fire Services needs to add new Fire Stations at a faster pace, as there is a huge gap both in urban and rural areas.
5. Online Vehicle tracking through GPS or and development of a fully computerized response system is another area for improvement.
6. Though Kerala State Fire and Rescue Services is creating public awareness programs through fire prevention wing and fire service officers in schools, hospitals, Govt. offices, etc. however, it is not meeting up to the desired level due to lack of trained manpower and funds. For that purpose sufficient manpower at senior officer levels have been recommended to have an effective State "*Fire Prevention Wing*". The fire prevention wing should have trained officials for fire inspection, awareness and training, so that fire incidences similar to that of AMRI, Kolkata should not occur in the State. The State should have a dedicated "*Education Van*" in each district for the purpose. The van should be well equipped with short video films as produced by MHA, distribution of pamphlets on "DO's and "DON'T"s generated by MHA, and live demonstration of how to use "portable extinguishers" and handle small fires.
7. Periodic fire drills and fire-inspection of schools, colleges, cinema halls hospitals, shopping complexes, multi-storied buildings, and major industrial centers should be taken care by the Kerala FRS.
8. For congested areas, and by-lanes where movement of Water Tender and Water Bowser is difficult, QRTs and motorcycle with mist sets should be used for the fastest response, supplemented by the Water Tenders and Water Bowsers by laying the large hose pipelines. Additionally, State Fire Service should identify congested areas and request district administration to decongest such areas with the help of police. The congestion could be in terms of illegal extension of residential buildings, shops, unauthorized parking on roads. For unauthorized parking, State traffic department can also play an important role. Here role of fire prevention officials is important as such, exercises are not one time exercise and should be carried out regularly.
9. The State/ UT Fire Services should ensure that higher fire personnel (ADFO/DFO upwards) should be provided with light official vehicle for inspection and fire prevention work, depending upon State/UT Policy.

10. Though the Kerala FRS does have promotional avenues for their staff, there is an urgent need to have merit-based promotions so that the deserving employees remain motivated and do not leave the organization at the middle of their career.
11. Additionally, some central authority should also carry out routine audits to ensure good finance management of capital, and O&M expenditures of Kerala FRS.

Table 27-38: Details of operational and new proposed urban Fire Stations with their ideal jurisdiction area, estimated ideal served population under their jurisdiction, and priority ranking for new Fire Stations

District	FS Ref No.	Fire Station Name	Operational Type	Population Density	Priority Ranking
Alappuzha	KL1158	Cherthala Fire and Rescue Station	Operational Urban FS	10,697	
Alappuzha	KL1157	Kayamkulam Fire and Rescue Station	Operational Urban FS	6,476	
Alappuzha	KL_New_Urban_FS-38	Kalavoor-Mannanchery	New Urban FS	5,647	6
Alappuzha	KL1154	Alappuzh Fire Station	Operational Urban FS	4,187	
Alappuzha	KL_New_Urban_FS-40	Punnapra	New Urban FS	3,496	9
Alappuzha	KL_New_Urban_FS-37	Kanjikuzhy	New Urban FS	3,072	11
Alappuzha	KL1155	Mavelikkara Fire and Rescue Station	Operational Urban FS	1,962	
Alappuzha	KL1156	Chengannur Fire and Rescue Station	Operational Urban FS	1,243	
Ernakulam	KL2472	Thrikkakara Fire & Rescue Station	Operational Urban FS	23,477	
Ernakulam	KL_New_Urban_FS-29	Edappally, Ernakulam	New Urban FS	16,642	1
Ernakulam	KL2436	Gandhinagar Fire & Rescue Station	Operational Urban FS	16,317	
Ernakulam	KL2454	Club Road Fire & Rescue Station	Operational Urban FS	16,131	
Ernakulam	KL2443	Mattancheri Fire & Rescue Station	Operational Urban FS	11,910	
Ernakulam	KL2440	Trippunithura Fire & Rescue Station	Operational Urban FS	9,983	
Ernakulam	KL_New_Urban_FS-30	Eroor, Ernakulam	New Urban FS	9,138	2
Ernakulam	KL2466	Eloor Fire & Rescue Station	Operational Urban FS	3,252	
Ernakulam	KL_New_Urban_FS-27	Vaduthala, Ernakulam	New Urban FS	3,110	10
Ernakulam	KL_New_Urban_FS-34	Kangarappady, Ernakulam	New Urban FS	2,412	12
Ernakulam	KL_New_Urban_FS-33	Perumbadappu, Kochi	New Urban FS	2,285	13
Ernakulam	KL2469	Aluva Fire & Rescue Station	Operational Urban FS	1,932	
Ernakulam	KL2451	Moovattupuzhe Fire & Rescue Station	Operational Urban FS	1,403	
Ernakulam	KL2464	Angamaly Fire & Rescue Station	Operational Urban FS	1,257	
Ernakulam	KL_New_Urban_FS-31	Shastammugal, Ernakulam	New Urban FS	1,252	14
Ernakulam	KL2458	Perumbavoor Fire & Rescue Station	Operational Urban FS	1,224	

District	FS Ref No.	Fire Station Name	Operational Type	Population Density	Priority Ranking
Ernakulam	KL_New_Urban_FS-32	Nadakkavu	New Urban FS	855	15
Ernakulam	KL_New_Urban_FS-28	Njarakkal, Vypin	New Urban FS	784	16
Ernakulam	KL_New_Urban_FS-35	Edathala, Aluva	New Urban FS	1,184	53
Ernakulam	KL2500	Kothamangalam Fire & Rescue Station	Operational Urban FS	7,138	
Idukki	KL2509	Thodupuzhe Fire & Rescue Station	Operational Urban FS	2,595	
Kannur	KL2623	Kannur Fire & Rescue Station	Operational Urban FS	40,171	
Kannur	KL_New_Urban_FS-6	Chovva, Kannur	New Urban FS	23,543	43
Kannur	KL_New_Urban_FS-59	Manal (Chirakkal)	New Urban FS	22,466	44
Kannur	KL_New_Urban_FS-4	Puthiya Theru(Chirakkal)	New Urban FS	20,711	45
Kannur	KL_New_Urban_FS-7	Thottada	New Urban FS	2,655	49
Kannur	KL2646	Payyannur Fire & Rescue Station	Operational Urban FS	2,231	
Kannur	KL_New_Urban_FS-8	Edakkad	New Urban FS	2,059	51
Kannur	KL_New_Urban_FS-5	Pappinisseri	New Urban FS	1,125	54
Kannur	KL2636	Thalassery Fire & Rescue Station	Operational Urban FS	1,017	
Kannur	KL2649	Thaliparamba Fire & Rescue Station	Operational Urban FS	811	
Kannur	KL_New_Urban_FS-54	Cheruthazham	New Urban FS	807	56
Kasargod	KL2659	Kasaragod Fire & Rescue Station	Operational Urban FS	2,815	
Kasargod	KL_New_Urban_FS-53	Cheruvathur	New Urban FS	1,487	39
Kasargod	KL_New_Urban_FS-1	Bedira	New Urban FS	4,115	46
Kasargod	KL2655	Kanhangad Fire & Rescue Station	Operational Urban FS	3,906	
Kasargod	KL_New_Urban_FS-2	Nileswarem	New Urban FS	3,604	48
Kasargod	KL2652	Thrikkaripur Fire & Rescue Station	Operational Urban FS	2,106	
Kollam	KL1142	Kollam Fire and Rescue Station	Operational Urban FS	34,148	
Kollam	KL1143	Chamakkada Fire and Rescue Station	Operational Urban FS	20,773	
Kollam	KL_New_Urban_FS-42	Vazhappally, Kollam	New Urban FS	6,200	26
Kollam	KL_New_Urban_FS-43	Chandanathope, Mangad	New Urban FS	5,752	27

District	FS Ref No.	Fire Station Name	Operational Type	Population Density	Priority Ranking
Kollam	KL_New_Urban_FS-41	Kavanad-Sakthikulangara	New Urban FS	3,968	30
Kollam	KL1141	Paravoor Fire and Rescue Station	Operational Urban FS	3,123	
Kollam	KL1138	Punaloor Fire and Rescue Station	Operational Urban FS	2,630	
Kollam	KL1144	Karunagappally Fire and Rescue Station	Operational Urban FS	2,263	
Kollam	KL_New_Urban_FS-44	Anchal	New Urban FS	1,986	52
Kollam	KL1148	Kottarakkara Fire and Rescue Station	Operational Urban FS	1,417	
Kottayam	KL_New_Urban_FS-51	Chingavanam, Kottayam	New Urban FS	1,782	36
Kottayam	KL1169	Kanjirappally Fire and Rescue Station	Operational Urban FS	1,083	
Kottayam	KL1161	Kottayam Fire and Rescue Station	Operational Urban FS	6,537	
Kottayam	KL_New_Urban_FS-39	Ettumanoor	New Urban FS	4,115	47
Kottayam	KL1159	Changanasseri Fire and Rescue Station	Operational Urban FS	3,224	
Kottayam	KL1166	Pala Fire and Rescue Station	Operational Urban FS	1,603	
Kottayam	KL1167	Erattupetta Fire and Rescue Station	Operational Urban FS	811	
Kottayam	KL_New_Urban_FS-36	Vaikom	New Urban FS	462	57
Kozhikode	KL2577	Kozhikode Fire & Rescue Station	Operational Urban FS	24,003	
Kozhikode	KL_New_Urban_FS-13	Thondayad, Kozhikode	New Urban FS	22,020	19
Kozhikode	KL2576	Vellimadukunnu Fire & Rescue Station	Operational Urban FS	19,226	
Kozhikode	KL2589	Meenchantha Fire & Rescue Station	Operational Urban FS	12,948	
Kozhikode	KL_New_Urban_FS-58	Kunnathupalam (Kozikhode)	New Urban FS	12,282	20
Kozhikode	KL_New_Urban_FS-11	Pavangad Junction, Puthiyangadi	New Urban FS	7,902	24
Kozhikode	KL_New_Urban_FS-9	Payyoli	New Urban FS	3,441	32
Kozhikode	KL2599	Vadakara Fire & Rescue Station	Operational Urban FS	2,631	
Kozhikode	KL_New_Urban_FS-10	Koyilandy	New Urban FS	2,079	34
Kozhikode	KL_New_Urban_FS-12	Kumaraswamy	New Urban FS	1,874	35
Kozhikode	KL_New_Urban_FS-16	Poovattauparamba	New Urban FS	1,743	37

District	FS Ref No.	Fire Station Name	Operational Type	Population Density	Priority Ranking
Kozhikode	KL_New_Urban_FS-14	Ramanattukara	New Urban FS	1,219	40
Malappuram	KL_New_Urban_FS-56	Nooradi (Malappuram)	New Urban FS	54,743	17
Malappuram	KL_New_Urban_FS-57	Panakkad (Malappuram)	New Urban FS	42,767	18
Malappuram	KL2562	Malappuram Fire & Rescue Station	Operational Urban FS	22,921	
Malappuram	KL_New_Urban_FS-17	Manjeri	New Urban FS	4,079	28
Malappuram	KL_New_Urban_FS-19	Tanur	New Urban FS	3,983	29
Malappuram	KL2558	Perinthalmanna Fire & Rescue Station	Operational Urban FS	3,629	
Malappuram	KL2556	Tirur Fire & Rescue Station	Operational Urban FS	3,172	
Malappuram	KL2573	Nilambur Fire & Rescue Station	Operational Urban FS	2,470	
Malappuram	KL2553	Ponnani Fire & Rescue Station	Operational Urban FS	2,446	
Malappuram	KL_New_Urban_FS-18	Changuveti, Kottakkal	New Urban FS	2,268	33
Malappuram	KL_New_Urban_FS-20	Puthanathani	New Urban FS	1,739	38
Malappuram	KL_New_Urban_FS-15	Kondotty	New Urban FS	1,211	41
Malappuram	KL_New_Urban_FS-21	Edappal	New Urban FS	1,023	42
Palakkad	KL_New_Urban_FS-55	Railway Colony, Palakkad	New Urban FS	3,535	8
Palakkad	KL2532	Kanjikkode Fire & Rescue Station	Operational Urban FS	2,273	
Palakkad	KL2543	Palakkad Fire & Rescue Station	Operational Urban FS	3,675	
Pathanamthitta	KL1152	Thiruvalla Fire and Rescue Station	Operational Urban FS	2,830	
Pathanamthitta	KL1151	Pathanamthitta Fire and Rescue Station	Operational Urban FS	4,054	
Pathanamthitta	KL1150	Ranny Fire and Rescue Station	Operational Urban FS	2,143	
Pathanamthitta	KL1149	Adoor Fire and Rescue Station	Operational Urban FS	1,856	
Thiruvananthapuram	KL1126	Trivandrum Fire and Rescue Station	Operational Urban FS	16,187	
Thiruvananthapuram	KL1127	Chacka Fire and Rescue Station	Operational Urban FS	8,829	
Thiruvananthapuram	KL_New_Urban_FS-48	Vazhottukonam, Trivandrum	New Urban FS	8,555	3
Thiruvananthapuram	KL_New_Urban_FS-47	Pappanamcode, Trivandrum	New Urban FS	8,364	4
Thiruvananthapuram	KL_New_Urban_FS-46	Ulloor, Trivandrum	New Urban FS	6,312	5

District	FS Ref No.	Fire Station Name	Operational Type	Population Density	Priority Ranking
Thiruvananthapuram	KL_New_Urban_FS-45	Kadinamkulam, Trivandrum	New Urban FS	5,316	7
Thiruvananthapuram	KL1129	Vizhinjam Fire and Rescue Station	Operational Urban FS	4,471	
Thiruvananthapuram	KL1135	Kazhakkuttom Fire and Rescue Station	Operational Urban FS	3,408	
Thiruvananthapuram	KL1134	Attingal Fire and Rescue Station	Operational Urban FS	3,141	
Thiruvananthapuram	KL1133	Varkala Fire and Rescue Station	Operational Urban FS	2,079	
Thiruvananthapuram	KL1136	Kattakkada Fire and Rescue Station	Operational Urban FS	992	
Thiruvananthapuram	KL1137	Neyyattinkara Fire and Rescue Station	Operational Urban FS	3,953	
Thiruvananthapuram	KL_New_Urban_FS-49	Poonkulam, Pachalloor	New Urban FS	3,742	31
Thrissur	KL2515	Thrissur Fire & Rescue Station	Operational Urban FS	26,116	
Thrissur	KL_New_Urban_FS-24	Ollur, Thrissur	New Urban FS	9,274	21
Thrissur	KL_New_Urban_FS-23	Mannuthy, Thrissur	New Urban FS	9,072	22
Thrissur	KL_New_Urban_FS-22	Olarikkara, Thrissur	New Urban FS	8,366	23
Thrissur	KL_New_Urban_FS-25	Keltron Nagar, Thrissur	New Urban FS	6,474	25
Thrissur	KL2524	Chalakkudy Fire & Fire Station	Operational Urban FS	4,626	
Thrissur	KL2522	Puthukkad Fire & Rescue Station	Operational Urban FS	3,434	
Thrissur	KL2516	Kunnamkulam Fire & Rescue Station	Operational Urban FS	1,653	
Thrissur	KL2520	Guruvayoor Fire & Rescue Station	Operational Urban FS	1,528	
Thrissur	KL2526	Irinjalakkuda Fire & Rescue Station	Operational Urban FS	2,247	
Thrissur	KL_New_Urban_FS-26	Kodungallur	New Urban FS	913	55
Wayanad	KL2617	Sulthan Btheri Fire & Rescue Station	Operational Urban FS	2,793	
Wayanad	KL_New_Urban_FS-52	Mananthavady	New Urban FS	2,556	50
Wayanad	KL2615	Kalpetta Fire & Rescue Station	Operational Urban FS	2,107	

Table 27-39: Details of operational and new proposed rural Fire Stations with their ideal jurisdiction area, estimated ideal served population under their jurisdiction, and priority ranking for new Fire Stations

District	FS Ref No.	Fire Station Name	Operational Type	Population Density	Priority Ranking
Alappuzha	KL_New_Rural_FS-53	Vallikunnam	New_Rural_FS	1,274	3
Alappuzha	KL_New_Rural_FS-33	Cheppad	New_Rural_FS	916	6
Alappuzha	KL_New_Rural_FS-34	Vezhapra	New_Rural_FS	494	9
Ernakulam	KL2461	North Paravoor Fire & Rescue Station	Operational Rural FS	425	
Ernakulam	KL2474	Piravom Fire & Rescue Station	Operational Rural FS	296	
Ernakulam	KL2477	Koothattukulam Fire & Rescue Station	Operational Rural FS	545	
Ernakulam	KL2497	Kalloorkkad Fire & Rescue Station	Operational Rural FS	256	
Ernakulam	KL_New_Rural_FS-31	Kolencherry	New_Rural_FS	416	70
Idukki	KL2507	Idukki Fire & Rescue Station	Operational Rural FS	261	
Idukki	KL2510	Kattappana Fire & Rescue Station	Operational Rural FS	369	
Idukki	KL2512	Munnar Fire & Rescue Station	Operational Rural FS	151	
Idukki	KL_New_Rural_FS-57	Muttom	New_Rural_FS	446	59
Idukki	KL_New_Rural_FS-55	Vandiperiyar	New_Rural_FS	69	71
Kannur	KL2628	Iritty Fire & Rescue Station	Operational Rural FS	156	
Kannur	KL2630	Peravoor Fire & Rescue Station	Operational Rural FS	113	
Kannur	KL2633	Kuthuparamba Fire & Rescue Station	Operational Rural FS	99	
Kannur	KL2640	Mattannur Fire & Rescue Station	Operational Rural FS	150	
Kannur	KL2643	Peringome Fire & Rescue Station	Operational Rural FS	153	
Kannur	KL_New_Rural_FS-11	Kudukkimotta	New_Rural_FS	1,092	46
Kannur	KL_New_Rural_FS-10	Mangattuparamba	New_Rural_FS	588	54
Kannur	KL_New_Rural_FS-62	Peringathur	New_Rural_FS	507	55
Kannur	KL_New_Rural_FS-12	Peralassery	New_Rural_FS	480	57
Kannur	KL_New_Rural_FS-60	Ettikulam	New_Rural_FS	473	58
Kannur	KL_New_Rural_FS-8	Kottila	New_Rural_FS	281	63
Kannur	KL_New_Rural_FS-64	Chengalai	New_Rural_FS	172	65

District	FS Ref No.	Fire Station Name	Operational Type	Population Density	Priority Ranking
Kannur	KL_New_Rural_FS-9	Payyavoor	New_Rural_FS	127	67
Kannur	KL_New_Rural_FS-13	Alakode	New_Rural_FS	103	68
Kasargod	KL2657	Kuttikol Fire & Rescue Station	Operational Rural FS	213	
Kasargod	KL2666	Uppala Fire & Rescue Station	Operational Rural FS	628	
Kasargod	KL_New_Rural_FS-7	Kanhirapoiil	New_Rural_FS	654	31
Kasargod	KL_New_Rural_FS-1	Kumbila	New_Rural_FS	1,128	45
Kasargod	KL_New_Rural_FS-4	Bendichal	New_Rural_FS	678	50
Kasargod	KL_New_Rural_FS-5	Tachangad	New_Rural_FS	655	51
Kasargod	KL_New_Rural_FS-2	Mundayathaduka	New_Rural_FS	395	60
Kasargod	KL_New_Rural_FS-3	Mularia	New_Rural_FS	351	61
Kasargod	KL_New_Rural_FS-6	Malakkallu	New_Rural_FS	136	66
Kollam	KL1139	Kadakkal Fire and Rescue Station	Operational Rural FS	773	
Kollam	KL1140	Kundara Fire and Rescue Station	Operational Rural FS	1,338	
Kollam	KL1147	Shasthamkotta Fire and Rescue Station	Operational Rural FS	1,177	
Kollam	KL_New_Rural_FS-51	Adichanalloor	New_Rural_FS	1,783	16
Kollam	KL_New_Rural_FS-43	Parippally	New_Rural_FS	1,401	18
Kollam	KL_New_Rural_FS-37	Odanavattom	New_Rural_FS	915	26
Kollam	KL_New_Rural_FS-36	Pathanapuram	New_Rural_FS	267	37
Kollam	KL_New_Rural_FS-47	Kulathupuzha	New_Rural_FS	54	43
Kollam	KL_New_Rural_FS-52	Chavara	New_Rural_FS	834	49
Kottayam	KL1163	Kaduthuruthy Fire and Rescue Station	Operational Rural FS	620	
Kottayam	KL1168	Pampady Fire and Rescue Station	Operational Rural FS	609	
Kottayam	KL_New_Rural_FS-56	Erumeli	New_Rural_FS	249	38
Kottayam	KL_New_Rural_FS-32	Kumarakom	New_Rural_FS	631	52
Kozhikode	KL2587	Narikuuni Fire & Rescue Station	Operational Rural FS	385	
Kozhikode	KL2595	Mukkam Fire & Rescue Station	Operational Rural FS	309	

District	FS Ref No.	Fire Station Name	Operational Type	Population Density	Priority Ranking
Kozhikode	KL2605	Perambra Fire & Rescue Station	Operational Rural FS	260	
Kozhikode	KL2613	Nadapuram Fire & Rescue Station	Operational Rural FS	216	
Kozhikode	KL_New_Rural_FS-63	Chemmarathur	New_Rural_FS	356	35
Malappuram	KL_New_Rural_FS-66	Velluvambram	New_Rural_FS	3,069	13
Malappuram	KL_New_Rural_FS-18	Vengara	New_Rural_FS	1,331	20
Malappuram	KL_New_Rural_FS-21	Padaparamba	New_Rural_FS	1,310	21
Malappuram	KL_New_Rural_FS-58	Kuttayi	New_Rural_FS	1,124	22
Malappuram	KL_New_Rural_FS-59	Parappanangadi	New_Rural_FS	1,078	23
Malappuram	KL_New_Rural_FS-22	Valanchery	New_Rural_FS	996	24
Malappuram	KL_New_Rural_FS-20	Pandikkad	New_Rural_FS	962	25
Malappuram	KL_New_Rural_FS-17	Edavanna	New_Rural_FS	707	30
Malappuram	KL_New_Rural_FS-65	Kalikavu	New_Rural_FS	607	32
Malappuram	KL_New_Rural_FS-16	Chungathara	New_Rural_FS	193	41
Palakkad	KL2530	Shornnur Fire & Rescue Station	Operational Rural FS	873	
Palakkad	KL2534	Alathur Fire & Rescue Station	Operational Rural FS	714	
Palakkad	KL2541	Chithur Fire & Rescue Station	Operational Rural FS	1,404	
Palakkad	KL2574	Mannarkkad Fire & Rescue Station	Operational Rural FS	240	
Palakkad	KL2529	Vadakkancheri Fire & Rescue Station	Operational Rural FS	654	
Palakkad	KL_New_Rural_FS-19	Ottappalam	New_Rural_FS	2,691	14
Palakkad	KL_New_Rural_FS-24	Cherpulassery	New_Rural_FS	912	27
Palakkad	KL_New_Rural_FS-23	Koottanad	New_Rural_FS	748	29
Palakkad	KL_New_Rural_FS-25	Mundur	New_Rural_FS	355	36
Palakkad	KL_New_Rural_FS-40	Kollengode	New_Rural_FS	230	40
Palakkad	KL_New_Rural_FS-67	Nattukal	New_Rural_FS	490	56
Pathanamthitta	KL_New_Rural_FS-71	Uthimoodu	New_Rural_FS	584	8
Pathanamthitta	KL_New_Rural_FS-35	Kozhenchery	New_Rural_FS	1,236	44
Pathanamthitta	KL_New_Rural_FS-38	Pandalam	New_Rural_FS	1,073	47


District	FS Ref No.	Fire Station Name	Operational Type	Population Density	Priority Ranking
Pathanamthitta	KL_New_Rural_FS-39	Enathu	New_Rural_FS	1,027	48
Pathanamthitta	KL_New_Rural_FS-54	Pamba	New_Rural_FS	17	69
Thiruvananthapuram	KL1128	Nedumangad Fire & Rescue Station	Operational Rural FS	779	
Thiruvananthapuram	KL1130	Poovar Fire and Rescue Station	Operational Rural FS	1,246	
Thiruvananthapuram	KL1132	Parassala Fire and Rescue Station	Operational Rural FS	1,020	
Thiruvananthapuram	KL_New_Rural_FS-45	Sarkara	New_Rural_FS	1,564	1
Thiruvananthapuram	KL_New_Rural_FS-41	Balaramapuram	New_Rural_FS	1,559	2
Thiruvananthapuram	KL_New_Rural_FS-46	Venjaramoodu	New_Rural_FS	1,158	4
Thiruvananthapuram	KL_New_Rural_FS-44	Vilappilsala	New_Rural_FS	1,032	5
Thiruvananthapuram	KL_New_Rural_FS-49	Perumkadavila	New_Rural_FS	771	7
Thiruvananthapuram	KL_New_Rural_FS-42	Kallikkad	New_Rural_FS	259	10
Thiruvananthapuram	KL_New_Rural_FS-48	Ponmudi	New_Rural_FS	93	12
Thiruvananthapuram	KL_New_Rural_FS-72	Kallambalam	New_Rural_FS	2,362	15
Thrissur	KL2525	Mala Fire & Rescue Station	Operational Rural FS	461	
Thrissur	KL2550	Wadakkanchery Fire & Rescue Station	Operational Rural FS	307	
Thrissur	KL_New_Rural_FS-28	Cherpu	New_Rural_FS	1,755	17
Thrissur	KL_New_Rural_FS-26	Edakkalathur	New_Rural_FS	1,385	19
Thrissur	KL_New_Rural_FS-27	Thriprayar	New_Rural_FS	896	28
Thrissur	KL_New_Rural_FS-29	Kodakara	New_Rural_FS	520	33
Thrissur	KL_New_Rural_FS-68	Pazhayannur	New_Rural_FS	505	34
Thrissur	KL_New_Rural_FS-30	Pattikad	New_Rural_FS	238	39
Thrissur	KL_New_Rural_FS-50	Vettilapara	New_Rural_FS	68	42
Thrissur	KL_New_Rural_FS-70	Pavaratty	New_Rural_FS	604	53
Wayanad	KL2621	Mananthevady Fire & Rescue Station	Operational Rural FS	304	
Wayanad	KL_New_Rural_FS-61	Thalappuzha	New_Rural_FS	198	11
Wayanad	KL_New_Rural_FS-15	Vythiri	New_Rural_FS	297	62
Wayanad	KL_New_Rural_FS-14	Makkiyad	New_Rural_FS	226	64



RMSI is a professional services company
providing geospatial solutions and application
software services to clients worldwide



Ranked amongst the
Top 5 Indian
IT's Best Employers
for seven years in a row,
since 2003



Employer in India for
3 years in a row

Business World - Great
Places to Work Study 2009
RMSI ranked #1 across all industries,
for the third year in a row

Property Rights Notice: All Rights Reserved. This material contains the valuable properties and trade secrets of RMSI, embodying substantial creative efforts and confidential information, ideas and expressions, no part of which may be reproduced or transmitted in any form or by any means, electronic, mechanical or otherwise, including photocopying and recording, or in connection with any information storage or retrieval system without permission in writing from the authorized officer of RMSI, or an RMSI subsidiary.